DMB HK Limited
Doing Major Business



DENTAL CATALOGUE



INDEX

Cotton & Sponge
Dental Cotton Roll ---- 01
Cotton Roll Dispenser ---- 02
Gauze Sponge ---- 03
Non Wonven Sponge ---- 03

Personal & Barriers
Fack Mask ---- 04
Face Shield/Eyewear ---- 05
Cap/Gown/Shoe Cover ---- 07
Dental Bib ---- 08
Clip For Bib/Bib Holder ---- 08
Paper Tray Cover ---- 09

Syringe & Dental Needle
Dental Needle ---- 10
Luer Lock Syringe ---- 11
Sharp Container/Waste Bag ---- 11
Pre-Bent Needle ---- 12
Irrigation System Kit ---- 13

Treatment Accessories
Saliva Ejector ---- 14
Evacuator Ejector ---- 14
Air/Water Syringe Tip ---- 16
Disposable Traps & Plastic/Paper Cup ---- 17
Cheek Retractor ---- 18
Mouth Mirror ---- 19
Disposable Instrument Kit ---- 20
Implantology Wear ---- 21
High Frequency Airs Caler ---- 24
Prophy Brush ---- 25
Micro Applicator ---- 27
Wedges ---- 29
Denture Box ---- 30
Ivory Matrix Bands ---- 31

Sterilization
Sterilization Pouch/Reel Rolls ---- 32
Sealing machine ---- 33

Endodontic
Root File(Hand File/Engine File) ---- 34
Gutta Percha Point ---- 44
Absorbent Paper Point ---- 45
Fiber Post ---- 47

Impression Accessories
Impression Tray ---- 48
Dappen Dish & Mixing Well ---- 51
Bracket Tray/Plastic Tray ---- 51-52

Laboratory
Mixing Bowl & Spatula & Mixing Pad ---- 53
Alcohol Lamp ---- 54
Articulator & Honey Comb Tray ---- 55
Articulating Paper ---- 56
Polishing Machine,Vacuum Former ---- 57-60
Micro motor,Flask

Orthodontic
Ligature Tie, Power Chain,Elastic ---- 61

BD Products
Blade & Suture With Needle ---- 62-63

X-Ray Accessories
Barrier Envelope/X-Ray Film ---- 64
Digital Sensor/X-ray system/Film Holder ---- 65-68
X-Ray Lead Apron ---- 68

Environmental Barriers
Plasitc Sleeve ---- 69-71

Diamond Burs & Disc
Diamond Bur ---- 72-75
Mounted Stone ---- 76
Bur Holder ---- 76-77
Polishing Brush ---- 78
Diamond Disc ---- 79-82

Dental Rotary
Rubber/Silicone Polisher ---- 83-92
Carbide bur ---- 93-97
Tungsten Carbide Cutter ---- 98-105
Electroplate HP diamonds ---- 106-109

Cements & Liners
Alginate impression Material ---- 110
Synthetic Polymer Teeth/Denture Base Resin ---- 110
Sheet Wax/Base Plate Wax ---- 111
Glass Ionomer/Zinc-Phosphate Cement/Eugenol ---- 112
Dental Stone/Dental Alloy ---- 113

Oral Care
Orthodontic Kit/Dental Floss ---- 114
Interdental Brush/Tongue Cleaner ---- 115
Denture Brush/Sand Timer ---- 116
Mirror ---- 117

Teeth Model
Teeth Model ---- 118-119

Clinical Apparatus
Clinical instruments ---- 120-126

35/F., Central Plaza, 18 Harbour Road. Wanchai - Hong Kong
Telephone: +852 2824 8140 WhatsApp: +852 6778 9546 Wechat: +86 130 2881 9456 Web: www.dmb-hk.com





Dental Cotton Rolls

- 100% high-purity cotton
- High absorbing capacity
- Sizes and inner package can be produced according to clients' requirements
- Packed in plastic for protection

Ref.#	Description	Pcs/Bag	Bag/Ctn
	Bag Package		
CW001-1	1# 8mm X 38mm(0.315"X1-1/2")	1000	20
CW001-2	2# 10mm X 38mm(0.375"X1-1/2")	1000	20
CW001-3	2# 10mm X 38mm(0.375"X1-1/2")	600	40
CW001-4	3# 12mm X 38mm(0.472"X1-1/2")	1000	20
CW001-5	4# 15mm X 38mm(0.551"X1-1/2")	345	12
	Box Package		
CW001-6	1# 8mmX38mm(0.315"X1-1/2")	2000	12
CW001-7	2# 10mm X 38mm(0.375"X1-1/2")	2000	12
CW001-8	3# 12mmX38mm(0.472"X1-1/2")	2000	12

Cotton Rolls Dispenser

For 2#(10X38MM) dental cotton rolls



Color:



CW002-1
- Material: PS

Type: Drawer type
Package: 1pc/box, 42pcs/ctn



Color:



CW002-2
- Material: PS

Type: Press
Package: 1pc/box, 40pcs/ctn





Color:



CW002-3
- Material: PC
- Autoclavable 134°C

Type: Rolling
Package: 1pc/box, 30pcs/ctn





CW002-4
- Material: Stainless steel

Autoclavable
Type: Press
Package: 1pc/box, 50pcs/ctn

Dental Cotton Roll Holder

Color:



CW002-6
Material: PP
Package: 1pc/box, 50pcs/ctn



CW003
Material: PP
Color: bule
Package: 100pcs/bag

Dental Cotton Ball Holder



CW002-7
Material: PP
Size: 1-7/8" X 1-7/8" X 2-1/16"
Package: 1pcs/box, 100pcs/ctn



Sponges Holder

Non-Woven Sponge

CW007

- 100% high-purity swab
  High absorbing capacity
  Non-sterile
  Sizes and inner package can be produced according to clients' requirements

Ref.#	Description	Pcs/Sleeve	Sleeve/Ctn
CW007-1	30g/㎡,2"X2" 4-ply	200	25
CW007-2	30g/㎡,3"X3" 4-ply	200	25
CW007-3	30g/㎡,4"X4" 4-ply	200	25
CW007-4	30g/㎡,4"X3" 4-ply	200	25
CW007-5	40g/㎡,2"X2" 4-ply	200	25
CW007-6	40g/㎡,3"X3" 4-ply	200	25
CW007-7	40g/㎡,4"X4" 4-ply	200	25
CW007-8	40g/㎡,4"X3" 4-ply	200	25





CW006

- Material: PP
  Size: 2"X2"
  Package:1pc/box,100pcs/ctn

Cotton Tipped Applicator

- These quality applicators are versatile and add ease of applications. They are made of wooden dowels with a tight 100% cotton bud that minimizes lint and prevents shredding. The soft pliable cotton doesn't damage mucosa and the wooden stem is strong.

Ref.#	Description	Pcs/Bag
CW008-1	3"	100
CW008-2	6"	100



Cotton Filled Sponge

CW004 Mesh: 17 X 7

- 100% Cotton
  Size: 2" X 2" , 8-ply
  Non-sterile
  Package: 200pcs/sleeve, 50sleeve/ctn





All-Gauze Sponge

CW005

- 100% Cotton
  Size: 2" X 2", 3" X 3", 4" X 4"
  Mesh: 19X9,19x15, 25x17
  Non-sterile, 8/12ply
  Package: 100pcs/sleeve, 25sleeve/ctn

☐ Fold Edge ☐ Non Fold Edge









Color:



01 Outer layer
- Highest quality filter media for best ASTM rating,filtration value and breathability

02 Medium filter layer
- Added protection with unique material for maximum fluid resistance of protection against body fluids

03 Inner layer
- Soft and special designed material to reduce skin irritation and allergic reactions

04 Double steel with PP coated

05 Location hole

06 Point Welding

07 Three folder design

3-ply Face Mask With Earloop

- Fluid resistant outer layer. (Meet ASTM 2100)
  Fluid resistant white inner layer. (By NELSON approved)
  Designed specifically for people with sensitive skin, better protection from being exposed to blood and splash/spray/spatter.
  Latex-free
  Package: 50pcs/box,40box/ctn









Ref.#	Maximum Barrier	High Barrier	Moderate Barrier	Low Barrier
	PB001-4	PB001-3	PB001-2	PB001-1
Fluid Resistance	180mmHg	160mmHg	120mmHg	80mmHg
PFE	>99.9%	>99%	>98%	>95%
BFE	>99.9%	>99%	>98%	>95%
Delta P	<5.0 H_2O/cm^2	<5.0 H_2O/cm^2	<5.0 H_2O/cm^2	<4.0 H_2O/cm^2
Flammability	Class 1	Class 1	Class 1	Class 1

Surgical Face Mask Tie-on

(3 layer)

- Package:50pcs/box, 40box/ctn

Ref.#	Maximum Barrier PB002
Fluid Resistance	160mmHg
PFE	>99%
BFE	>99%
Delta P	<5.0 H_2O/cm^2
Flammability	Class 1





Color:



Pro-shield Face Mask

Anti-Fog

(3 layer)

- Package:20pcs/box, 20box/ctn

☐ Earloop ☐ Tie-on

Ref.#	Maximum Barrier PB003
Fluid Resistance	160mmHg
PFE	>99%
BFE	>99%
Delta P	<5.0 H_2O/cm^2
Flammability	Class 1



Top-quality Children Face Mask

Color:

(3 layer)



- Size: 12.5 X 8 cm
  Package:50pcs/box, 40box/ctn



Ref.#	Maximum Barrier PB004
Fluid Resistance	160mmHg
PFE	>99%
BFE	>99%
Delta P	<5.0 H_2O/cm^2
Flammability	Class 1

Cone Mask





☐ Point welding



☐ Staple

- Package:50pcs/box, 20box/ctn

Color:

Ref.#	Maximum Barrier PB005
Gram	180g/m²
PFE	>98%
BFE	>98%
Delta P	<4.5 H_2O/cm^2
Flammability	Class 1

High-distinct Face Shield



PB008B Color:

- Optically clear, no distortion.
  Package: 1 pcs frame + 5 pcs shield/box



PB006A Color:

- Optically clear, no distortion.
  Package: 1 head frame + 10 pcs shield/box



PB006B Foam thickness:28mm

- Optically clear, no distortion.
  Package: 200pcs/plastic bag



Eye Shield



PB009 Color:

- Protect eyes from spray and spatter
  Package: 10pcs frame + 10 pcs shield/bag



PB008 Color:

- Optically clear, no distortion.
  Package: 1 pcs frame + 10 pcs shield/box

See-clear Eyewear



PB010



Color:



Color:

PB010F





PB011 Color:



hollow out

- We offer both clear protective safety glasses and UV protective safety glasses. No-distortion. Both are made of single piece polycarbonate lens construction. The unique spherical design delivers a distortion - free view even in peripheral vision areas. These glasses are secure and have a comfortable fit even when wearing over prescription glasses. They are economic choice while still providing needed safety precautions. The UV glasses prevent more than 99% of UV and dangerous blue light (up to 540nm).

Ref.#	Description	Pcs/Box
PB010-1B	Clear lens with blue leg	12
PB010-5A	Red lens with black leg	12
PB010F-1	Yellow lens with black leg	12
PB010F-2	Clear lens with black leg	12
PB011-1C	Clear	12
PB011-1O	Orange	12

Protective Light Hand Shield

UV 400



PB011-4

- Maxium UV protection anti-static, no-distortion
  Package: 1 pcs/bag

Disposable Isolation Gown



Tie back



Knit cuff



PB015

- Hand sewn tie at waist

Material: PP, 30g/㎡, 40g/㎡
Size: ☐ Small 115X137cm
☐ Medium 120X140cm
☐ Large 130X150cm
Package: 10pcs/bag, 10bag/ctn

Disposable Lab Gown

Knit collar



Shirt collar



Elastic cuff





PB016

- Material: PP, 40g/㎡

Size: ☐ Small 98X118 cm
☐ Medium 103X123 cm
☐ Large 107X128 cm
☐ Extra Large 110X134 cm
Package: 5pcs/bag, 10bag/ctn

Shoe Cover

☐ 40g/㎡ Skid-proof
☐ 30g/㎡ Non Skid-proof

PB013

- Material: Non-woven

Size: Regular 16X40cm
Color: Blue



Non-Woven Bouffant Cap





Color:



PB012

- Material: PP, 10g/㎡, 14g/㎡

Latex-free
Size: 18",21"
Package: 100pcs/bag, 20bag/ctn



☐ CPE skid-proof
☐ PE

PB014

- 2g/㎡,3g/㎡

Size: Regular 15X39cm

Polygard Dental Bib

2 ply paper + 1 ply poly

Color:

PB017

- 100% wooden paper, medical grade PE film.

Paper: 17g/㎡, PE film:13g/㎡
Provide positive moisture barrier and quick absorbency.
Protection with Horizontal embossed pattern protects patient's clothing and increases the strength of the towel.

Ref.#	Color	Pcs/Ctn
PB017B	Blue	500
PB017G	Green	500
PB017L	Lavender	500
PB017P	Pink	500
PB017O	Orange	500
PB017Y	Yellow	500
PB017W	White	500

Clips for bib



Ref.#	Description		Pcs/Bag
PB023	Steel	18"	1
PB024	Plastic	15-1/2"	20
PB025	Plastic	14-1/5"	1
PB025A	Silicone,SS tip, Autoclavable	14-1/5"	1

Protection Organizer

- thickness:3mm



PB032
Clear



PB031
Clear

Ref.#	Description
	Simple Glove Dispenser
PB031-1	one layer, 245 X 130 X 100MM
PB031-2	two layer, 245 X 130 X 190MM
PB031-3	three layer, 245 X 130 X 280MM
	Glove Dispenser(round open)
PB032-1	one layer, 257 X 105 X 140MM
PB032-2	two layer, 257 X 105 X 273MM
PB032-3	three layer, 245 X 105 X 406MM
	Combination Dispenser
PB033	425 X 110 X 640MM



PB033
White

Bibs Holder

PB026-1

- Material: Acrylic

Dimension(mm):
L:180 X W:133 X D:155
Package: 1pcs/box





PB026-2

- Material: Stainless Steel, autoclavable

Dimension(mm):
L:177 X W:130 X D:155
Package: 1pcs/box

Personal Barriers

2-ply paper +1-ply poly

Chain-free Dental bib





U style

PB019
- 2-ply paper +1-ply poly
  Size: 16" X 18" (40.5 X 46cm)
  Package: 125pcs/bag, 4bag/ctn

Roll Type



PB021
- 2-ply paper +1-ply poly
  Size: 13"X18"(33X45.5cm)/sheet X 220sheets/roll
  Color: Blue,Green
  Package: 1 roll/plastic coated

Apron (Tie-on)



PB018
- Size: 13" X 18" (33 X 45.5cm)
  Color: Blue
  Package: 100pcs/bag, 20bag/ctn

PB020
- 2-ply paper +1-ply poly
  Size: 14-1/3"X24"(36.5 X 61 cm)
  Pocket depth: 10cm
  Color: Blue
  Package: 100pcs/bag, 5bag/ctn

Tissue / Non-woven Dental Chair Head Rest Cover



1-ply paper +1-ply poly

PB027
- Paper: 20g/m² PE: 20g/m²
  Size: 10"X10", 10"X13"
  Color:
  Package: 1000pcs/ctn

PB029
- Color:
  Package: 500pcs/ctn



one ply non-woven

PB029-1/2
25g/m²
10"X10", 10"X13"



one ply poly
+
one ply non-woven

PB029-3/4
30g/m²
10"X10", 10"X13"



Dental Tray Cover



PB028
- Size: 8-1/2" X 12-1/4" (21.5cm X 31cm)
  Color:
  Paper: 70g/m²
  Package: 1000pcs/ctn



Disposable Dental Needles that come in short and long sizes. The needle has a sharp tri-bevel point for maximum comfort and have a universal screw-in system that works with an inch-type or metric-type syringes. The plastic hubs are pre-threaded for an easy, straight attachment into the syringe. The needle is siliconized for smooth motion during injection.

EO Sterilization







★ Tri-bevel point for easy tissue penetration without coring



★ The round cutting edge can protect the gum



★ Silicone coated substantially reduces pain and tissue trauma

Disposable Dental Needle(Sterilized)

SN001
- EO sterilization
  UK & Metric General
  Package: 100pcs/box,50box/ctn



Hot sealed Plastic hub



Paper sealed label

Ref.#	Description
	Hot sealed Plastic hub
SN001-125	27G (0.40),length:25mm
SN001-132	27G (0.40),length:32mm
SN001-138	27G (0.40),length:38mm
SN001-213	30G (0.30),lenght:12mm
SN001-221	30G (0.30),lenght:21mm
SN001-225	30G (0.30),lenght:25mm

Ref.#	Description
	Paper sealed label
SN001-1P25	27G (0.40),length:25mm
SN001-1P32	27G (0.40),length:32mm
SN001-1P38	27G (0.40),length:38mm
SN001-2P13	30G (0.30),lenght:12mm
SN001-2P21	30G (0.30),lenght:21mm
SN001-2P25	30G (0.30),lenght:25mm



SN002-1



SN002-2

Aspirating Syringe

SN002
- Capacity: 1.8ml
  Type: USA/Metric thread
  Package: 1pcs/bag

Ref.#	Description
	SS
SN002-1	Triangle head
SN002-2	Hook head
	Plastic + Steel
SN002-3	Triangle head
SN002-4	Hook head

Luer Lock Irrigation Syringe







- Designed for surgical site irrigation, Standard luer lock style design, Disposable, non-sterile. 3 parts.

Ref.#	Description	Pcs/Bag	Bag/Ctn
SN004-1	1.2cc	100	50
SN004-2	3cc	100	38
SN004-3	5cc	100	30
SN004-4	10cc	100	15
SN004-5	12cc	100	15
SN004-7	6cc	100	30



SN004-6

- 1cc injection syringe

12CC Curved Utility Syringe



SN003

- Designed for surgical site and post-surgical home irrigation, similar to Monoject #412 syringe
  Can be used with silicone and rubber-based impression materials
  Package:50pcs/bag,24bag/ctn

Sharp Container



- Square shape disposable and puncture resistant containers according to the standard UN 3291, the quality is reliable and safe. No PVC, non-toxic, high temperature, cold-resistant, durable thorn, seismic, no leakage, and easy to burn. Easy to operate, with the needle measures system.Has temporarily closed and permanently closed system.

Ref.#	Description	Pcs/Ctn
SC-F3.0	3.0L,20X16X13.5cm	30
SC-F5A	5.0L,24.5X20X16.5cm	24
SC-F10	10.0L,30X20X26cm	12
SC-F15	15.0L,36X22X26cm	20
SC-F23	23.0L,37X24X38cm	20

Infections Waste Bag-Stick on

SN012

- Adheres to most surfaces
  Size: 9"X10"



Ref.#	Description	Pcs/Bag	Bag/Ctn
SN012-1	BIO Hazard waste bag ,red	200	8
SN012-2	Utility waste bag,yellow	200	8

Pre-Bent Needle Tips



- For use with etchants, resins and flowable composites
  Blunt end,pre-bent needle tip,universal luer lock style hub
  Package: 100pcs/bag, 600bag/ctn

Ref.#	Description	Color
SN005-1	18G,liner	
SN005-2	20G,flow-sealant	
SN005-3	21G	
SN005-4	22G	
SN005-5	23G	
SN005-6	24G	
SN005-7	25G	
SN005-8	Full plastic,straight,20G	
SN005-10	Full pastic,curved,20G	



Endodontic Irrigation Needles

Double hole



- 1. Closed-end cannula and a side window dispersal point. The Optiprobe irrigation needle offers a unique design for unmatched effectiveness, patient comfort, and safety in irrigating root canals and periodontal pockets.
- 2. Bendable needle 1" monoject style (notched) needle tips, color coded for easy identification of 23,27,or 30 G.

Ref.#	Description	Package
SN005-12	23G Blue	
SN005-13	27G Grey	
SN005-14	30G Yellow	1pcs/pouch bag,
SN005-16	27G Grey	100bag/box,
SN005-17	30G Yellow	50box/ctn
SN005-18	23G Blue	
SN005-19	27G Grey	
SN005-20	30G Yellow	

Pre-Bent Micro-Aspirator Tips



SN006

- Special design with flexible 20mm length follows curved canals all the way to the apex
  Inner diameter: 0.18-0.25mm, Outer diameter: 0.4-0.5mm
  Luer-lock ends

Curved Brush Tips



SN008

- Soft fiber tip
  Tightly fitted fibers for low viscosity materials

Irrigation System Kit

Esterilización EO

SN010

- EO Sterilization Material: PVC & Silicone

Package: 20 sets/box, 8 box/ctn


SN010-1


SN010-2


SN010-3


SN010-4


SN010-5


SN010-6


SN010-7


SN010-8


SN010-9

Ref.#	Name	Matching Implant Motors	Silicone Tubes Specification
SN010-1	Sterile Irrgation Set Kavo	KAVO(INTRASURG 300/300Plus/500/1000/1000 AIR)	Length 37cm, ID 4mm, ED 7mm
SN010-2	Sterile Irrigation Set Bien Air Chiropro	BIEN AIR(Chiropro/CH Chiropro 980/Hersel) PIEZON MASTER SURGERY, Piezosurgery 2,Surgisonic 1, UBS Osteotomía Ultrasónica , Surgybone/Acrobone/Easybone Silfradent	Length 15cm, ID 4mm, ED 7mm
SN010-3	Sterile Irrigation Set W&H Nobelbiocare Friadent 3i Straumann	W&H(Implantado) NOBELBIOCARE(80/Osseo set 100/200/Osseocare) FRIADENT(FRIOS unit S/Si) 3i(Surgical Unit) STRAUMANN(Zimmer Dental,Lifecore center pulse,Innova Corp.)	Length 7.5cm, ID 3.5mm, ED 5mm
SN010-4	Sterile Irrigation Set ANTHOGYR, Implanteo	ANTHOGYR, Implanteo	Length 9.5cm, ID 4mm, ED 6.5mm
SN010-5	Sterile Irrigation Set W & H Elcomed	W&H -(Elcomed200/100/9925)	Length 18.5cm, ID 3.5mm, ED 5mm Length 6cm, ID 3.5mm, ED 5mm
SN010-6	Sterile Irrigation Set Nouvag & Straumann	NOUVAG(3000/7000/MD10/MD20),STRAUMANN(Sm12)	Length 12cm, ID 4mm, ED 8mm
SN010-7	Sterile Irrigation Set NSK Bioment Kyocera Aseptico	NSK(Surgic XT/Surgic XT PLUS/Variosurg) BIOMET 3I(Osseocision) 、KYOCERA(Implantor Neo) ASEPTICO(AUE 7000/AEU 6000)	Length 9cm, ID 3.5mm, ED 5.5mm
SN010-8	Sterile Universal Irrigation Set	ANTHOGYR, FRIEDRICHFELD, FRIADENT, KAVO, NOUVAG, STRAUMANN BIEN AIR	1.(pre-installed): Length 16cm, ID 4MM, ED 7MM 2. Length 15cm, ID 4mm, ED 6MM 3. Length 13cm, ID 3.1mm, ED 4.9mm
SN010-9	Surgical Aspiration With Cannula	Suction device composed of a surgical cannula pre-installed	Length 2.7cm, ID: 0.6cm

Comfort Saliva Ejector



☐ Removable ☐ Regular


TA001R

Removable Saliva Ejector

- Smooth and Alloy wire (non rust)

Facilitates uninterrupted fluid and light debris removable

Allow for extended use

Package: 100pcs/bag, 10bag/ctn

Ref.#	Descripción
TA001-1	Clear tube with blue tip
TA001-2	clear tube with clear tip
TA001-3	White tube with white tip
TA001-4	Green tube with clear tip
TA001-5	Blue tube with clear tip
TA001-6	Color tube with color tip
TA001-6	Color tube with color tip
TA001R	Clear tube with clear tip

Evacuator Sleeve



- Material: Silicone

Autoclavable 135°C


TA006-11

Disposable

Ref.#	Description	Pcs/Bag
TA006-9	Dark blue, Soft	10
TA006-10	Light blue, Soft	10
TA006-11	White, Hard	100

Comfort Evacuator Ejector



Ref.#	Description	Pcs/bag	Bag/ctn
TA003-1	Vented	100	10
TA003-2	Non-vented	100	10

Surgical Aspirator Tip

- 30 angles,fits high-volume used with evacuation systems.



Ref.#	Description	Pcs/bag	Bag/ctn
TA004-1	Green 1/4"	25	50
TA004-2	White 1/8"	25	50
TA004-3	Blue 1/16"	25	50

Surgical Aspirator Tip



TA007-1

- Adapter(big+small)
  Autoclavable

TA007-2

- Material: ABS with 30° angle
  Diameter: 1/8"
  Package: 20pcs+1 pair adaptor/box
  30box/ctn



TA002

- Unique coil desgin is adjustable for maximum patients comfort
  Package: 100pcs/bag, 25bag/ctn



Tip/Jet/Surge Inserts - Disposable



TA008-3T
It is comfortable and protective to use and very suitable when treating children

TA008-4J
It is silent to use and easy to handle
The desgin enables dentists to reach by holding back tongue as well as cheek.

TA008-5S
It is perfect to use when dealing with narrow operations, root fillings and implants.

Ref.#	Description	Pcs/Bag
TA008-3T	Tip inserts	50
TA008-4J	Jet inserts	50
TA008-5S	Surge inserts	50

Suction Tip

Autoclavable



Ref.#	Description	Pcs/Bag
TA008-2L	Autoclavable, Large	50
TA008-2M	Autoclavable, Medium	50
TA008-2S	Autoclavable, Small	50

Surgical Aspiration Kit

- Material : PVC
  EO Sterilization





Ref.#	Name	Specification
TA007-9	Surgical Suction tip	Length: 14.5M Internal diameter: 4.5mm~2.4mm

Ref.#	Description	Pcs/Bag	Bag/Ctn
TA008-1L	Disposable, Large	50	20
TA008-1S	Disposable, Small		



Quad
Air-Channel
Design

Air/Water Syringe Tip

AS001

- Inner tube does not move under pressure
  Designed for snug locking fit
  Don't need any conversion with most metal tips
  Quad air-core design with separate air and water channels





Ref.#	Description	Pcs/Bag	Bag/Ctn
AS001-1L	Clear tube with color core, regular	250	40
AS001-1S	Color tube with white core, small	250	40
AS001-2	White tube,SS core	250	40
AS001-3	White tube,without core	250	40
AS001-4L	American type	250	40
AS001-4S	Europe type	250	40
AS007	Brass with chromium coated	100	100

Air/Water Syringe Tip/Cover





AS003	Package:100pcs/bag,18bag/ctn
AS002	Cover Air/water syringe tips from Andent Dental Prevent exposure and contamination from dust. Package: 250pcs/bag, 40bag/ctn

Disposable Traps


TA006-1


TA006-2


TA006-3


TA006-4


TA006-5


TA006-6


TA006-7


TA006-8

		Size	Package
TA006-1	Fit A-dec models with black plastic canister	2-1/8"	144pcs/box, 8box/ctn
TA006-2	Fit A-dec models with metal canister	2-1/4"	144pcs/box, 8box/ctn
TA006-3	Fit Ampco,Belmont,Biotec,Chayes,Dabi-Atlante, Dansereau,DCI,Den-Tal-EZ,Denttech,Forest,Knight, etc	1-7/8"	144pcs/box, 8box/ctn
TA006-4	Fit DCI/Belmont Reality	1-1/2"	144pcs/box, 8box/ctn
TA006-5	Fit most Cuspidor Bowls inculuding:A-Dec,Ampco, Belmont,Dabi-Altlante,etc.	Cuspidor: 2-1/2" basket:1-1/4"	144pcs/box, 8box/ctn
TA006-6	Fit Siemens,Planmeca,and many cuspidors with small diameter openings	Cuspidor:2-3/4" basket:1"	144pcs/box, 8box/ctn
TA006-7	Fit as a "cap" on all standard High Volume Evacuator Trap		144pcs/box, 60box/ctn
TA006-8	Fit all Saliva Ejector Trap		144pcs/box, 120box/ctn

Cup Dispenser


TA009-5

- Suit For 5OZ/7OZ cups

Package: 1pcs/box , 50box/ctn


TA009-6

TA009-5: For Being mounted on dental unit

TA009-6: With Magnetic Design

Plastic Cup/Paper Cup



Ref.#	Description	Pcs/bag	Bag/Ctn
TA009-1	Plastic Cup, 5 OZ (148ml)	50	20
TA009-2	Paper Cup, 5 OZ (148ml)	50	60
TA009-3	Paper Cup,7 OZ (207ml)	50	40

Cheek Retractors

Autoclavable
Color:

135°C

Hand-Free


TA010-1


TA010-2

Ref.#	Description	Pcs/Box	Box/Ctn
TA010-1B	Big	2	200
TA010-1M	Medium	2	200
TA010-1S	Small	2	200
TA010-2B	Big	2	100
TA010-2M	Medium	2	100
TA010-2S	Small	2	100


TA012-1

Autoclavable
Color:

135°C

Hand-Held


TA012-2

Autoclavable
Color:

Ref.#	Description	Pcs/Box	Box/Ctn
TA012-1B	Singel head, Adult	2	200
TA012-1S	Singel head, Child	2	200
TA012-2B	Double head, Adult	2	200
TA012-2S	Double head, Child	2	100



Luxury Cheek Retractor

Ref.#	Description	Pcs/Bag
TA012-3A	Lateral Lip Retractor	2
TA012-3BL	Upper/Lower Lip retractor	2
TA012-3BM		2
TA012-3CL	C style L	2
TA012-3CM	C style M	2
TA012-3E	Y Style	2



O Style

Disposable
Color:

Ref.#	Description	Pcs/Bag
TA011-2	Soft	10pcs/bag

Rubber Mouth Support





Ref.#	Description	Pcs/Bag	Bag/Ctn
TA013-1	Big(green)	50	20
TA013-2	Medium(blue)	50	20
TA013-3	Small(purple)	50	20
TA013C-1	Big With Chain(green)	2	500
TA013C-2	Medium With Chain(blue)	2	500
TA013C-3	Small With Chain(purple)	2	500

Plastic Rubber Dam Frame


TA014-1

- Material: PP

TA014-2

135°C



Ref.#	Description	Pcs/Box	Box/Ctn
TA014-1	White	10	40
TA014-2	Blue, White	200	8





Mouth Support Kit

Ref.#	Description	Set/Box
TA013-7	PU, autoclavable 121°C	1
TA013-8	Silicone, autoclavable 121°C	1


picture 1


picture 2


picture 3

Rubber Dam Cheek Retractor

100% Natural

TA015

- Natural curvature open mouth, not only to ensure open degree, patient won't feel tired in long time treatment.
  Suggestion: Wet it before use for placement.
  EO sterilization
  Package: 60pcs/box,12box/ctn
  Size: Medium: 87X87mm (TA015-2)
  Small: 73X73mm (TA015-3)

EO Sterilization


picture 1


picture 2


picture 3


picture 4

TA016

- Natural rubber barrier is a curvature appearance of the rubber gate, in the surgery patients can easily to open their mouth, convenient operation.Improve the road and visibility, save time to treatment, improve patients' comfortable levels.
  EO sterilization
  Package: 60pcs/box, 12box/ctn
  Size: Medium: 87X87mm (TA016-2)
  Small: 73X73mm (TA016-3)

Mouth Mirror & Handle



Material: Stainless steel



Ref.#	Description	Pcs/Box	Box/Ctn
	Mouth Mirror		
TA017-1	4# Anti-heat plain	12	100
TA017-2	4# Anti-heat magnifying	12	100
TA017-3	5# Anti-heat plain	12	100
TA017-4	5# Anti-heat magnifying	12	100
	Handle		
TA017-5	Round handle (SS)	10	50
TA017-6	Six Corner handle (SS)	10	50

TA018 TA019



Mouth Mirror/Probe

EO Sterilization

- Disposable,used for oral examination, ABS handle
  EO sterilization
  Package: 1pcs/bag, 300bag/box, 6box/ctn

Ref.#	Description
TA018-1	Glass Lens
TA018-2	PC Lens
TA019-1	SS tip, Single head
TA019-2	SS tip, Double head





Ref.#	Material	Pcs/Bag	Bag/Box	Box/Ctn
TA019-3	Double head, point with scale	1	300	6
TA019-4	Double head, round with scale	1	300	6

Tweezer



Ref.#	Material	Pcs/Bag
TA020-1	SS tip, ABS handle	1
TA020-2	Steel with zinc coated	100
TA020-3	Full plastic, ABS material	100

Single PCS package:



Disposable Dental Instruments Set

Material: ABS Handle
PC lens, SS tip





Ref.#	Description	Kit/Ctn
TA021-1	Mirror, Probe	1200
TA021-2	Mirror, Probe,Tweezer	600
TA021-3	Mirror, Probe,Tweezer,Bibs,Tray	200

Complete Kit of Implantology Wear

EO Sterilization



TA021-4A

Each Kit contains:

1. 1 surgical gown,SMS blue,55g/㎡,impermeable with knit cuffs
2. 1 assistant gown,polypropylene,30g/㎡, impermeable with cotton cuffs
3. 1 patient gown,soft and comfortable polypropy 30g/㎡,impermeable with knit cuffs
4. 2 pair of non-slippery overshoes
5. 1 pair of patient overshoes
6. 2 hand towls
7. 3 tie on masks
8. 2 surgical hats
9. 3 bouffant caps

TA021-4B

Each Kit contains:

10. 2 drapes 75 x 75 cm
11. 1 instrument (bridge) table cover 90 x 120cm,43g/㎡, impermeable
12. 1 instrument table cover 100 x 180 cm, 43g/㎡, impermeable for work plan.
13. 1 non woven "U" drape with adhesive 100 x 150 cm
14. 1 non woven surgical drape with adhesive 70 x 100 cm
15. 3 plastic sheets 8 x 120 cm with adhesive
16. 2 adhesive films 5 x 80 cm
17. 2 elastic wrist protectors
18. 1 plastic bag 50 x 80 cm
19. 1 protection for panel control with adhesive
20. 1 elastic cap radio cover

TA021-4E



Contains:

2 Surgical Gown Standard-Large with in overwrap
2 Absorbent Towel
1 Drape(175x150 cm),circular fenestration (7) with adhesive (10x10cm)
2 Sleeve cover(7.5x120cm)
1 Back table cover(80x100cm)

TA021-4C



Contains:

Patient's drape 75X90cm
Transparent hose cover 10X60cm
Table drape DL 50X75cm
Transparent hose cover 10X200cm
Reflector drape 15X15cm
Bundle cover 50X50cm

Dental Surgical Kit

EO Sterilization



TA021-4D

Contains:

3 Drapes 60x80cm
2 Instrument (bridge) table cover 120x120cm,50g/㎡ , impermeable
1 Non-woven fenestrated drape 160x170cm
1 Suture bag 30x16cm
4 Double side tape 2x20cm
2 Surgical hats
2 Tie-on face masks
1 Surgical gown,SMS blue, 50g/㎡ , impermeable with cotton cuffs
2 Plastic sheets 8x120cm with adhesive

Tube sleeve



TA021-11

- 9.5cm X 150cm
  single pouch bag, EO sterilization

Hands washer

EO Sterilization

TA021-10

- Package:
  1pc/pouch bag



Tube Sleeve

EO Sterilization

Ref.#	Description	Package
TA021-12	W: 7.5cm X L:120cm (2.95" X 47.3")	1 pcs/bag
TA021-13	W: 7.5cm X L:230cm (2.95" X 90.5")	100 bags/ctn



HIGH FREQUENCY AIRS CALER

SC-A300

Air-Drive Technology

Due to the high frequency vibration frequency is beyond limit of hearing, in the process of treatment is only a slight running noise and exhaust noise, air treatment process becomes more comfortable

By using air power source will not produce electromagnetic waves, in use process will not interfere with the use of other equipment, machine especially for cardiac pacing implantable electronic devices such as will not have any effect.

Easy repair



Technical

Specifications	B2/B4
Frequency	~17.000Hz
Air pressure	0.3Mpa
Weight	58g
Length	116mm

SC-300



Specifications

- Input : AC100~240V / 47~63Hz
- Main unit input: DC30V 1.5A
- Foot switch battery :1.5V x2
- Receiving sensitvity: -114Db
- Power: 30VA~48VA
- Vibration excursion of the tip : ≤ 100 m
- Output half-excursion : < 2N
- Ultrasonic output power: 3W~20W
- Water pressure:0.01Mpa~0.05Mpa
- Weight of main unit: 1.10Kg, Weight of adapter:0.25Kg
- Dimensions:330mm X 155mm X 155mm
- Gross Weight: 3.50Kg
- Packing Size:340 X 240 X 180mm

SCALING



PERIODONTAL



ENDODONTIC



Ti-Ni ALLOY ENDO FILE



·Titanium - Nickel alloy
·LENGTH : 32.5mm±0.5mm
·SHANK OD : Φ0.68mm~0.71mm

OR EMS & WOODPECKER

G1	G2	G3	G4	G5	G6	G7	G8
P1	P2L	P2R	P3	P4	P3D	P4D	
E0	E1	E2	E3	E3D	E4	E4D	E5
E5D	E9	E10	E10D	E11D			
SB1	SB2	SB3	SBL	SBR			

FOR SIRONA

GS1	GS2	GS3	GS4	GS5	GS6
GS7	GS8				
PS1	PS2L	PS2R	PS3	PS4	PS3D
PS4D					
ES0	ES1	ES2	ES3	ES3D	ES4
ES4D	ES5	ES5D	ES9		

OR SATELEC &DTE & NSK

GD1	GD2	GD3	GD4	GD5	GD6	GD7	GD8
PD1	PD2L	PD2R	PD3	PD4	PD3D	PD4D	
ED0	ED1	ED2	ED3	ED3D	ED4	ED4D	ED5
ED5D	ED9	ED10	ED10D	ED11D			
SBD1	SBD2	SBD3	SBDL	SBDR			

FOR KAVO

GK1	GK2	GK3	GK4	GK5	GK6
GK7					
KC1	KC2	KC3	GC1	GC2	GC3

Prophy Brush

- Material: nylon, bristle, wool, silicone carbide
  Latch type: 2.35mm,
  Model: Tapered, Flat, Cup
  Package: 100pcs/bag, 100bag/ctn



TA024-17B
Tapered,nylon,clear /color brush,screw in



TA024-17C
Tapered,nylon,clear brush,snap on



Clear nylon | Color nylon | Bristle (Original/Black) | Silicone | White wool

Ref.#	Description
Tapered Style	
TA024-1T	clear nylon
TA024-1C	color nylon
TA024-2O	bristle (original)
TA024-2B	bristle (black)
TA024-3W	white wool
TA024-4S	silicone carbide

Ref.#	Description
Flat Style	
TA024-5T	clear nylon
TA024-5C	color nylon
TA024-6O	bristle(original)
TA024-6B	bristle(black)
TA024-7W	white wool
TA024-8S	silicone carbide



Clear nylon | Color nylon | Bristle (Original/Black) | Silicone | White wool



TA024-18B
Flat,nylon,clear/color brush,screw in



TA024-18C
Flat,nylon,clear brush,snap on



Clear nylon | Color nylon | Bristle | Wool | Silicone

Ref.#	Description
Cup Style	
TA024-13T	clear nylon
TA024-13C	color nylon
TA024-14O	bristle(original)
TA024-14B	bristle(black)
TA024-15W	white wool
TA024-16S	silicone carbide

Prophy Cup/Prophy Angle Plus



TA023-1A4
4 webs



TA023-1A6
6 webs

TA023-2/2S
Regular/Soft



- Latex free, 6/4 webs
  Latch type: 2.35mm,
  Package: 100pcs/box, 100box/ctn





Snap On



- TA023-1B Prophy cup,screw type,4 webs
  TA023-1C Prophy cup,snap on type,4 webs

Prophy Paste Holder-Ring Type

Fit for all 2g prophy paste cups
Package: 200pcs/bag

TA023-1F
Disposable

TA023-1G
Autoclavable



Interdental Brush

- Green/White steel wire
- Shape: Ladder(dia1: 2.6mm, dia2: 4.8mm),
  Cylinder(dia: 2.6mm)
- Latch type
- Package: 100pcs/box



TA024-L20G | TA024-L20W | TA024-C20G | TA024-C20W

Prophylaxis Powder



Ref.#	Description	Bag/Ctn
TA025-1	Mesh 200, Mint-taste	40g/bag
TA025-2	Mesh: 180-200	120bottle/ctn





TA025-2A Mint | TA025-2B Orange | TA025-2C Original

Sander Gun

SG-100





SG-200







SG-300



Plastic

Color:

Feature:

- Attractive design allows for dexterous handling & manipulation
- 360 ° rotations
- Disperses evenly with no splashing
- Specially designed to prevent backflow and blockage
- Easy to clean and simple to maintain



2 holes



4 holes

Micro Applicator


Extra Fine


Superfine:1mm


Fine:1.5mm


Regular:2mm





- Non-absorbent
  Non-linting fibers
  Bendable neck
  Different color for different sizes
  Package:100pcs/bottle, 4bottle/box, 60box/ctn

Ref.#	Size	Color
TA026A-1	Regular	Green,Purple,Orange,Blue
TA026A-2	Fine	Yellow,Mauve
TA026A-3	Super fine	White
TA026A-4	Extra fine	Black

Bendable Brush Applicators


TA026B-1


TA026B-2


TA026C

- Chemical resistant fibers hold up to the harshest dental materials
  Bends close to tip for improved control and easily reaching
  Usage: Whitening,Fluoride,Etchants,Bonding Agents,Sealants, Desensitizers, Adhesives / Resins

Ref.#	Description	Package
TA026B-1	Color: blue,pink,white	100pcs/bundle,128bundles/ctn
TA026B-2	Color: blue,pink	100pcs/bag, 128bags/ctn
TA026C	Color: red,green,yellow,blue	144pcs/bag, 100bags/ctn

Composite Brush



TA026D

- Handle is made of rigid plastic to withstand repeated autoclaving (up to 120℃)
  Tip can be replaced to save cost

Ref.#	Description	Pcs/Bag
TA026D-1	Handle+Tip	50
TA026D-2	Tip(black,white)	100

Valustick Sticky Applicators



TA027

- Bends into any angle for placement of Venners, Inlays,Onlyas,Crowns etc
  Strong adhesive , Disposable
  Package: 10pcs/plate,10plate/box

Amalgam Carrier



TA031-1

- Material:Plastic
  13.5̊ angle
  Package: 100pcs/bag, 5bag/ctn

Unit Dose Composite Dispensing Gun


TA031-2


TA031-3 Capsule

- Dispensing gun for unit dose composite capsules.

Ref.#	Description	Pcs/Ctn
TA031-2	Grey	160
TA031-3	Black	100

Wooden Wedges





TA029

- Eco-friendly wooden wedges, round tip and smooth round edge protect the gingiva from damage.

Ref.#	Description	Pcs/bag	Bag/box	Box/Ctn
TA029-1	L: 19.2X2.9X2.2mm	100	18	30
TA029-2	M: 18.2X2.6X1.8mm	100	18	30
TA029-3	S: 17.2X2.3X1.4mm	100	18	30
TA029-4	XS: 17.2X1.9X1.3mm	100	18	30

Fixing Plastic Wedges



TA028

- Anatomically designed

Ref.#	Description	Pcs/Box
TA028A-1	L (16X2.6X2.2mm)	100
TA028A-2	M (14X2.2X2mm)	100
TA028A-3	S (12X1.9X1.9mm)	100
TA028A-4	XS (10X1.6X1.5mm)	100



Fixing Plastic Wedges With Hole



TA028B

- Anatomically designed

Ref.#	Description	Pcs/Box
TA028B-1	L (17.8X2.8mm)	100
TA028B-2	M (17.8X2.45mm)	100
TA028B-3	S (17.8X2.1mm)	100
TA028B-4	XS (17.8X1.7mm)	100

Plastic Wedges With Handle

Ref.#	Description	Pcs/Bag
TA030-1	L: 81X2.7mm orange	100
TA030-2	M: 79X2.6mm blue	100
TA030-3	S: 77X2. 1mm yellow	100

Denture Box



TA033-1L

TA033-1S



TA033-2L

TA033-2S



TA033-3



TA033-4



TA033–5



TA033-6



TA034



TA035



TA038



TA036



TA037

Primary Teeth Box



TA039

Ref.#	Material	Size	Pcs/Box	Box/Ctn
TA033-1L	PP	82X85X45MM	12	24
TA033-1S	PP	82X85X28MM	12	30
TA033-2L	PP	95X73X56MM	12	24
TA033-2S	PP	95X74X39MM	12	30
TA033-3	PP	99X77X59MM	12	16
TA033-4	PP	100X83.5X40MM	12	16
TA033-5	PP	80X66X27MM	12	30
TA033-6	PP	110X83X55MM	12	30
TA034	PP	92X85X57MM	12	16
TA035	PP	86X78X78MM	12	30
TA036	PP	55X50.2X25MM	12	32
TA037	ABS+PC	82.5X74X29MM	12	30
TA038	ABS+PC	115.8X92.8X37.6MM	12	30
TA039	PP	22X22MM	10 Pcs/Bag	

Dental Instruments Retainer

Material: Stainless steel



Ref.#	Description	Pcs/Box
TA022-1	5 hole Size: 18 X 7.8 X 3.2 CM	1
TA022-2	10 hole Size: 18 X 14.5 X 3.2 CM	1
TA022-3	20 hole Size: 28 X 18.3 X 3.2 CM	1

Image Reflector





TA041-1D4
Material: SS

- Offer the finest possible color and image transfer
  Maxium reflectivce quality, smooth edge.
  Different shape, autoclavable
  Package: 1 kit/box

Ref.#	Descripción
TA041-1D4	Double side 4pcs
TA041-2D5	Double side 5pcs

Thin/Tofflemire/Ivory Matrix Bands

TA044

- These are the best in quality, design and -function. Made of the highest quality medical grade stainless steel.
  Thin, regular or dead soft.
  Package: 12 pcs/bag



#83 Molar Narrow
#84 Molar Medium
#85 Molar Wide
#86 Molar X-Narrow
#88 Bicuspid Medium
#89 Bicuspid Wide

Germicide Tray



TA040

- Disinfecting/Sterilizing Tray System is an integral part of The Scientific System for Better Aseptic Technique.
  Size/Tamaño: 10 3/8" L x 3 1/4" W x 4" D
  Package: 1 pcs/box, 20 box/ctn

Ivory Matrix Retainer



TA042

- Is the most famous Ivory - model and Practical to use for matrix bands to separate teeth on the lower jaw.
  Suitable Matrix bands are: TA043
  Package: 1pcs/bag

Ivory Matrix Bands



TA043-1 Bicuspid Narrow

TA043-2 Bicuspid Medium

TA043-3 Bicuspid Wide

TA043

- Material: Medical grade stainless steel
  Package: 20 pcs/bag



Self-Sealing Sterilization Pouch

- Medical grade, non-recycle kraft paper. Lead-free-inks
  Package: 200pcs/box

Ref.#	Description		Box/Ctn
SP001-1	2 ¼" X 4"	57X100MM	30
SP001-2	3 ½" X 9"	90X230MM	20
SP001-3	3 ¼" X 10"	135X255MM	15
SP001-4	7 ¼" X 12"	190X300MM	10
SP001-5	10" X 14 ½"	250X370MM	5
SP001-6	12" X 15"	305X380MM	5
SP001-7	2 ¼" X 2 ¾"	57X70MM	30
SP001-8	2 ¾" X 5 ¼"	70X135MM	30
SP001-9	2 ¾" X 9"	70X230MM	20
SP001-10	3 ½" X 5 ¼"	90X135MM	30
SP001-11	3 ¼" X 9"	135X225MM	15
SP001-12	7 ¼" X 13"	190X330MM	10





1.Triple Seal & Heat Processed both, Four Seal & Heat Processed on the top.

For a seal that is consistent and strong, eliminating the risk of shattering or tearing.

2.Wide Self-Seal Adhesive Strip

Easy-seal flap to ensure the integrity of contents after sterilization process.

3.Printed Indicator Arrows

Easy to read "Color Changing Indicator Arrows" printed on each pouch assuring proper sterilization process by Steam, Chemical Vapor or Eo.

4.Complete Film/Paper Separation

Clean separation (peeling) of the 4-ply See-thru Film (from the Medical grade paper) Maintains the sterility of the contents until their use.

5.Blue Tinted Transparent Film

For easier identification of contents and possible punctures by contrast of color.

6.Ensure pouch opened easily

Muesca en forma de U.

Flat Sterilization Reel Roll

Ref.#	Description	Rolls/Ctn
SP002-1	50MMX200M	12
SP002-2	75MMX200M	8
SP002-3	100MMX200M	6
SP002-4	150MMX200M	4
SP002-5	200MMX200M	4
SP002-6	300MMX200M	2
SP002-7	55MMX200M	10
SP002-8	250MMX200M	2
SP002-9	350MMX200M	1
SP002-10	400MMX200M	1

Sterilization Tape



Ref.#	Description	Ref.#	Description	Rollos/Ctn
SP004-1	EO,12mmX50m	SP004-4	Autoclave,12mmX50m	66
SP004-2	EO,19mmX50m	SP004-5	Autoclave,19mmX50m	44
SP004-3	EO,25mmX50m	SP004-6	Autoclave,25mmX50m	32

EO Sterilization Indicator



Size: 30X30mm



SP005

- Stored in the dark room in 15°C ~ 30°C , 50% relative humidity
  Period of validity: 24 months.
  Package: 40pcs/paper

Sterilization Reel Sealing Machine



SM200

- Table Model
  Power supply: 110V-220V, 50Hz, Power: 500W
  Sealing width (Max): 250mm
  Impress width: 10mm
  Size: 500 X 270 X 390mm
  Weight: 6 KGS



SM400

- Automatic, used for all size
  Voltage: 220V, 50Hz, Power: 300W
  Size: 300 X 230 X 130mm
  Weight: 8 KGS



SM300

- Power supply: 220V/50-60Hz,
  Power: 500W
  Fusion tube: T3A
  Seal width: 250mm, Mark width: 10mm
  Size: 430 X 340 X 250mm
  Package: 6.5 KGS



SM100

- Ergonomic design, Wall mountable
  Voltage: 230V/50-60Hz, Power: 100W
  Seal width (Max): 250mm,
  Mark width: 10mm
  Seal duration: 3S
  Size: 480 X 330 X 280mm
  Weight: 8 KGS



SM450

- Table Model
  Power supply: 110V-240V 50Hz-60Hx, Power: 100W
  Sealing width (Max): 450mm
  Impress width: 10mm
  Size: 590 X 340 X 210mm Weight: 8 KGS



SM320

- Table Model
  Power supply: 110V-240V, 50Hz-60Hz, Power: 100W
  Sealing width(Max): 320mm Impress width: 12mm
  Size: 510 X 450 X 190mm Weigth: 7.5 KGS

Endo Motor

ED-1000



Features

- This unit can be used in independent endodontic shaping
- 6 different programs can be preset according to requirement of operator.
- When rotary file reaches prest torque,the file will automatically withdraw until removal of resistance
- This unit is powered by rechargeable Lithium battery
- Contra angle,file clip and lip hock can be 135°C autoclaved.

Root Canal Files

Hand Use, Stainless Steel





H File 21MM

Package: 6pcs/box

SIZE	08	10	15	20	25	30	35	40
Ref.#	SH0821	SH1021	SH1521	SH2021	SH2521	SH3021	SH3521	SH4021
SIZE	45	50	55	60	70	80	15-40	45-80
Ref.#	SH4521	SH5021	SH5521	SH6021	SH7021	SH8021	SH154021	SH458021

25MM

SIZE	08	10	15	20	25	30	35	40
Ref.#	SH0825	SH1025	SH1525	SH2025	SH2525	SH3025	SH3525	SH4025
SIZE	45	50	55	60	70	80	15-40	45-80
Ref.#	SH4525	SH5025	SH5525	SH6025	SH7025	SH8025	SH154025	SH458025

28MM

SIZE	08	10	15	20	25	30	35	40
Ref.#	SH0828	SH1028	SH1528	SH2028	SH2528	SH3028	SH3528	SH4028
SIZE	45	50	55	60	70	80	15-40	45-80
Ref.#	SH4528	SH5028	SH5528	SH6028	SH7028	SH8028	SH154528	SH458028

31MM

SIZE	08	10	15	20	25	30	35	40
Ref.#	SH0831	SH1031	SH1531	SH2031	SH2531	SH3031	SH3531	SH4031
SIZE	45	50	55	60	70	80	15-40	45-80
Ref.#	SH4531	SH5031	SH5531	SH6031	SH7031	SH8031	SH154031	SH458031



K File 21MM

SIZE	08	10	15	20	25	30	35	40
Ref.#	SK0821	SK1021	SK1521	SK2021	SK2521	SK3021	SK3521	SK4021
SIZE	45	50	55	60	70	80	15-40	45-80
Ref.#	SK4521	SK5021	SK5521	SK6021	SH7021	SH8021	SK154021	SK458021

25MM

SIZE	08	10	15	20	25	30	35	40
Ref.#	SK0825	SK1025	SK1525	SK2025	SK2525	SK3025	SK3525	SK4025
SIZE	45	50	55	60	70	80	15-40	45-80
Ref.#	SK4525	SK5025	SK5525	SK6025	SK7025	SK8025	SK154025	SK458025

28MM

SIZE	08	10	15	20	25	30	35	40
Ref.#	SK0828	SK1028	SK1528	SK2028	SK2528	SK3028	SK3528	SK4028
SIZE	45	50	55	60	70	80	15-40	45-80
Ref.#	SK4528	SK5028	SK5528	SK6028	SK7028	SK8028	SK154528	SK458028

31MM

SIZE	08	10	15	20	25	30	35	40
Ref.#	SK0831	SK1031	SK1531	SK2031	SK2531	SK3031	SK3531	SK4031
SIZE	45	50	55	60	70	80	15-40	45-80
Ref.#	SK4531	SK5031	SK5531	SK6031	SK7031	SK8031	SK154031	SK458031



Reamer File 21MM

SIZE	08	10	15	20	25	30	35	40
Ref.#	SR0821	SR1021	SR1521	SR2021	SR2521	SR3021	SR3521	SR4021
SIZE	45	50	55	60	70	80	15-40	45-80
Ref.#	SR4521	SR5021	SR5521	SR6021	SR7021	SR8021	SR154021	SR458021

25MM

SIZE	08	10	15	20	25	30	35	40
Ref.#	SR0825	SR1025	SR1525	SR2025	SR2525	SR3025	SR3525	SR4025
SIZE	45	50	55	60	70	80	15-40	45-80
Ref.#	SR4525	SR5025	SR5525	SR6025	SR7025	SR8025	SR154025	SR458025

28MM

SIZE	08	10	15	20	25	30	35	40
Ref.#	SR0828	SR1028	SR1528	SR2028	SR2528	SR3028	SR3528	SR4028
SIZE	45	50	55	60	70	80	15-40	45-80
Ref.#	SR4528	SR5028	SR5528	SR6028	SR7028	SR8028	SR154028	SR458028

31MM

SIZE	08	10	15	20	25	30	35	40
Ref.#	SR0831	SR1031	SR1531	SR2031	SR2531	SR3031	SR3531	SR4031
SIZE	45	50	55	60	70	80	15-40	45-80
Ref.#	SR4531	SR5031	SR5531	SR6031	SR7031	SR8031	SR154031	SR458031



Spreader File

SIZE	08	10	15	20	25	30	35	40
Ref.#	SS0821	SS1021	SS1521	SS2021	SS2521	SS3021	SS3521	SS4021
SIZE	45	50	55	60	70	80	15-40	45-80
Ref.#	SS4521	SS5021	SS5521	SS6021	SS7021	SS8021	SS154021	SS458021

25MM

SIZE	08	10	15	20	25	30	35	40
Ref.#	SS0825	SS1025	SS1525	SS2025	SS2525	SS3025	SS3525	SS4025
SIZE	45	50	55	60	70	80	15-40	45-80
Ref.#	SS4525	SS5025	SS5525	SS6025	SS7025	SS8025	SS154025	SS458025



Plugger File

SIZE	08	10	15	20	25	30	35	40
Ref.#	SP0821	SP1021	SP1521	SP2021	SP2521	SP3021	SP3521	SP4021
SIZE	45	50	55	60	70	80	15-40	45-80
Ref.#	SP4521	SP5021	SP5521	SP6021	SP7021	SP8021	SP154021	SP458021

25MM

SIZE	08	10	15	20	25	30	35	40
Ref.#	SP0825	SP1025	SP1525	SP2025	SP2525	SP3025	SP3525	SP4025
SIZE	45	50	55	60	70	80	15-40	45-80
Ref.#	SP4525	SP5025	SP5525	SP6025	SP7025	SP8025	SP154025	SP458025

Hand Use, NiTi



H File 21MM

SIZE	08	10	15	20	25	30	35	40
Ref.#	NH0821	NH1021	NH1521	NH2021	NH2521	NH3021	NH3521	NH4021
SIZE	45	50	55	60	70	80	15-40	45-80
Ref.#	NH4521	NH5021	NH5521	NH6021	NH7021	NH8021	NH154021	NH458021

25MM

SIZE	08	10	15	20	25	30	35	40
Ref.#	NH0825	NH1025	NH1525	NH2025	NH2525	NH3025	NH3525	NH4025
SIZE	45	50	55	60	70	80	15-40	45-80
Ref.#	NH4525	NH5025	NH5525	NH6025	NH7025	NH8025	NH154025	NH458025

28MM

SIZE	08	10	15	20	25	30	35	40
Ref.#	NH0828	NH1028	NH1528	NH2028	NH2528	NH3028	NH3528	NH4028
SIZE	45	50	55	60	70	80	15-40	45-80
Ref.#	NH4528	NH5028	NH5528	NH6028	NH7028	NH8028	NH154028	NH458028

31MM

SIZE	08	10	15	20	25	30	35	40
Ref.#	NH0831	NH1031	NH1531	NH2031	NH2531	NH3031	NH3531	NH4031
SIZE	45	50	55	60	70	80	15-40	45-80
Ref.#	NH4531	NH5031	NH5531	NH6031	NH7031	NH8031	NH154031	NH458031



K File 21MM

SIZE	08	10	15	20	25	30	35	40
Ref.#	NK0821	NK1021	NK1521	NK2021	NK2521	NK3021	NK3521	NK4021
SIZE	45	50	55	60	70	80	15-40	45-80
Ref.#	NK4521	NK5021	NK5521	NK6021	NK7021	NK8021	NK154021	NK458021

25MM

SIZE	08	10	15	20	25	30	35	40
Ref.#	NK0825	NK1025	NK1525	NK2025	NK2525	NK3025	NK3525	NK4025
SIZE	45	50	55	60	70	80	15-40	45-80
Ref.#	NK4525	NK5025	NK5525	NK6025	NK7025	NK8025	NK154025	NK458025

28MM

SIZE	08	10	15	20	25	30	35	40
Ref.#	NK0828	NK1028	NK1528	NK2028	NK2528	NK3028	NK3528	NK4028
SIZE	45	50	55	60	70	80	15-40	45-80
Ref.#	NK4528	NK5028	NK5528	NK6028	NK7028	NK8028	NK154028	NK458028

31MM

SIZE	08	10	15	20	25	30	35	40
Ref.#	NK0831	NK1031	NK1531	NK2031	NK2531	NK3031	NK3531	NK4031
SIZE	45	50	55	60	70	80	15-40	45-80
Ref.#	NK4531	NK5031	NK5531	NK6031	NK7031	NK8031	NK154031	NK458031



Reamer File 21MM

SIZE	08	10	15	20	25	30	35	40
Ref.#	NR0821	NR1021	NR1521	NR2021	NR2521	NR3021	NR3521	NR4021
SIZE	45	50	55	60	70	80	15-40	45-80
Ref.#	NR4521	NR5021	NR5521	NR6021	NR7021	NR8021	NR154021	NR458021

25MM

SIZE	08	10	15	20	25	30	35	40
Ref.#	NR0825	NR1025	NR1525	NR2025	NR2525	NR3025	NR3525	NR4025
SIZE	45	50	55	60	70	80	15-40	45-80
Ref.#	NR4525	NR5025	NR5525	NR6025	NR7025	NR8025	NR154025	NR458025

28MM

SIZE	08	10	15	20	25	30	35	40
Ref.#	NR0828	NR1028	NR1528	NR2028	NR2528	NR3028	NR3528	NR4028
SIZE	45	50	55	60	70	80	15-40	45-80
Ref.#	NR4528	NR5028	NR5528	NR6028	NR7028	NR8028	NR154028	NR458028

31MM

SIZE	08	10	15	20	25	30	35	40
Ref.#	NR0831	NR1031	NR1531	NR2031	NR2531	NR3031	NR3531	NR4031
SIZE	45	50	55	60	70	80	15-40	45-80
Ref.#	NR4531	NR5031	NR5531	NR6031	NR7031	NR8031	NR154031	NR458031



Spreader File 21MM

SIZE	08	10	15	20	25	30	35	40
Ref.#	NS0821	NS1021	NS1521	NS2021	NS2521	NS3021	NS3521	NS4021
SIZE	45	50	55	60	70	80	15-40	45-80
Ref.#	NS4521	NS5021	NS5521	NS6021	NS7021	NS8021	NS154021	NS458021

25MM

SIZE	08	10	15	20	25	30	35	40
Ref.#	NS0825	NS1025	NS1525	NS2025	NS2525	NS3025	NS3525	NS4025
SIZE	45	50	55	60	70	80	15-40	45-80
Ref.#	NS4525	NS5025	NS5525	NS6025	NS7025	NS8025	NS154025	NS458025



Plugger File 21MM

SIZE	08	10	15	20	25	30	35	40
Ref.#	NP0821	NP1021	NP1521	NP2021	NP2521	NP3021	NP3521	NP4021
SIZE	45	50	55	60	70	80	15-40	45-80
Ref.#	NP4521	NP5021	NP5521	NP6021	NP7021	NP8021	NP154021	NP458021

25MM

SIZE	08	10	15	20	25	30	35	40
Ref.#	NP0825	NP1025	NP1525	NP2025	NP2525	NP3025	NP3525	NP4025
SIZE	45	50	55	60	70	80	15-40	45-80
Ref.#	NP4525	NP5025	NP5525	NP6025	NP7025	NP8025	NP154025	NP458025

Engine Use, Stainless Steel

Rec.R.P.M.: 180-350



H File 21MM

SIZE	08	10	15	20	25	30	35	40
Ref.#	ESH0821	ESH1021	ESH1521	ESH2021	ESH2521	ESH3021	ESH3521	ESH4021
SIZE	45	50	55	60	70	80	15-40	45-80
Ref.#	ESH4521	ESH5021	ESH5521	ESH6021	ESH7021	ESH8021	ESH154021	ESH458021

25MM

SIZE	08	10	15	20	25	30	35	40
Ref.#	ESH0825	ESH1025	ESH1525	ESH2025	ESH2525	ESH3025	ESH3525	ESH4025
SIZE	45	50	55	60	70	80	15-40	45-80
Ref.#	ESH4525	ESH5025	ESH5525	ESH6025	ESH7025	ESH8025	ESH154025	ESH458025



K File 21MM

SIZE	08	10	15	20	25	30	35	40
Ref.#	ESK0821	ESK1021	ESK1521	ESK2021	ESK2521	ESK3021	ESK3521	ESK4021
SIZE	45	50	55	60	70	80	15-40	45-80
Ref.#	ESK4521	ESK5021	ESK5521	ESK6021	ESK7021	ESK8021	ESK154021	ESK458021

25MM

SIZE	08	10	15	20	25	30	35	40
Ref.#	ESK0825	ESK1025	ESK1525	ESK2025	ESK2525	ESK3025	ESK3525	ESK4025
SIZE	45	50	55	60	70	80	15-40	45-80
Ref.#	ESK4525	ESK5025	ESK5525	ESK6025	ESK7025	ESK8025	ESK154025	ESK458025



Reamer File 21MM

SIZE	08	10	15	20	25	30	35	40
Ref.#	ESR0821	ESR1021	ESR1521	ESR2021	ESR2521	ESR3021	ESR3521	ESR4021
SIZE	45	50	55	60	70	80	15-40	45-80
Ref.#	ESR4521	ESR5021	ESR5521	ESR6021	ESR7021	ESR8021	ESR154021	ESR458021

25MM

SIZE	08	10	15	20	25	30	35	40
Ref.#	ESR0825	ESR1025	ESR1525	ESR2025	ESR2525	ESR3025	ESR3525	ESR4025
SIZE	45	50	55	60	70	80	15-40	45-80
Ref.#	ESR4525	ESR5025	ESR5525	ESR6025	ESR7025	ESR8025	ESR154025	ESR458025

Engine Use,NiTi

Rec.R.P.M.: 180-350

H File 21MM

SIZE	08	10	15	20	25	30	35	40
Ref.#	ENH0821	ENH1021	ENH1521	ENH2021	ENH2521	ENH3021	ENH3521	ENH4021
SIZE	45	50	55	60	70	80	15-40	45-80
Ref.#	ENH4521	ENH5021	ENH5521	ENH6021	ENH7021	ENH8021	ENH154021	ENH458021

25MM

SIZE	08	10	15	20	25	30	35	40
Ref.#	ENH0825	ENH1025	ENH1525	ENH2025	ENH2525	ENH3025	ENH3525	ENH4025
SIZE	45	50	55	60	70	80	15-40	45-80
Ref.#	ENH4525	ENH5025	ENH5525	ENH6025	ENH7025	ENH8025	ENH154025	ENH458025



K File 21MM

SIZE	08	10	15	20	25	30	35	40
Ref.#	ENK0821	ENK1021	ENK1521	ENK2021	ENK2521	ENK3021	ENK3521	ENK4021
SIZE	45	50	55	60	70	80	15-40	45-80
Ref.#	ENK4521	ENK5021	ENK5521	ENK6021	ENK7021	ENK8021	ENK154021	ENK458021

25MM

SIZE	08	10	15	20	25	30	35	40
Ref.#	ENK0825	ENK1025	ENK1525	ENK2025	ENK2525	ENK3025	ENK3525	ENK4025
SIZE	45	50	55	60	70	80	15-40	45-80
Ref.#	ENK4525	ENK5025	ENK5525	ENK6025	ENK7025	ENK8025	ENK154025	ENK458025



Reamer File 21MM

SIZE	08	10	15	20	25	30	35	40
Ref.#	ENR0821	ENR1021	ENR1521	ENR2021	ENR2521	SH3021	SH3521	SH4021
SIZE	45	50	55	60	70	80	15-40	45-80
Ref.#	ENR4521	ENR5021	ENR5521	ENR6021	ENR7021	ENR8021	ENR154021	ENR458021

25MM

SIZE	08	10	15	20	25	30	35	40
Ref.#	ENR0825	ENR1025	ENR1525	ENR2025	ENR2525	ENR3025	ENR3525	ENR4025
SIZE	45	50	55	60	70	80	15-40	45-80
Ref.#	ENR4525	ENR5025	ENR5525	ENR6025	ENR7025	ENR8025	ENR154025	ENR458025

NiTi Protaper
(Hand use)



SX: 19MM Package: 6pcs/box

SIZE	SX	S1	S2	F1	F2	F3	SX-F3	21MM
Ref.#	NSX19	NS121	NS221	NF121	NF221	NF321	NSXF321	
SIZE	SX	S1	S2	F1	F2	F3	SX-F3	25MM
Ref.#		NS125	NS225	NF125	NF225	NF325	NSXF325	

NiTi Protaper
(Engine Use)



Rec.R.P.M.: 150-350
SX: 19MM

SIZE	SX	S1	S2	F1	F2	F3	SX-F3	21MM
Ref.#	ENSX19	ENS121	ENS221	ENF121	ENF221	ENF321	ENSXF321	
SIZE	SX	S1	S2	F1	F2	F3	SX-F3	25MM
Ref.#		ENS125	ENS225	ENF125	ENF225	ENF325	ENSXF325	

Paste Carriers
(Stainless Steel)

Rec.R.P.M.: 250-500
Package: 4cs/box

- Made of imported Stainless steel(Medical grade)
- Precision processing technology, good flexibility, high resistance to broken.

SIZE	25	30	35	40	25-40	
Ref.#	PC2521	PC3021	PC3521	PC4021	PC254021	21MM
Ref.#	PC2525	PC3025	PC3525	PC4025	PC254025	25MM
Ref.#	PC2529	PC3029	PC3529	PC4029	PC254029	29MM

Gates Drills

Rec.R.P.M.: 700-1100
Package: 6pcs/box



- High quality Stainless steel(Medical grade)
- For the provision of a root canal orifice, remove the root canal filling material and preparation.

SIZE	1	2	3	4	5	6	1-6	
Ref.#	G0128	G0228	G0328	G0428	G0528	G0628	G1628	28MM
Ref.#	G0132	G0232	G0332	G0432	G0532	G0632	G1632	32MM

Peeso Reamers

Rec.R.P.M.: 700-1100
Package: 6pcs/box



000000

- High quality Stainless Steel(Medical grade)
- Used for crown one-third of root canal preparation, remove the root canal filling material and preparation.

SIZE	1	2	3	4	5	6	1-6	
Ref.#	P0128	P0228	P0328	P0428	P0528	P0628	P1628	28MM
Ref.#	P0132	P0232	P0332	P0432	G0532	P0632	P1632	32MM

Only One Files,

Engine USE, NiTi

Rec.R.P.M.:150-300



- Suitable for bending and narrow root canal preparation
- Material: M-Wire NiTi
- Package: 6 pcs / Blister Package

SIZE	R25	R40	R50	25-50	
Ref.#	ERF2521	ERF4021	ERF5021	ERF25405021	21MM
Ref.#	ERF2525	ERF4025	ERF5025	ERF25405025	25MM
Ref.#	ERF2531	ERF4031	ERF5031	ERF25405031	31MM

C + Files

Stainless Steel

NEW!

- Can be used for severe bending or calcified root canal, to form a smooth channel in the root canal, ready for use of the machine with the file
- Package: 6 pcs/ blister Package

SIZE	6#	8#	10#	12#	15#	6#~10#	
Ref.#	CPF621	CPF821	CPF1021	CPF1221	CPF1521	CPF681021	21MM
Ref.#	CPF625	CPF825	CPF1025	CPF1225	CPF1525	CPF681025	25MM

Barbed Broaches

(plastic handle), Stainless Steel

NEW!

- Good flexibility,designed for fast removal of pulpal tissue
- Package: 10 pcs / Blister Package

SIZE	0#	1#	2#	3#	4#	5#	6#	0#~6#	
Ref.#	BB021	BB121	BB221	BB321	BB421	BB521	BB621	BB0621	21MM
Ref.#	BB025	BB125	BB225	BB325	BB425	BB525	BB625	BB0625	25MM



BARBED BROACHES

- Good flexibility,designed for fast removal of pulpal tissue
  Package: 10pcs/bag

SIZE	0	00	000	
Ref.#	BB052	BB0052	BB00052	Without handle
Ref.#	BBH052	BBH0052	BBH00052	With handle



SQUARE BROACHES

- With square cross section, sharp edges, mirror surface.Used for root canal to remove moisture and place drugs.

SIZE	0	00	000	
Ref.#	SB052	SB0052	SB00052	Without handle
Ref.#	SBH052	SBH0052	SBH00052	With handle

Silicone Endo Stop

Ref.#: ES001

Autoclavable: 134°C
Different shape and color are suitable for different file.
package: 100 pcs/box





AL-1000

Apex Locator

Sterilization part:





Features:

- Locate accurately in blood physiological saline, saliva
- High and low frequency Location

Specifications:

- Power voltage:DC7.5V (5*DC 1.5V AA Alkali dry cells).
- Power consumption: below 0.135VA.
- Test Voltage:below AC80mV.
- Test electric current: below 10uA.
- Display: reflex colored LCD display, buzzer.



Endo File Foam Inserts



Ref.#	Description	Pcs/Bag	Bag/Ctn
ED002-1	50 X 50 X 20(mm) White	48	100
ED002-2	100 X 69 X 13(mm) Blue	100	10

Endo Aid kit & Refills



Ref.#	Description	Pcs/Bag
ED004-1	1big ring + 1small ring + 1foam	1
ED004-2	foam only	50

Endo Ruler



ED003-1

Autoclavable,Stainless steel
Package: 1pcs/bag



Ref.#	Description	Pcs/Bag
ED003-2	Aluminum, Ring	1
ED003-3	Aluminum, Straight	1

Autoclavable



Ref.#	Description	Pcs/Bag
ED003-2P	PP, Ring TYPE	1
ED003-3P	PP, Straight	1

Endo File Holder

Autoclavable

35-holes



70-holes



Ref.#	Description	Pcs/Box
ED003-4N	Aluminium, 118 X 83 X 50mm	1
ED003-5	Aluminium, 105 X 47 X 55mm	1

Autoclavable



ED004A-1



ED004A-2

Ref.#	Description	Pcs/Box
ED004A-1	PP,100 X 24 X 32mm	1
ED004A-2	PP,155 X 60 X 35mm	1



Ref.#	Description	Pcs/Box
ED004A-3	PP,45mm	1
ED004A-3S	PP,40mm	1
ED004A-4	Aluminium, 50 X 50 X 25mm	1



ED004A-6
16-holes



8-holes
ED004A-5

Ref.#	Description	Pcs/Bag
ED004A-5	PP,75 X 51 X 10mm	1pcs/bag
ED004A-6	PP,75 X 51 X 15mm	1pcs/bag

GP Holder



ED009-1
6 holes



ED009-2



9 holes for FG handle
9 holes for Endo file
6 Silicone cup

ED009-3

Ref.#	Description	Pcs/Box
ED009-1	Aluminium, dia. 41mm	1
ED009-2	Aluminium, 60 X 49 X 55mm	1
ED009-3	Aluminium, 130 X 62 X 50mm	1

Gutta Percha Points



ISO.02

Ref.#	Description	Pcs/Box
ED005-115	15#	120
ED005-120	20#	120
ED005-125	25#	120
ED005-130	30#	120
ED005-135	35#	120
ED005-140	40#	120
ED005-1	15-40#	120
ED005-2	45-80#	120
ED005-3	90-140#	60



With Mark

Ref.#	Description	Pcs/Box
ED005M-115	15#	120
ED005M-120	20#	120
ED005M-125	25#	120
ED005M-130	30#	120
ED005M-135	35#	120
ED005M-140	40#	120
ED005M-1	15-40#	120
ED005M-2	45-80#	120
ED005M-3	90-140#	60

Absorbent Paper Points



ISO.02

Ref.#	Description	Pcs/Box
ED006-115	15#	200
ED006-120	20#	200
ED006-125	25#	200
ED006-130	30#	200
ED006-135	35#	200
ED006-140	40#	200
ED006-1	15-40#	200
ED006-2	45-80#	200
ED006-3	90-140#	100



With Mark

Ref.#	Description	Pcs/Box
ED006M-115	15#	200
ED006M-120	20#	200
ED006M-125	25#	200
ED006M-130	30#	200
ED006M-135	35#	200
ED006M-140	40#	200
ED006M-1	15-40#	200
ED006M-2	45-80#	200
ED006M-3	90-140#	100

Notes: All dimension to be measured to an accuracy 0.05mm.A tolerance of ±0.05mm applies to D3,D16.Taper proportion is 0.02mm per 1mm at uniform taper.Overail length is not less than 28mm±0.01mm unless otherwise specified.







Non-Standard Points

Ref.#	Description	Dia.D3 3mm From tip(mm)	Dia.D16 16mm From tip(mm)
ED008-1	X	0.20	0.45
ED008-2	FF	0.24	0.56
ED008-3	MF	0.27	0.68
ED008-4	F	0.30	0.80
ED008-5	FM	0.35	0.88
ED008-6	M	0.40	1.10
ED008-7	ML	0.43	1.25
ED008-8	L	0.49	1.55
ED008-9	XL	0.52	1.60



Obturation Pen

OP-1000

Obturation Pen
Charging Base
Adaptor
Batteries
Pen Tips (4pcs)
size/taper
F: #45/02 FM:#50/04
M: #55/06 ML: #55/08











Optimum Functionality & Excellent Apical Control

Fully Compatible with Standard Vertical Condensation



Gutta cutter

GC-1000





Tips

Specification:

- Exquisite and ergonomics design
- Using wireless charging technology
- Fast heating,maximum temperature up to 260°C
- Tip can be sterilized,and repeatedly used
- Charge input voltage:110V or 220-240V,50-60Hz
- Battery : 1.2V , 2400mAh, Power:2.5W



Fiber post restoration in the dentition exactly like real teeth,beautiful and comfortable,it is easy for patients to accept. High flexibility superior mechanical properties,better biocompatibility,aesthetically pleasing,excellent retention,anti erosion,better fatigue resistance.Posts are available in different sizes to accommodate a variety of teeth.

Package: 5pcs/pack,4pacs/box (blister pack)
20posts + 4 drills/box (kit pack)

Glass Fiber Post



Straight EP001
- Diameter ::1.0mm,1.2mm,1.4mm,1.6mm
Length:17mm
Fiber: 65%,Resin:35%



Double Cone EP002
- Diameter: 1.2mm,1.4mm,1.6mm,1.8mm
Length:17mm
Fiber: 65%,Resin:35%



Thread EP003
- Diameter: 1.2mm,1.4mm,1.6mm,1.8mm
Length: 17mm
Fiber: 65%,Resin:35%

Ref.#	Description
EP001	Straight Type
EP001K	Straight,20 posts + 4 drills
EP002	Double Cone Type
EP002K	Double Cone,20posts + 4 drills
EP003	Thread Type
EP003K	Thread,20posts + 4 drills

Quartez Fiber Post



Straight EP005
- Diameter ::1.0mm,1.2mm,1.4mm,1.6mm
Length:17mm
Fiber: 65%,Resin:35%

Ref.#	Description
EP005-1	Straight Type
EP005K	Straight,20 posts + 4 drills
EP006-1	Double Cone Type
EP006K	Double cone,20posts + 4 drills
EP008-1	Thread Type
EP008K	Thread,20posts + 4 drills



Double Cone EP006
- Diameter: 1.2mm,1.4mm,1.6mm,1.8mm
Length:17mm
Fiber: 65%,Resin:35%



Thread EP008
- Diameter: 1.2mm,1.4mm,1.6mm,1.8mm
Length: 17mm
Fiber: 65%,Resin:35%

Drills



Ref.#	Description	Ref.#	Description
EP010-1	Dia.1.2mm	EP010-3	Dia.1.6mm
EP010-2	Dia.1.4mm	EP010-4	Dia.1.8mm

Screw Post



Stainless Steel Gold Plated、Titanium
Model/Color: EP012 original,
EP013 gold coated,
EP014 titanium coated

Short: 1.2.3.4.5.6
Medium: 1.2.3.4.5.6
Long: 1.2.3.4.5.6
XL: 4.6



ABS Disposable Impression Tray





IM001 Package:12pcs/bag, 50bag/ctn

1# Large Upper	2# Large Lower
3# Medium Upper	4# Medium Lower
5# Small Upper	6# Small Lower
7# Upper Left/Low Right	8# Upper Right/Lower Left
9# Upper Anterior	10# Lower Anterior



IM001B Package:12pcs/bag, 10bag/ctn

1# Large Upper	2# Large Lower
3# Medium Upper	4# Medium Lower
5# Small Upper	6# Small Lower
7# Upper Right/Lower Left	8# Upper Left/Lower Right
9# Upper Anterior	

IM001A Package:12pcs/bag,10bag/ctn

1# Large Upper	2# Large Lower
3# Medium Upper	4# Medium Lower
5# Small Upper	6# Small Lower

ABS Impression Tray





IM002A
- Disposable
- ABS material



IM003A
- Autoclavable
- PP material

- Package:12pcs/bag, 50bag/ctn

1# Large Upper	2# Large Lower
3# Medium Upper	4# Medium Lower
5# Small Upper	6# Small Lower
7# Upper Left/Lower Right	8# Upper Right/Lower Left
9# Anterior	



IM003B
- Disposable
- PS material

ABS MULTI Color Impression Tray





IM002C
- Package:12pcs/bag

1# Extra Small Upper,red	1# Extra Small Lower red	2# Small Upper,Orange	2# Small Lower Orange
3# Medium Small Upper,Blue	3# Medium Small Lower,Blue	4# Medium Upper,Green	4# Medium Lower,Green
5# Large Medium Upper,Yellow	5# Large Medium Lower,Yellow	6# Large Upper,Purple	6# Large Lower,Purple

Anodontia Impression Tray





- Autoclavable
- PP material

IM003D
- Package:12pcs/bag

1# Large Upper	2# Large Lower
3# Medium Upper	4# Medium Lower
5# Small Upper	6# Small Lower



ABS Superior Impression Tray For Orthodontics

- Superior quality, pedo size
- Suit for orthodontics



With Lock



IM003C
- Package:12pcs/bag

1# Large Upper	2# Large Lower
3# Medium Upper	4# Medium Lower
5# Small Upper	6# Small Lower
7# Extra small Upper	8# Extra small Lower

Impression Bite Registration Tray

- Disposable, Nylon web







- Disposable,Non woven web

Size	Package
1# Large full	30pcs/bag,20bag/ctn
2# Large half	35pcs/bag,20bag/ctn
3# Small full	35pcs/bag,20bag/ctn
4# Small half	50pcs/bag,20bag/ctn
5# Extra small half	50pcs/bag,20bag/ctn

Fluoride Foam Tray



IM005

	Package
1# Dual Arch,Large,blue	50pcs/bag,50bags/ctn
2# Dual Arch,Medium,yellow	50pcs/bag,60bags/ctn
3# Dual Arch,Small,green	50pcs/bag,80bags/ctn
4# Dual Arch,ExtraSmall,green	50pcs/bag,80bags/ctn
5# Single Arch,Large	50pair/bag,70bags/ctn
6# Single Arch,Medium	50pair/bag,90bags/ctn
7# Single Arch,Small	50pair/bag,110bags/ctn

Dappen Dishes



IM008 Glass
- 12pcs/box,30box/ctn



IM009 Plastic
- 100pcs/box,20box/ctn

Mortar and Pestle

IM010
- Package: 2kit/box, 48box/ctn



Mini Mixing Well



Ref.#	Description	Pcs/Box	Box/Ctn
IM011-1	2 well	200	44
IM011-2	4 well	200	44

Non-Stick Mixing cup



IM012-5 25X25mm | IM012-4 31X23mm | IM012-3 36X38mm | IM012-2 50X40mm | IM012-1 70X55mm

- Material: Silicone
  Washable for repeated Use

Ref.#	Description	Pcs/Bag	Bag/Ctn
IM012-1	70X55MM	10	50
IM012-2	50X40MM	10	50
IM012-3	36X38MM	20	25
IM012-4	31X23MM	30	50
IM012-5	25X25MM	30	50

Bracket Tray



Ref.#	Description	Pcs/Box	Box/Ctn
IM015-1	without mixing well	25	36
IM015-2	with mixing well		

Glass Medicament Bottle



Ref.#	Description	Pcs/Box
IM013-2	Colors	12

Set-Up Tray



Ref.#	Description	Pcs/Ctn
IM016	Size: 336 X 240 X23 MM	40pcs/ctn

Cabinet Tray



IM017-1

IM017-2



Ref.#	Description	Size
IM017-1	PP Medical grade	340X245X20MM
IM017-2	PP Medical grade	340X245X20MM

Disposable Plastic Tray

Material:PS







IM019C Color:

Ref.#	Description	Pcs/Ctn
IM018-1	190 X 148 X 15MM Flat	400
IM018-2	190 X 148 X 15MM Convex	400

Ref.#	Description	Pcs/Ctn
IM019-1	289 X 190 X 17mm Flat	400
IM019-2	289 X 190 X 17mm Convex	400
IM019C	289 X190 X 17mm Flat	1000

Instrument Kit Holder

Autoclavable



A B C D E F

Ref.#	Description	Pcs/Ctn
IM020-1	200X99X25MM	50

Disposable



A B C D E

Ref.#	Description	Pcs/Ctn
IM020-2	220X110X20MM	50

Centrifugal Cating Machine

DE112



Technical:
- Dimensions: 40 X 23 X 22cm
- Weight: 6.25kg

Dental Vibrator

DE113R



Technical:
- Voltage: 220V/50Hz ± 10%
  110V/60Hz ± 10%
- Power:100W
- Maximum load: ≤ 1kg
- Dimensions: 24 X 18 X 10cm
- Weight: 1.7kg

Mixing Bowls



- Material: PVC
- Color:

Ref.#	Size	Pcs/Ctn
LB001-1	84 X 50mm	100
LB001-2	108 X 59mm	180
LB001-3	130 X 96mm	250

Spatula



LB002-5
- Package: 25pcs/box, 16box/ctn



LB002-4
- Material: PP
  Slim type: 110 X 4mm, white
  Package: 25pcs/box, 16box/ctn



LB002-6
- Material: ABS
  145 X 10mm, Blue
  Package: 100pcs/bag



LB002-1 LB002-2 LB002-3

	Material	Size	Package	Color
LB002-1	PP	Flower type: 195 X 30mm	25pcs/box, 24box/ctn	
LB002-2	PP	Round end type: 185 X 25mm	40pcs/box, 24box/ctn	
LB002-3	PP	Handle type: 185 X 33mm	40pcs/box, 20box/ctn	

Poly-Coated Mixing Pad

- Used in conjunction with the spatula
  Coated paper 128g/m²
  50pcs/book



Ref.#	Size	Book/Box	Box/Ctn
LB022-1	2"*2"	10	60
LB022-2	3"*3"	10	24
LB022-3	3"*5"	5	32
LB022-4	4"*5.5"	5	24
LB022-5	4"*7"	5	20
LB022-6	5.5"*7"	5	18

Ortho Study Model Molds

LB003A
- Material: TPR
  Package:6pcs/box, 30box/ctn



Give you nice looking models without the hassle and mess of model trimming
Glossy inner surface makes model separation easy and speeds clean-up
Built-in lingual contoured edge with gap for tray handle clearance
Thicker walls maintain their shape during vibration

LB003B
- Material: Medical Grade, TPE
  Package: 6pcs/box, 30box/ctn



Model Base

Big Ref.# LB029-2



Regular Ref.# LB029-1



Neaten Case

LB017
- Material: PP
  Size: 152 X 134 X 205mm
  Package: 50pcs/ctn



Glass mixing plate

LB030
- Size: 124 X 78 X 7 mm
  Package:1pcs/bag



Alcohol Lamp



LB015 LB016

Ref.#	Description	Pcs/Box	Box/Ctn
LB015	Blow lamp 100ml	1	100
LB016	Glass 125ml	1	60

Torch



LB017
- Dimensions: 6.18 X 7.6 X 15.5 cm
  Weight: 0.35kg

Disposable Articulator



Ref.#	Description	Pcs/Bag	Bag/Ctn
LB024-1B LB024-1C	Black Color	100	20

Soft/Hard Plastic Sheet



LB023

- Soft is for teeth whitening use
  Hard is for bruxism use
  Size: 125X125mm

Ref.#	Size (mm)	Pcs/Bag	Ref.#	Size (mm)	Pcs/Bag
LB023-1	Soft,Thickness:1.0	20	LB023-2	Soft,Thickness:1.5	15
LB023-3	Soft,Thickness:2.0	10	LB023-4	Soft,Thickness:3.0	10
LB023-5	Hard,Thickness:1.0	20	LB023-6	Hard,Thickness:1.5	15
LB023-7	Hard,Thickness:2.0	10			

Dental Shade Guide Platform



20 fingers



Ref.#	Description
LB031-1	6 fingers
LB031-2	10 fingers
LB031-3	20 fingers

Crucible

DE149



ABS Articulator



LB026-1





LB026-2

- Material: ABS

Ref.#	Description	Pcs/bag	Bag/Ctn
LB025	Color: blue,yellow	10	24
LB026-1	Full mouth	55	
LB026-2	Half Mouth	60	

Articulator



zinc

DE039(L\M\S)



Copper and zinc

DE040(L\M\S)

Honey Comb Tray

Ceramic pin

DE066-1





DE066-2

Steel pin

Disposable Plastic Model



LB028

- Material: PS
  Color: clear,pink,green,yellow
  Package:25pcs/bag,40bag/ctn



Disposable Pindex Board

LB027

- Material: ABS
  Package:100pcs/box,6box/ctn





Articulating Paper

Straight



Package: 50box/ctn, 2ctn/big ctn

Ref.#	Description	Package
AP001-1A	Top-grade Thick Blue,100 microns	10 books x 20sheets/box
AP001-2A	Top Grade Thick Red,100 microns	10 books x 20sheets/box
AP001-4	Common Thin Blue,30 microns	10 books x 40sheets/box
AP001-5	Common Thin Red,30 microns	10 books x 40sheets/box
AP001-6	Top-grade Thick Blue & Red,double, 100 microns	12 books x 12sheets/box
AP001-16	Top-grade Thick green,100 microns	10 books x 20sheets/box

Horse Shoe



Ref.#	Description	Package
AP001-7	Thick blue full Mouth,100 microns	6 books x 20sheets/box
AP001-8	Thick red full mouth,100 microns	6 books x 20sheets/box
AP001-9	Thin blue full mouth,50 microns	6 books x 40sheets/box
AP001-10	Thin red,full mouth,30 microns	6 books x 40sheets/box
AP001-11	Thick, full mouth,Blue & red double, 100 microns	6 books x 12sheets/box

Straight



Ref.#	Description	Package
AP001-12	Occlusion Film,one-sided,blue,18um, 50*22mm	200sheets/box
AP001-13	Occlusion Film,one-sided,red,18um, 50*22mm	
AP001-14	Occlusion Film,two-sided,blue,18um, 50*22mm	
AP001-15	Occlusion Film,two-sided,red,18um, 50*22mm	



AP002-1



AP002-2

Ref.#	Description	Pcs/Box
AP002-1	Straight	1
AP002-2	Curved	1

Polishing Machine

DE101A

with/without cover



Technical:

- Voltage: (A)220V/50Hz (B)100V/60Hz
- Power: 550W
- Rotation speed: 3000 rpm
- Package Size: 68 X 55 X 48cm

Vacuum Former

DE111





Technical:

- Voltage: 220V/50Hz ± 10% 110V/60Hz ± 10%
- Power: 1000W
- Heating pipe power: 600W
- Dimensions: 25 X 21 X 30cm
- Weight: 6kg

Digital 4-Well Pot

DE114





Technical:

- Voltage: 110V ~ 220V ± 10%
- Power:120W
- Temp Selection: 50°C ~ 120°C / 122 °F ~ 248 °F
- Dimensions: 23 X 14.5 X 9cm
- Weight: 0.85kg

High Speed Dental Cutting Lathe

DE102



Technical:

- Voltage: 220V/50Hz ± 10% 100V/60Hz ± 10%
- Power:180W
- Rotation Speed: 4500rpm
- Motor Speed: 20000rpm
- Dimensions: 34 X 32 X 26cm
- Weight: 13kg

No Flame

(European Standard)

DE118



Technical:

- Voltage: 220V/50Hz ± 10% 110V/60Hz ± 10%
- Power:130W

Micro Motor

DE151





Technical:

- Voltage: 100V-240V
- Power: 65W
- Rotation Speed: 35000rpm
- Max.Torque: 2.9N
- Frequency: 50-60Hz

Compress

Aluminum Compress



DE129

Reline Jig



DE130



Two-layer with Double Tank

DE131



Flask

DE047-1



Aluminum Denture Flasles

DE047-2



Cu-Zn Alloy Aluminum

DE048



A Plate Of Copper Alloy

DE049-1



Aluminum Duplicating Flasks

Gas Light



Technical:

- Dimensions: 8.5 X 7.5 X 11CM
- Weight: 0.55kg

Single-Tube

DE140



Technical:

- Dimensions: 8.5 X 7.5 X 14CM
- Weight: 0.55kg



Tube-Rotating

DE141



Technical:

- Dimensions: 13 X 7.5 X 13CM
- Weight: 0.55kg

Double Tube

DE142

Laboratory Accessories

Dental Sand Blaster

DE128C



Technical:
- Dimensions: 47 X 44 X 31cm
- Weight: 15kg

DE128A





Technical:
- Dimensions: 42 X 42 X 58 CM
- Weight: 18kg

DE128B



Standard Model:592、1035、Wax dropper、2100、Wood Carver、1037、48、591、5、2040 (1 X 10 Technical Tools Bag)

Technical Tools

DE055



①、1035# ②、Wax dropper
③、2100# ④、1037#
⑤、48# ⑥、Wood Carver
⑦、2040# ⑧、591#
⑨、5# ⑩、592#

Casting Investment Ring



A B C D E

	Material
DE062-1	Plastic (clear)
DE062-2	Plastic (blue)
DE063-3	Stainless Steel

Metal/Wax Gauge

DE056-1/2



Brass Dowel Pins

DE065-1





SIZE	1	2	3	4	5	6	7	8	9	10	11	12
A	3.0	3.0	3.0	3.0	3.2	3.0	2.2	3.2	2.7	2.6	3.0	2.7
B	22	22	21.5	20	22	22	22	21	15	13	20	14
E	1.6	1.6	1.6	1.6	1.54	2	1.1	1.6	2.3	2.15	1.6	2.38

Brass Dowel Pins With Spike

DE065-2



SIZE	1	2	3
C	31.3	28	28
F	4	3.2	3.2
G	2	1.7	1.1

Twin pins

DE065-9



Special Sets of Nails

DE065-8



Ordinary Sets of Nails

DE065-6



Sets of Nails With Groove

DE065-7



Ligature Tie



OT001

- Non-latex material
  Anti-allergic
  Compact and solid
  One stick,one patient.
  Package: 936 ligature/bag

Natural Elastics



- Package: 100pcs/bag, 50bag/box



Ref.#	Description
OT004-1	Medium 3.5OZ, 1/8",3.18mm
OT004-2	Medium 3.5OZ, 3/16",4.76mm
OT004-3	Medium 3.5OZ, 1/4",6.35mm
OT004-4	Medium 3.5OZ, 5/16",7.94mm
OT004-5	Medium 3.5OZ, 3/8",9.35mm

Power Chain

OT002

- An Ideal Solution For Difficult Treatments. This chain is both elastic and strong-lasts up to 6 weeks. Practical 15 ft/spool.

Ref.#	Description
OT002-1	Continue(without space)
OT002-2	Short(short space)
OT002-3	Long(long space)

Separator

OT003

- It's used to isolate the gap with rings in 0.3mm.Generally,one ring can be extended to circle 3 to 7 teeth.
  Package: S type 700pcs/bag
  Circle type 1000pcs/bag

01		Clear	10		Green	19		Light Purple	28		Light Purple
02		Sliver	11		Yellow	20		Light Pink	29		Burgundy
03		White	12		Purple	21		Nacarat	30		Red Orange
04		Red	13		Blue	22		Peach Red	31		Transparent Purple
05		Pink	14		Light Green	23		Light Blue	32		Metal Purple
06		Golden	15		Sky Blue	24		Light Blue	33		Metal Dark Purple
07		Orange	16		Indigo	25		Metal Light Blue	34		Metal Light Green
08		Grey	17		Cyan	26		Dark Blue	35		Metal Green
09		Black	18		Transpaernt Red	27		Light Yellow			

Elastic Placer



OT008

- Material: Plastic
  Color:

Ligature Tie Gun



OT005

- Package:1pcs/blister

Brace Mouthguard



OT006

- Package:1pcs/box

Bracket apilocator



OT007

- Material: Stainless steel
  There are 3 sizes.





Sterile Surgical Blade

- Precise cutting edge design which is ideal for multiple incisions
  By Gamma sterilization(2.5 Mrads)
  Individual aluminum sealed foil packing
  Package: 100pcs/box,50box/ctn

Ref.#	Description
BD001-1	Carbon
BD001-2	Stainless Steel

SS Scalpel Handle



Ref.# BD003

Sterile Disposable Scalpels





Ref.#	Description	Pcs/Box	Box/Ctn
BD002-1	10-25#,Carbon Steel	10	50
BD002-2	10-25#,Stainless Steel	10	50

Sterile Suture Needles with Thread

- Usage: This kind of product is used in microsurgery, the surgery of the heart and the chest and the blood vessel, ophthalmic surgery and the soft tissues of internal organs.
  This kind of product is sealed and packed by the compound material of polyester and aluminum foil and polyester packing material. It is sterilized by the Gama and can be used directly without being re-sterilized before use.
  Package: 12pcs/box, 50box/ctn



Description of Needle Type

DESCRIPTION OF NEFDLE TYPE

SYMBOL	POINT TYPE
●	TAPER POING
○	BLUNT TAPEROINT
▲	CUTTING EDGE
▼	REVERSE CUTTING EDGE
✇	
▼	MICRO—POING REVERSE CUTTING
▼	MICTRO—POINT SPATULA CURVED

END TYPE
ROLLED—END
DRILLED—END
REGULAR—END

Types of Needle Shape

1/2 Circle ● ○ ▲ ▼ ✇ ▼ (8mm-60mm)

3/8 Circle ● ○ ▲ ▼ ✇ ▼ (8mm-60mm)

5/8 Circle ● ○ ▲ ▼ ✇ ▼ (8mm-60mm)

Straight cutting ● ○ ▲ ▼ ✇ ▼ (30mm-90mm)

Needle Shape



SUTURE MATERIALS



Chromic Catgut (Absorbable) Suture



BD004-1

Component parts: made from purified animal intestines (beef of sheep).
Structure: Monofilament, Smooth Surface.
Absorption: By enzymatic digestion. Complete from 90 days.
Color: Green or Tan.
Diameters of sutures: USP6/0-4
Sterilization: By Gama Radiation.

Plain Catgut (Absorbable) Suture



BD004-2

Component parts: made from purified animal intestines (beef of sheep).
Structure: Monofilament, Smooth Surface.
Absorption: By enzymatic digestion.
Complete from 90 days.
Color: Straw
Diameters of sutures: USP6/0-4
Sterilization: By Gama Radiation.

Silk (Braided) Suture



BD004-3

Component parts: Natural Silk,
Structure: Braided
Absorption: Non-absorbable.
Color: Black or Ivory
Diameters of sutures: USP6/0-4
Sterilization: By Gama Radiation.

Polyester (Braided) Suture



BD004-4

Component parts: Polyester,
Structure: Braided
Absorption: Non-absorbable.
Color: Green or Blue
Diameters of sutures: USP6/0-3
Sterilization: By Gama Radiation.

Nylon (Non-absorbable) Suture



BD004-5

Component parts: Polyamide (Nylon)
Structure: Monofilament, Smooth Surface.
Absorption: Non-absorbable.
Color: Black or Blue
Diameters of sutures: USP11/0-3
Sterilization: By Gama Radiation.

Polyprophylene Suture



BD004-6

Component parts: Polypropylene
Structure: Monofilament, Smooth Surface.
Absorption: Non-absorbable.
Color: Blue
Diameters of sutures: USP6/0-3
Sterilization: By Gama Radiation.

PGA (Polyglycolic Acid)



BD004-7

Component parts: Ethanoic Acid, Lactic Acid
Structure: Stranded Tight Braided
Absorption: By hydroliysis.
Complete between 60 -90 days
Color: Violet or Undyed
Diameters of sutures: USP8/0-2
Sterilization: By Ethylene Oxide

Barrier Envelopes

Model:



Top Quality

Ref.#	Size	Pcs/Box
XI011-IP-0#A	0#	500
XI011-IP-1#A	1#	500
XI011-IP-2#A	2#	500
XI011-IP-3#A	3#	300
XI011-IP-4#A	4#	200
XI011-BE1-0#A	0#	500
XI011-BE1-1#A	1#	500
XI011-BE1-2#A	2#	500
XI011-BE1-3#A	3#	300
XI011-BE1-4#A	4#	200
XI011-BE2-2#A	2#	200
XI011-BE3-0#A	0#	500
XI011-BE3-1#A	1#	500
XI011-BE3-2#A	2#	500
XI011-BE3-3#A	3#	300
XI011-BE3-4#A	4#	200
XI011-BE4-0#A	0#	500
XI011-BE4-1#A	1#	500
XI011-BE4-2#A	2#	500
XI011-BE4-3#A	3#	300
XI011-BE4-4#A	4#	200

Economical

Ref.#	Size	Pcs/Box
XI011-IP-0#	0#	300
XI011-IP-1#	1#	300
XI011-IP-2#	2#	300
XI011-IP-3#	3#	200
XI011-IP-4#	4#	200
XI011-BE1-0#	0#	300
XI011-BE1-1#	1#	300
XI011-BE1-2#	2#	300
XI011-BE1-3#	3#	200
XI011-BE1-4#	4#	200
XI011-BE2-2#	2#	300
XI011-BE3-0#	0#	300
XI011-BE3-1#	1#	300
XI011-BE3-2#	2#	300
XI011-BE3-3#	3#	200
XI011-BE3-4#	4#	200
XI011-BE4-0#	0#	300
XI011-BE4-1#	1#	300
XI011-BE4-2#	2#	300
XI011-BE4-3#	3#	200
XI011-BE4-4#	4#	200

Size:



Black Background with the intraoral photography



Ref.#	Description	Pcs/Box
XI018-1	Big, Material: aluminum and steel	1
XI018-2	Small, Material: aluminum and steel	1

Intraoral Digital Imaging Plate

XI021

High resolution, detail-rich images for improved diagnostics.
Convenient to enrich patient discussions about treatment plans.
Automatically store and file electronic images for future use or transmittal.
Improve patient comfort with thin, fiexible, wireless, reusable phosphor plates.
Eliminate the darkroom, film, hazardous chemicals, and expensive ongoing processor maintenance cost.

Ref.#	Description
XI021-0	0#, 22X35MM
XI021-1	1#, 24X41MM
XI021-2	2#, 31X41MM
XI021-3	3#, 27X54MM
XI021-4	4#, 56X75MM



Digital Sensor





Specification		
Model	XS-6000	XS-7000
Chip Type	CMOS APS	
fiber panel	YES	
Scintillator	GOS/CsI	
Size	27.5 X 38.5mm	32.3 X 44.3mm
Effective area	22.5X30mm	27X36mm
pixel	18.5 um	
Picture pixel	1.9M(1600*1200)	2.7M(1920*1440)
Lines of resolution	12-14lp/mm (GOS) 18-20lp/mm (CsI)	
Operating system	Window 2000/XP/Vista/Win 7/Win 8(32bit &64bit)	

Diagnostic content:



X-ray system

XS-3000



Features:

- Use the international advanced technology, high-efficiency, clear imaging low leak radial,is only 1% of national standard
- Light touched button, controlled with microcomputer, only press one button to select the exposue parameter. fast and accurately
- Developing in light room, image in one minute, the doctor can diagnose conveniently for maximum
- Pneumatic up-down seat, more convenient and more comfortable
- It is for the use of the digital imaging systeam of mouth

Specification:

- Power supply: AC220V ± 10%, 50Hz, 1KVA
- Tube voltage: 60kVp
- Tube current: 8mA
- Focus size: 1.5mm
- Total filtration: 2.5mmAl
- Exposure time: 0.2 - 4 sec
- Leak radiation: Outside one meter ⩽ 0.002mGy/h (National standard: 0.25mGy/h)
- Optional: Tube current:0.5mA Focus size: 0.8mm

XS-1000N



Specifications:

- Tube voltage: 60kv
- Tube current: 1mA
- Exposure time: 0.02~2S
- Tube focus: 0.3*0.3mm
- The distance from skin to cone:
- 130mm
- Frequency: 30KHZ
- Battery: DC14.8V 6400mA
- Rated power: 60VA
- Charger input: AC100V-240V±10%
- Charger output: DC16.8V
- Weight: 2.2kg
- Size: 138*165*185mm

Color:

X-ray Film Holders

- Take both anterior and posterior film
  Autoclavable 135°C
  Package: 3pcs/box, 200box/ctn



Ref.#	Description
XI010-1	Reusable,straight ends
XI010-2	Reusable,45°ends

X-ray Film Washer Clip

Stainless Steel



Ref.#	Description	Ref.#	Description
XI013-1	Single	XI013-5	5 Units
XI013-2	2 Units	XI013-6	6 Units
XI013-3	3 Units	XI013-7	7 Units
XI013-4	4 Units		

X-ray Film Mounts-Clip On



Ref.#	Description	Pcs/Bag
XI012-1	2 Slots	100
XI012-2	4 Slots	100
XI012-3	6 Slots	100
XI012-4	14 Slots	100

X-ray Film Mounts-Clip On



- Used for holding patients' films and fill in patients' name and other information.

Ref.#	Description	Pcs/Bag
XI014-1	1 Slots	100
XI014-2	2 Slots	100
XI014-3	4 Slots	100
XI014-4	6 Slots	100
XI014-5	8 Slots	100

X-ray & Digital Sensor bite tabs



XI024-1

- Simple, self-sticking foam tabs attach quickly and are easy to position.
  Perfect for horizontal or vertical bitewings.


XI015-6


XI015-7


XI015-8

XI015-9

XI015

- Used for holding patients' films and fill in patient's name and other information.
  Package: 100pcs/bag

Disposable Sensor Holder


BIG




SMALL

XI020

- Material: ABS (Medical grade), Disposable Convenient and special for perfect X-ray, reduce distortion.

Ref.#	Description	Pcs/Box
XI020-1	Big	6
XI020-2	Small	6

X-ray Film Bag



XI015-10

- Transparent pockets suit for x-ray film
  Roll of 500 stripes of 2 mounts
- Package: 1roll/box


XI015-1


XI015-2


XI015-3


XI015-4


XI015-5

Ref.#	Description	Ref.#	Description
XI015-1	6 Pockets	XI015-6	8 Pockets
XI015-2	8 Pockets	XI015-7	10 Pockets
XI015-3	2 Pockets	XI015-8	6 Pockets
XI015-4	4 Pockets	XI015-9	18 Pockets
XI015-5	4 Pockets		

X-Ray Film Holder


XI017


Package:


XI016

Ref.#	Description	Set/Box
XI016-1	Anterior, right, left, disposable	3
XI017	Anterior, right, left, autoclavable	3

Film Positioning System Complete


Anterior


Posterior



XI023

The XI023 film positioning system has made your guide to perfect x-rays much easier. The XI023 is the most comprehensive and durable system available.
Includes: 5 aiming rings, 5 indicator arms, 19 bite blocks


Endodontic


Bitewing

X-Ray Lead Apron


X-12


X-13

X-15


X-16


X-17

Ref.#	Description	Pcs/Ctn
X-08	Lead vest apron,size: S, M, L 0.35 mmPb, cover front only	5
X-09	Lead vest apron,size: S, M, L 0.35 mmPb, cover front only	5
X-10	Lead vest apron,size: S, M, L 0.35 mmPb	5
X-11	Lead vest apron,size: S, M, L 0.35 mmPb	5
X-12	Lead vest apron,size: 60cm X 90cm, 0.3 mmPb, cover front only	5
X-13	Lead vest apron,size: 60cm X 90cm, 0.5 mmPb, cover front only	5
X-15	Lead vest apron with collar for children ,size: 48cm X 70cm, 0.3 mmPb, cover front only	5
X-16	Lead collar, 0.3 mmPb, Straight	50
X-17	Lead collar, 0.3 mmPb,	50

Size	Length	Width	Appilcable Body
S	85CM	55CM	150-160CM
M	90CM	60CM	165-170CM
L	100CM	60CM	170-180CM









Dispenser



Syringe Sleeve





Ref.#	Description	Pcs/Box	Box/Ctn
DB003-1	2-1/2"X10", 2.4s, blue	500	36
DB003-2	2-1/2"X10", 2.4s, clear	500	36
DB003-3	2.2"X17.7", 2.75s, clear, roll type	250	18
DB003-4	2-1/2"X20", 2.4s, with hole	250	36

Ref.#	Description	Pcs/Box	Box/Ctn
DB005-1	1-1/2"X8" , 2.75s, low speed	500	36
DB005-2	1"X8" , 2.75s, high speed	500	36
DB005-3	1-1/2"X7-1/2", 2.75, low speed	500	36

Dental Barrier Film

Ref.#	Description	Box/Ctn
DB001-1	4"X6", Blue,stick edge	12
DB001-2	4"X6", Clear,stick edge	12
DB001-3	4"X6", Blue,non-stick edge	12
DB001-4	4"X6", Clear,non-stick edge	12
DB001-5	6"X9", Blue,non-stick edge	8
DB001-6	6"X9", Clear,non-stick edge	8

Ref.#	Description	Pcs/Box	Box/Ctn
DB002-1	For 4"X6" barrier film	1	12
DB002-2	For 6"X9" barrier film	1	8

Mouth Mirror Sleeve



Ref.#	Description	Pcs/Box	Box/Ctn
DB004	1-1/2"X8",2.3s,clear	500	36

High/low speed Handpiece Sleeve



Light / T-style Light Handle Sleeve


DB006-2


DB006-1

Ref.#	Description	Pcs/Box	Box/Ctn
DB006-1	4"X5-3/4",2.9s, clear	500	36
DB006-2	6"X2-9/10",2.9s,clear	500	36

Tray Sleeve



Ref.#	Description	Pcs/Box	Box/Ctn
DB007-1	11-5/8"X16",2s, clear	500	6
DB007-2	10-1/2"X14",2s, clear	500	6

Head Rest Sleeve



Ref.#	Description	Pcs/Box	Box/Ctn
DB008-1	10"X11", 2s, clear	250	12
DB008-2	10"X14", 2s, clear	250	12
DB008-3	11.8"X9", 3s, roll type	250	8

Half/Full Chair Sleeve



Ref.#	Description	Pcs/Box	Box/Ctn
DB009-1	Half,27-1/2"X24",1.7s, clear	225	3
DB009-2	Full,thick,29"X80",2s, clear	125	3
DB009-3	Full,48"X56",2s, clear	150	3
DB009-4	Full,thin,29"X80",1.34s, clear	125	3

Air/Water Syringe Sleeve



Ref.#	Description	Pcs/Box	Box/Ctn
DB011-1	7-3/10"X5",2s, clear	500	36

Scaler Sleeve



Ref.#	Description	Pcs/Box	Box/Ctn
DB012-1	1-3/5"X8",2.75s, clear	500	36
DB012-2	1-4"X7", 2.75s, clear	500	36

X-Ray Machine Sleeve



Ref.#	Description	Pcs/Box	Box/Ctn
DB010	15"X26",2.25s, clear	250	4

Intraoral Camera Sleeve


DB013-2

DB013-3



DB013-1

Ref.#	Description	Pcs/box	Box/Ctn
DB013-1	9-4/5"X2",1.5s, clear	100	36
DB013-2	10.2"X2",2.5s, Pen type	500	36
DB013-3	35X110MM	500	36

X-ray Sensor Sleeve







Ref.#	Description	Pcs/box	Box/Ctn
DB014-1	2-1/2"X10",2.4s,clear	500	36
DB014-2	8"X1-5/8",2s,clear	500	36
DB014-3	8"X1-5/8",2s,clear, round edge	500	36
DB014-4	8"X1-5/8",2s,clear	500	36
DB014-5	2-1/2"X5",2s,clear	500	36
DB014-6	9.44"X1.53",2s,clear	500	36
DB014-12	9.25"X 3.15" ,2s,clear	500	36

Ref.#	Description	Pcs/bag	Bag/Ctn
DB014-7	35 X 65mm ,2s,clear	300	200
DB014-8	35 X 110mm ,2s,clear	300	100
DB014-9	40 X 115mm ,2s,clear	300	100
DB014-10	42 X 105mm ,2s,clear	300	100
DB014-11	50 X 115mm ,2s,clear	300	100

Curing Light Sleeve/Guide Sleeve/ Light Curing Probe Sleeve







DB015-7

Ref.#	Description	Pcs/box	Box/Ctn
DB015-1	13.4"X3.3",2.5s	500	20
DB015-2	13.4"X2.1",2.5s	500	36
DB015-3	12.4"X4.13,2.5s	500	36
DB015-4	9.9X1.85",2.5s	500	36
DB015-5	4.33"X2.95",3s suite for dia 9-11mm	200	42
DB015-6	4.33"X2.95",3s suite for dia 7-9mm	200	42
DB015-7	4.7"X1.2",1.5s	200	36

Dental Sleeve Closed



Ref.#	Description	Pcs/box	Box/Ctn
DB020	11.2"X2.2", 3s	500	36

Machine Sleeve



Ref.#	Description	Pcs/box	Box/Ctn
DB018	5"X5",3s	500	16

Plastic sheaths-PC optical mouse



Ref.#	Description	Pcs/box	Box/Ctn
DB019	6.25"X3.5",3s	500	36

Turbine Sleeve



Ref.#	Description	Pcs/box	Box/Ctn
DB017-1	1.8"X17.7",2.75s,clear,roll type	250	18



Grit: Medium Ref.#	Head L mm	Total L mm
SR-41	4	19
SR-42	4	19
SR-43	4	19
SR-44	4	19
SR-45	4	19
BR-50	0.7	19
BR-49	0.8	19
BR-46	1	19
BR-45	1.2	19
BR-41	1.4	19
BR-40	1.6	19
BR-31	1.8	19
BR-30	2.0	19
BR-29	2.3	19

Grit: Medium Ref.#	Head L mm	Total L mm
BC-43	2.7	19
BC-S42	2.3	16.5
BC-S43	2.7	16.5
SI-45	1.5	19
SI-46	1.6	19
SI-47	1.8	19
SI-48	1.8	19
SI-49	2.5	19
SI-S46	1.2	16.5
SI-S47	1.4	16.5
SI-S48	1.6	16.5
DI41	2.0	19
DI42	2.5	19
DI43	2.5	19

Grit: Medium Ref.#	Head L mm	Total L mm
SO-23	8	22
SO-S18	6	18
SO-S20	6	18
SO-S19	6	18
EX-22	7	21
EX-20	5	19
EX-21	5	19
EX-31	4.5	19
EX-41	3.0	19
WR-11	1	19
WR-12	1.5	19
WR-13	2	19
WR-14	2	19
EX-11	5	19

Grit: Medium Ref.#	Head L mm	Total L mm
FO-28	5	20
FO-29	2.5	19
FO-30	3	19
FO-31	4	19
ZJ-11	10	24
ZJ-12	10	22
ZJ-13	10	22
ZJ-14	9	22
ZJ-19	7	21
ZJ-20	7	21
ZJ-21	7	21
ZJ-S19	7	21
ZJ-S20	7	21
ZJ-S21	7	21

Grit: Medium Ref.#	Head L mm	Total L mm
LG-SS21	7	18
LG-28	5	20
LG-29	5	19
EX-24	10	24
EX-25	5	20
EX-26	2	19
TF-11C	10	24
TF-12C	10	22
TF-13C	10	22
TF-14C	9	22
TF-20C	7	21
TF-21C	7	21
TF-S20C	7	19
TF-S21C	7	19

Grit: Coarse												
Ref.#	TF-SS21C	TR-11C	TR-12C	TR-13C	TR-14C	TR-62C	TR-20C	TR-21C	TR-S20C	TR-S21C	TR-SS21C	TC-11C
Head L mm	7	10	10	9	9	7	7	7	7	7	7	10
Total L mm	18	22	22	22	22	20	21	21	19	19	18	22

Grit: Coarse												
Ref.#	SR-13C	SR-20C	SR-21C	SR-23C	SR-24C	SR-41C	SR-42C	SR-43C	FO-32C	FO-54C	BR-31C	BR-40C
Head L mm	8	7	7	7	7	4	4	4	4	9.5	1.8	1.6
Total L mm	22	21	21	21	21	19	19	19	19	21	19	19

Grit: Fine												
Ref.#	CD-57F	CD-58F	CD-59F	TF-12F	TF-21F	TR-11F	TR-12F	TR-21F	TR-25F	TR-26F	TC-11F	TC-21F
Head L mm	4	3.5	6.5	10	8	10	10	7	10	8.5	10	8
Total L mm	16.5	16.5	16.5	22	21	22	22	21	21.5	21.5	22	22

Grit: Fine												
Ref.#	EX-02F	EX-03F	CD-L50F	CD-L51F	CD-L52F	CD-L53F	CD-L54F	CD-L55F	CD-L56F	CD-L57F	CD-L58F	CD-L59F
Head L mm	0.5	3	0.6	2.3	3.5	2.5	2.5	1.2	2.5	4	3.5	6.5
Total L mm	19	19	19	19	19	19	19	19	19	19	19	19

Grit: Super Fine												
Ref.#	SF-42EF	SR-11EF	SR-21EF	SR-41EF	SR-42EF	SO-20EF	SO-21EF	TC-11EF	TC-21EF	FO-20EF	FO-21EF	FO-22EF
Head L mm	4	8	7	4	4	6	8	10	8	7	7	7
Total L mm	19	22	21	19	19	21	22	22	22	21	21	21

Grit: Medium												
Ref.#	TF-11	TF-12	TF-13	TF-14	TF-18	TF-20	TF-21	TF-22	TF-23	TF-31	TF-41	TF-42
Head L mm	10	10	10	9	8	7	7	5.5	5	4.5	4	4
Total L mm	24	22	22	22	20	21	21	19	20	19	19	19

Grit: Medium												
Ref.#	TF-43	TF-S11	TF-S12	TF-S20	TF-S21	TF-S22	TF-S23	TF-S31	TF-S41	TF-SS21	TF-SS31	TF-L12
Head L mm	4.5	10	9	7	7	5.5	5	4.5	4	7	4.5	10
Total L mm	19	22	20	19	19	17	17	17	17	18	14.5	24

Grit: Super Fine												
Ref.#	TF-L14	TR-11	TR-12	TR-13	TR-14	TR-15	TR-19	TR-20	TR-21	TR-22	TR-24	TR-25
Head L mm	9	10	10	9	9	11.5	11.5	7	7	8	7	10
Total L mm	24	22	22	22	24	24	21	21	20	21	21	21.5

Grit: Super Fine												
Ref.#	TR-26	TR-S11	TR-S12	TR-S20	TR-S21	TR-S22	TR-S23	TR-S31	TR-S41	TR-SS21	TR-SS31	TR-L12
Head L mm	8.5	9	9	7	7	5.5	5	4.5	4	7	4.5	10
Total L mm	21.5	20	20	19	19	17	17	17	17	18	14.5	24

Grit: Super Fine												
Ref.#	TR-L14	SF-11	SF-12	SF-13	SF-20	SF-21	SF-22	SF-23	SF-24	SF-40	SF-41	SF-42
Head L mm	10	8	8	8	7	7	7	7	7	4	4	4
Total L mm	24	22	22	22	21	21	21	21	21	19	19	19

Grit: Super Fine												
Ref.#	SF-43	SF-44	SF-45	SR-11	SR-12	SR-13	SR-20	SR-21	SR-22	SR-23	SR-24	SR-40
Head L mm	4	4	4	8	8	8	7	7	7	7	7	4
Total L mm	19	19	19	22	22	22	21	21	21	21	21	19

Grit: Super Fine												
Ref.#	BR-25	BR-46	BR-S45	BR-S41	BR-S31	BR-L45	BR-L41	BR-L31	BR-L30	BR-L29	BC-31	BC-42
Head L mm	2.9	1	1.2	1.4	1.8	1.2	1.4	1.8	2	2.3	3	2.4
Total L mm	19	16.5	16.5	16.5	19	22	22	22	22	22	19	19

Grit: Super Fine												
Ref.#	TC-10	TC-11	TC-20	TC-21	TC-26	TC-S21	TC-S26	SO-18	SO-20	SO-19	SO-22	SO-21
Head L mm	10	10	8	8	6	6	6	6	6	6	8	8
Total L mm	22	22	20	22	21	20	20	21	21	21	22	22

Grit: Super Fine												
Ref.#	EX-12	FO-11	FO-12	FO-19	FO-20	FO-21	FO-22	FO-L31	FO-32	FO-31	FO-25	FO-27
Head L mm	7	10	10	7	7	7	7	4	4	4	5	5
Total L mm	20	24	24	21	21	21	21	21	19	19	19	19



Extra Coarse 181μm | Coarse 151μm | Medium 125μm

Fine 60μm | Super Fine 28μm | Ultra Fine 8μm

Package: 10pcs/plastic box,10box/paper box



Clip Mesh Holder



DI050

Material: Stainless Steel
Autoclavable
Package:2pcs/box

DI052-1

36 holes for FG handle
36 holes for Endo file



DI052-2

30 holes for endo file
30 holes for FG handle
4 silicone cup



Aluminum Bur Block

DI051-1



10 holes for RA handle
20 holes for FG handle

DI051-2

30 holes for FG handle



DI050-11

35 holes for FG handle
35 holes for Endo file



DI052-3



24 holes for endo file
24 holes for RA handle

24 holes for FG handle



DI052-7

56 holes for endo file
98 holes for FG handle
66 holes for RA handle

DI051-3



18 holes for endo file

10 holes for FG handle

DI052-6

56 holes for endo file
49 holes for FG handle
67 holes for RA handle
6 silicone cup



Plastic Bur Block



DI052-9
60 holes for endo file
60 holes for FG handle
4 Silicone cup



NEW!

DI050-10
60 holes for FG handle
60 holes for Endo file
4 Silicone cup



DI060
22 holes for HP handle
66 holes for RA handle
55 holes for FG handle





DI061
48 holes for HP handle
96 holes for RA handle
24 holes for FG handle

DI059-1



9 holes For FG handle

DI059-2



16 holes For FG handle

DI059-6



30 holes for FG handle



DI059-3



25 holes For FG handle

DI059-4



32 holes For FG handle



DI053-1
Autoclavable
20 holes for FG handle
4 holes for RA handle

DI059-5



26 holes For FG handle



DI055
10 holes for FG handle
50 holes for RA handle



DI054
48 holes for HP handle



DI056
24 holes for FG Handle

Magnetic Bur Holder

DI058



DI057
Non-autoclavable



Polishing Brush

Brass wire ∅ 25.4mm 22mm 19mm 17.4mm 14.2mm PP001	Steel wire ∅ 25.4mm 22mm 19mm PP002	Stainless Steel ∅ 25.4mm 22mm 19mm 17.4mm 14.2mm PP003	White wool ∅ 25.4mm 22mm 19mm 17.4mm 14.2mm PP004	Flower wool ∅ 25.4mm 22mm 19mm 17.4mm 14.2mm PP005	Black horse-tail ∅ 25.4mm 22mm 19mm 17.4mm 14.2mm PP006
Flower horse ∅ 25.4mm 22mm 19mm PP007	Black bristle ∅ 25.4mm 22mm 19mm 17.4mm 14.2mm PP008	White bristle ∅ 25.4mm 22mm 19mm PP009	White horse hair ∅ 19mm 17.4mm 14.2mm PP010	Mixing Wool ∅ 19mm 17.4mm 14.2mm PP011	Silicon carbide ∅ 22mm PP012
Tree wires ∅ 28mm 25mm 22mm PP013	Wool six angle ∅ 22mm 19mm PP014	Horse tail six angle ∅ 22mm 19mm PP015	Bristle six angle ∅ 22mm 19mm PP016	Bristle eight angle ∅ 22mm PP017	Bristle eight angle ∅ 22mm PP018
Wool felt ∅ 22mm PP019	Soft wool felt ∅ 22mm PP020	Wool felt ∅ 22mm PP021	Wool felt ∅ 22mm PP022	Sheep leather ∅ 22mm PP023	White cotton ∅ 22mm PP024
Yellow cotton ∅ 22mm PP025	Sheep leather ∅ 22mm PP026	Cloth ∅ 22mm PP027	Soft wool ∅ 22mm PP028	Cow leather ∅ 22mm PP029	Cow leather ∅ 22mm PP030
Wool felt ∅ 22mm PP031	Wool felt 1 2 3 4 5 6 7 8 PP032	Flower wool with leather PP033	White wool with leather PP034	Cotton Thread PP035	

Diamond Discs



DOUBLE SIDED



Ref.#:	DS001/13	DS001/16	DS001/19	DS001/22	DS001/24
	0.15mm	0.15mm	0.15mm	0.15mm	
	0.20mm	0.20mm	0.20mm	0.20mm	0.20mm
	0.25mm	0.25mm	0.25mm	0.25mm	0.25mm
	0.30mm	0.30mm	0.30mm	0.30mm	0.30mm
	0.35mm	0.35mm	0.35mm	0.35mm	0.35mm

ONE SIDED



Ref.#:	DS002/13	DS002/16	DS002/19	DS002/22	DS002/24
	0.15mm	0.15mm	0.15mm	0.15mm	
	0.20mm	0.20mm	0.20mm	0.20mm	0.20mm
	0.25mm	0.25mm	0.25mm	0.25mm	0.25mm



DOUBLE SIDED



Ref.#:	DS003/16	DS003/19	DS003/22	DS003/24
	0.15mm	0.15mm	0.15mm	
	0.20mm	0.20mm	0.20mm	0.20mm
	0.25mm	0.25mm	0.25mm	0.25mm
	0.30mm	0.30mm	0.30mm	0.30mm
	0.35mm	0.35mm	0.35mm	0.35mm



DOUBLE SIDED



Ref.#:	DS004/16	DS004/19	DS004/22	DS004/24
	0.15mm	0.15mm	0.15mm	
	0.20mm	0.20mm	0.20mm	0.20mm
	0.25mm	0.25mm	0.25mm	0.25mm
	0.30mm	0.30mm	0.30mm	0.30mm
	0.35mm	0.35mm	0.35mm	0.35mm



DOUBLE SIDED



Ref.#:	DS005/16	DS005/19	DS005/22	DS005/24	DS005/35	DS005/40
	0.15mm	0.15mm	0.15mm	0.15mm	0.15mm	0.15mm
	0.20mm	0.20mm	0.20mm	0.20mm	0.20mm	0.20mm
	0.25mm	0.25mm	0.25mm	0.25mm	0.25mm	0.25mm
	0.30mm	0.30mm	0.30mm	0.30mm	0.30mm	0.30mm
	0.35mm	0.35mm	0.35mm	0.35mm	0.35mm	0.35mm



DOUBLE SIDED



Ref.#:	DS006/16	DS006/19	DS006/22	DS006/24	DS006/35	DS006/40
	0.15mm	0.15mm	0.15mm	0.15mm	0.15mm	
	0.20mm	0.20mm	0.20mm	0.20mm	0.20mm	0.20mm
	0.25mm	0.25mm	0.25mm	0.25mm	0.25mm	0.25mm
	0.30mm	0.30mm	0.30mm	0.30mm	0.30mm	0.30mm
	0.35mm	0.35mm	0.35mm	0.35mm	0.35mm	0.35mm

ONE SIDED



Ref.#:	DS007/16	DS007/19	DS007/22	DS007/24
	0.20mm	0.20mm	0.20mm	0.20mm
	0.25mm	0.25mm	0.25mm	0.25mm



DOUBLE SIDED



Ref.#:	DS008/19	DS008/22	DS008/24	DS009/19	DS009/22	DS009/24
	0.15mm	0.15mm	0.15mm	0.15mm	0.15mm	0.15mm
	0.20mm	0.20mm	0.20mm	0.20mm	0.20mm	0.20mm
	0.25mm	0.25mm	0.25mm	0.25mm	0.25mm	0.25mm
	0.30mm	0.30mm	0.30mm	0.30mm	0.30mm	0.30mm
	0.35mm	0.35mm	0.35mm	0.35mm	0.35mm	0.35mm



ONE SIDED



Ref.#:	DS010/19	DS010/22	DS011/19	DS011/22
	0.15mm	0.15mm	0.15mm	0.15mm
	0.20mm	0.20mm	0.20mm	0.20mm
	0.25mm	0.25mm	0.25mm	0.25mm



DOUBLE SIDED



Ref.#:	DS012/19	DS012/22	DS012/24	DS012/35	DS012/40
	0.15mm	0.15mm	0.15mm	0.15mm	0.15mm
	0.20mm	0.20mm	0.20mm	0.20mm	0.20mm
	0.25mm	0.25mm	0.25mm	0.25mm	0.25mm
	0.30mm	0.30mm	0.30mm	0.30mm	0.30mm
	0.35mm	0.35mm	0.35mm	0.35mm	0.35mm



Ref.#:	DS013/19	DS013/22	DS013/24	DS013/35	DS013/40
DOUBLE SIDED THICKNESS IN mm	0.15mm	0.15mm	0.15mm	0.15mm	0.15mm
	0.20mm	0.20mm	0.20mm	0.20mm	0.20mm
	0.25mm	0.25mm	0.25mm	0.25mm	0.25mm
	0.30mm	0.30mm	0.30mm	0.30mm	0.30mm
	0.35mm	0.35mm	0.35mm	0.35mm	0.35mm



Ref.#:	DS014/19	DS014/22	DS014/24
DOUBLE SIDED THICKNESS IN mm	0.15mm	0.15mm	0.15mm
	0.20mm	0.20mm	0.20mm
	0.25mm	0.25mm	0.25mm
	0.30mm	0.30mm	0.30mm
	0.35mm	0.35mm	0.35mm



Ref.#:	DS015/19	DS015/22	DS015/24	DS015/35	DS015/40
	0.15mm	0.15mm	0.15mm	0.15mm	0.15mm
	0.20mm	0.20mm	0.20mm	0.20mm	0.20mm
	0.25mm	0.25mm	0.25mm	0.25mm	0.25mm
	0.30mm	0.30mm	0.30mm	0.30mm	0.30mm
	0.35mm	0.35mm	0.35mm	0.35mm	0.35mm



Ref.#:	DS016/16	DS016/19	DS016/22	DS016/24
DOUBLE SIDED THICKNESS IN mm	0.15mm	0.15mm	0.15mm	
	0.20mm	0.20mm	0.20mm	0.20mm
	0.25mm	0.25mm	0.25mm	0.25mm
	0.30mm	0.30mm	0.30mm	0.30mm



Ref.#:	DS017/19	DS017/22	DS018/19	DS018/22	DS019/19	DS019/22
DOUBLE SIDED THICKNESS IN mm	0.15mm	0.15mm	0.15mm	0.15mm	0.15mm	0.15mm
	0.20mm	0.20mm	0.20mm	0.20mm	0.20mm	0.20mm
	0.25mm	0.25mm	0.25mm	0.25mm	0.25mm	0.25mm
			0.30mm	0.30mm	0.30mm	0.30mm
			0.35mm	0.35mm	0.35mm	0.35mm



Ref.#:	DS020/19	DS020/22	DS020/24	DS020/35	DS020/40
DOUBLE SIDED THICKNESS IN mm	0.15mm	0.15mm	0.15mm	0.15mm	0.15mm
	0.20mm	0.20mm	0.20mm	0.20mm	0.20mm
	0.25mm	0.25mm	0.25mm	0.25mm	0.25mm
	0.30mm	0.30mm	0.30mm	0.30mm	0.30mm
	0.35mm	0.35mm	0.35mm	0.35mm	0.35mm



Ref.#:	DS021/19	DS021/22	DS021/24	DS021/35	DS021/40
DOUBLE SIDED	0.15mm	0.15mm	0.15mm	0.15mm	0.15mm
	0.20mm	0.20mm	0.20mm	0.20mm	0.20mm
	0.25mm	0.25mm	0.25mm	0.25mm	0.25mm
	0.30mm	0.30mm	0.30mm	0.30mm	0.30mm
	0.35mm	0.35mm	0.35mm	0.35mm	0.35mm



Ref.#:	DS022/40
DOUBLE SIDED	0.20mm
	0.25mm
	0.30mm
	0.35mm





Dental Laboratory

Rubber Diamond Polishers -Special for zirconia/porcelain workpiece

Material: diamond frits mixing with synthetic rubber
Usage:For smoothing and polishing zirconia inner crown,zirconia veneer/porcelain teeth fast super bright.
(Avoid the color different and porcelain fragile caused by second glaze and baking.And it also can save time)
Caution:Please use the products in allowed RPM.Or it may take the products damaged!

Grit :	Extra Coarse	Medium Coarse	Fine	Extra Fine	Ultra Fine
Packing(pcs): 1					
Order No. :	RD001-1	RD001-3	RD001-4	RD001-5	RD001-6
Recommended R.P.M:	15,000-25,000 / min	15,000-25,000 / min	15,000-25,000 / min	10,000-20,000 / min	10,000-20,000 / min
Size Φ × L(mm):	26 x 3	26 x 3	26 x 3	26 x 3	26 x 3
ISO No. : 802...	900 307 544 260	900 307 524 260	900 307 514 260	900 307 504 260	900 307 494 260

Grit :	Mid-Coarse			Fine		
Packing(pcs): 1						
Order No. :	RD204-3	RD208-3	RD210-3	RD204-4	RD208-4	RD210-4
Recommended R.P.M:		15,000-25,000 / min			15,000-25,000 / min	
Size Φ × L(mm):	4 x 12	12 x 2	12 x 2	4 x 12	12 x 2	12 x 2
ISO No. : 802...	104 243 524 040	104 041 524 120	104 304 524 120	104 243 514 040	104 041 514 120	104 304 514 120

Grit :	Extra Fine			Ultra Fine		
Packing(pcs): 1/12						
Order No. :	RD204-5	RD208-5	RD210-5	RD204-6	RD208-6	RD210-6
Recommended R.P.M:		10,000-20,000 / min			10,000-20,000 / min	
Size Φ × L(mm):	4 x 12	12 x 2	12 x 2	4 x 12	12 x 2	12 x 2
ISO No. : 802...	104 243 504 040	104 041 504 120	104 304 504 120	104 243 494 040	104 041 494 120	104 304 494 120

Rubber Polishers - Special for Non-precious and semi-precious metal workpiece

Material: synthetic rubber mixing with normal abrasive
Usage: For finishing and polishing alloy dental workpiece, such as for steel teeth/inner crown/steel frame/steel base finishing, smoothing and polishing.

Grit :	Extra Coarse			Coarse		
Packing(pcs): 100						
Order No. :	PR005-1	PR006-1	PR007-1	PR005-2	PR006-2	PR007-2
Recommended R.P.M:		20,000~30,000 / min			20,000~30,000 / min	
Size Φ × L(mm):	22 x 3	22 x 3.5	6 x 23	22 x 3	22 x 3.5	6 x 23
ISO No. : 802...	900 372 544 220	900 303 544 220	900 114 544 060	900 372 534 220	900 303 534 220	900 114 534 060

Grit :	Middle Coarse			Fine		
Packing(pcs): 100						
Order No. :	PR005-3	PR006-3	PR007-3	PR005-4	PR006-4	PR007-4
Recommended R.P.M:		20,000~30,000 / min			10,000~20,000 / min	
Size Φ × L(mm):	22 x 3	22 x 3.5	6 x 23	22 x 3	22 x 3.5	6 x 23
ISO No. : 802...	900 372 524 220	900 303 524 220	900 114 524 060	900 372 514 220	900 303 514 220	900 114 514 060

Grit :	Coarse					
Packing(pcs): 12/100						
Order No. :	PR203-2	PR204-2	PR205-2	PR206-2	PR210-2	PR217-2
Recommended R.P.M:			20,000-35,000 / min			
Size Φ × L(mm):	5 x 16	3 x 7	4 x 12	6 x 16	12 x 2	15 x 2
ISO No. : 802...	104 292 534 050	104 243 534 030	104 243 534 040	104 243 534 060	104 304 534 120	104 303 534 150

Grit :	Fine					
Packing(pcs): 1						
Order No. :	PR203-4	PR204-4	PR205-4	PR206-4	PR210-4	PR217-4
Recommended R.P.M:			10,000-20,000 / min			
Size Φ × L(mm):	5 x 16	3 x 7	4 x 12	6 x 16	12 x 2	15 x 2
ISO No. : 802...	104 292 514 050	104 243 514 030	104 243 514 040	104 243 514 060	104 304 514 120	104 303 514 150

Grit :	Extra Fine					
Packing(pcs): 1						
Order No. :	PR203-5	PR204-5	PR205-5	PR206-5	PR210-5	PR217-5
Recommended R.P.M:			10,000~12,000 / min			
Size Φ × L(mm):	5 x 16	3 x 7	4 x 12	6 x 16	12 x 2	15 x 2
ISO No. : 802...	104 292 504 050	104 243 504 030	104 243 504 040	104 243 504 060	104 304 504 120	104 303 504 150

Grit :	Ultra Fine					
Packing(pcs): 12/100						
Order No. :	PR203-6	PR204-6	PR205-6	PR206-6	PR210-6	PR217-6
Recommended R.P.M:			10,000~12,000 / min			
Size Φ × L(mm):	5 x 16	3 x 7	4 x 12	6 x 16	12 x 2	15 x 2
ISO No. : 802...	104 292 494 050	104 243 494 030	104 243 494 040	104 243 494 060	104 304 494 120	104 303 494 150

Silicone Diamond Polishers

-Special for resin teeth/hidden artificial teeth



Grit : Extra Fine				Ultra Fine		
Packing(pcs): 1						
Order No. :	SD001-5	SD202-5	SD203-5	SD001-6	SD202-6	SD203-6
Recommended R.P.M:	8,000~10,000 / min					
Size Φ × L(mm):	22 x 3	12 x 1	4 x 12	22 x 3	12 x 1	4 x 12
ISO No. : 802...	900 372 504 220	104 371 504 120	104 243 504 040	900 372 494 220	104 371 494 120	104 243 494 040

Silicone Polishers

-Special for porcelain/resin teeth



Grit : Coarse				
Packing(pcs): 100				
Order No. :	PS003-2	PS005-2	PS006-2	PS007-2
Recommended R.P.M:	15,000-30,000 / min			
Size Φ × L(mm):	16 x 2	22 x 3	22 x 3.5	6 x 23
ISO No. : 802...	900 303 534 160	900 372 54 220	900 303 534 220	900 114 534 060



Grit : Mid-Coarse				
Packing(pcs): 1				
Order No. :	PS003-3	PS005-3	PS006-3	PS007-3
Recommended R.P.M:	10,000~12,000 / min			
Size Φ × L(mm):	16 x 2	22 x 3	22 x 3.5	6 x 23
ISO No. : 802...	900 303 524 160	900 372 524 220	900 303 524 220	900 114 524 060



Grit : Fine				
Packing(pcs): 100				
Order No. :	PS003-4	PS005-4	PS006-4	PS007-4
Recommended R.P.M:	10,000~12,000 / min			
Size Φ × L(mm):	16 x 2	22 x 3	22 x 3.5	6 x 23
ISO No. : 802...	900 303 514 160	900 372 514 220	900 303 514 220	900 114 514 060



Grit : Coarse									
Packing(pcs): 12/100									
Order No. :	PS204-2	PS206-2	PS211-2	PS204-3	PS206-3	PS211-3	PS204-4	PS206-4	PS211-4
Recommended R.P.M:	15,000-30,000 / min			10,000-20,000 / min			10,000-20,000 / min		
Size Φ × L(mm):	4 x 12	4 x 12	12 x 2	4 x 12	4 x 12	12 x 2	4 x 12	4 x 12	12 x 2
ISO No. : 802...	104 243 534 040	104 174 534 040	104 041 534 120	104 243 524 040	104 174 524 040	104 041 524 120	104 243 514 040	104 174 514 040	104 041 514 120

Opal-separafing Disc



Packing(pcs): 100		
Order No. :	SD001-1	SD001-2
Recommended R.P.M:	12000 / min	15000 / min
Size Φ × T(mm):	22x0.2	38x0.6
ISO No. : 652...	900 371 514 220	900 371 514 380

Silicone Polishers

-Special for resin base



Grit : Extra Coarse							
Packing(pcs): 12/100							
Order No. :	PS212-1	PS213-1	PS214-1	PS215-1	PS216-1	PS217-1	PS218-1
Recommended R.P.M:	20,000-30,000 / min			15,000-20,000 / min			
Size Φ × L(mm):	6 x 16	10 x 20	10 x 24	10 x 17	13 x 20	14 x 17	15 x 17
ISO No. : 802...	104 243 544 060	104 300 544 100	104 275 544 100	104 237 544 100	104 292 544 130	104 012 544 140	104 145 544 150



Grit : Coarse							
Packing(pcs): 12/100							
Order No. :	PS212-2	PS213-2	PS214-2	PS215-2	PS216-2	PS217-2	PS218-2
Recommended R.P.M:	20,000-30,000 / min			15,000-20,000 / min			
Size Φ × L(mm):	6 x 16	10 x 20	10 x 24	10 x 17	13 x 20	14 x 17	15 x 17
ISO No. : 802...	104 243 534 060	104 300 534 100	104 275 534 100	104 237 534 100	104 292 534 130	104 012 534 140	104 145 534 150



Grit : Mid-Coarse							
Packing(pcs): 12/100							
Order No. :	PS212-3	PS213-3	PS214-3	PS215-3	PS216-3	PS217-3	PS218-3
Recommended R.P.M:	10000-20,000 / min						
Size Φ × L(mm):	6 x 16	10 x 20	10 x 24	10 x 17	13 x 20	14 x 17	15 x 17
ISO No. : 802...	104 243 524 060	104 300 524 100	104 275 524 100	104 237 524 100	104 292 524 130	104 012 524 140	104 145 524 150



Grit : Extra Fine							
Packing(pcs): 12/100							
Order No. :	PS212-5	PS213-5	PS214-5	PS215-5	PS216-5	PS217-5	PS218-5
Recommended R.P.M:	10,000-15,000 / min			8,000-12,000 / min			
Size Φ × L(mm):	6 x 16	10 x 20	10 x 24	10 x 17	13 x 20	14 x 17	15 x 17
ISO No. : 802...	104 243 504 060	104 300 504 100	104 275 504 100	104 237 504 100	104 292 504 130	104 012 504 140	104 145 504 150

Ceramic Diamond Grinder - Special for zirconia



Grit : Mid-Coarse									
Packing(pcs): 1									
Order No. :	PC003-3	PC004-3	PC005-3	PC007-3	PC201-3	PC202-3	PC203-3	PC204-3	PC205-3
Recommended R.P.M:	15,000-30,000 / min								
Size Φ × L(mm):	22 x 2	16 x 3.5	22 x 4.5	22 x 2	5 x 12	4 x 10.5	3 x 7	12 x 2	12 x 3
ISO No. : 802...	900 372 524 220	900 041 524 160	900 041 524 220	900 307 524 220	104 113 524 050	104 174 524 040	104 197 524 030	104 041 524 120	104 042 524 120

Ceramic Grinder - Special for alloy workpiece



Grit : Coarse										
Packing(pcs): 1										
Order No. :	PC221-2	PC222-2	PC223-2	PC224-2	PC225-2	PC226-2	PC227-2	PC228-2	PC229-2	PC230-2
Recommended R.P.M:	15,000-30,000 / min			15,000-30,000 / min						
Size Φ × L(mm):	5 x 12	5 x 16	3.5 x 10.5	12.5 x 3.5	13 x 1.5	5 x 12	5 x 16	3.5 x 10.5	12.5 x 3.5	13 x 1.5
ISO No. : 802...	104 113 533 050	104 292 533 050	104 173 533 035	104 024 533 125	104 041 533 130	104 113 533 050	104 292 533 050	104 173 533 035	104 024 533 125	104 041 533 130

Dental Clinic

Rubber Diamond Polishers -Special for dental clinic porcelain and zirconia



Grit : Mid-Coarse			Fine		Extra Fine	
Packing(pcs): 6/12/100						
Order No. :	RD114-3	RD115-3	RD114-4	RD115-4	RD114-5	RD115-5
Recommended R.P.M:	15,000~25,000 / min		15,000~20,000 / min		10,000~15,000 / min	
Size Φ × L(mm):	3 x 7	5 x 10	3 x 7	5 x 10	3 x 7	5 x 10
ISO No. : 802...	314 243 524 030	314 243 524 050	314 243 514 030	314 243 514 050	314 243 504 030	314 243 504 050



Grit : Mid-Coarse						
Packing(pcs): 6/12/100						
Order No. :	RD312-3	RD314-3	RD316-3	RD317-3	RD318-3	RD310-3
Recommended R.P.M:	15,000~25,000 / min					
Size Φ × L(mm):	3 x 7	5 x 10	6 x 9.5	9 x 8.5	10 x 1	10 x 1.8
ISO No. : 802...	204 243 524 030	204 243 524 050	204 030 524 060	204 030 524 090	204 371 524 100	204 304 524 100



Grit : Fine						
Packing(pcs): 6/12/100						
Order No. :	RD312-4	RD314-4	RD316-4	RD317-4	RD318-4	RD310-4
Recommended R.P.M:	15,000~20,000 / min					
Size Φ × L(mm):	3 x 7	5 x 10	6 x 9.5	9 x 8.5	10 x 1	10 x 1.8
ISO No. : 802...	204 243 514 030	204 243 514 050	204 030 514 060	204 030 514 090	204 371 514 100	204 304 514 100



Grit : Extra Fine						
Packing(pcs): 6/12/100						
Order No. :	RD312-5	RD314-5	RD316-5	RD317-5	RD318-5	RD310-5
Recommended R.P.M:	10,000~15,000 / min					
Size Φ × L(mm):	3 x 7	5 x 10	6 x 9.5	9 x 8.5	10 x 1	10 x 1.8
ISO No. : 802...	204 243 504 030	204 243 504 050	204 030 504 060	204 030 504 090	204 371 504 100	204 304 504 100

Rubber Polishers -Special for dental clinic Non-precious and semi-Precious metal



Grit : Coarse			Fine			Extra Fine		Ultra Fine	
Packing(pcs): 6/12/100									
Order No. :	PR120-2	PR121-2	PR120-4	PR121-4	PR120-5	PR121-5	PR120-6	PR121-6	
Recommended R.P.M:	10,000~15,000 / min		10,000~15,000 / min		10,000~15,000 / min		10,000~15,000 / min		
Size Φ × L(mm):	3 x 7	5 x 10	3 x 7	5 x 10	3 x 7	5 x 10	3 x 7	5 x 10	
ISO No. : 652...	314 243 534 030	314 243 534 050	314 243 514 030	314 243 514 050	314 243 534 030	314 243 514 050	314 243 514 030	314 243 514 050	



Grit : Coarse						
Packing(pcs): 6/12/100						
Order No. :	PR322-2	PR324-2	PR326-2	PR327-2	PR328-2	PR310-2
Recommended R.P.M:	10,000~15,000 / min					
Size Φ × L(mm):	3 x 7	5 x 10	6 x 9.5	9.5 x 8	10 x 1	10 x 1.8
ISO No. : 652...	204 243 534 030	204 243 534 050	204 030 534 060	204 030 534 090	204 371 534 100	204 304 534 100

Grit : Fine						
Packing(pcs): 6/12/100						
Order No. :	PR322-4	PR324-4	PR326-4	PR327-4	PR328-4	PR310-4
Recommended R.P.M:	10,000~15,000 / min					
Size Φ × L(mm):	3 x 7	5 x 10	6 x 9.5	9.5 x 8	10 x 1	10 x 1.8
ISO No. : 652...	204 110 514 030	204 243 514 050	204 030 514 060	204 030 514 090	204 371 514 100	204 304 514 100



Grit : Extra Fine						
Packing(pcs): 6/12/100						
Order No. :	PR322-5	PR324-5	PR326-5	PR327-5	PR328-5	PR310-5
Recommended R.P.M:	10,000~15,000 / min					
Size Φ × L(mm):	3 x 7	5 x 10	6 x 9.5	9.5 x 8	10 x 1	10 x 1.8
ISO No. : 652...	204 243 504 030	204 243 504 050	204 030 504 060	204 030 504 090	204 371 504 100	204 304 504 100



Grit : Ultra Fine						
Packing(pcs): 6/12/100						
Order No. :	PR322-6	PR324-6	PR326-6	PR327-6	PR328-6	PR310-6
Recommended R.P.M:	10,000~12,000 / min					
Size Φ × L(mm):	3 x 7	5 x 10	6 x 9.5	9.5 x 8	10 x 1	10 x 1.8
ISO No. : 652...	204 243 494 030	204 243 494 050	204 030 494 060	204 030 494 090	204 371 494 100	204 304 494 100

Silicone Polishers -Special for dental clinic porcelain and resin.



Grit : Coarse			Mid-Coarse		Fine	
Packing(pcs): 6/12/100						
Order No. :	PS123-2	PS124-2	PS123-3	PS124-3	PS123-4	PS124-4
Recommended R.P.M:	10,000~15,000 / min		10,000~15,000 / min		10,000~15,000 / min	
Size Φ × L(mm):	3 x 7	5 x 10	3 x 7	5 x 10	3 x 7	5 x 10
ISO No. : 658...	314 243 534 030	314 243 534 050	314 243 524 030	314 243 524 050	314 243 514 030	314 243 514 050



Grit : Coarse						
Packing(pcs): 6/12/100						
Order No. :	PS323-2	PS324-2	PS326-2	PS327-2	PS328-2	PS310-2
Recommended R.P.M:	10,000~15,000 / min					
Size Φ × L(mm):	3 x 7	5 x 10	6 x 9.5	9.5 x 8	10 x 1	10 x 1.8
ISO No. : 658...	204 243 534 030	204 243 534 050	204 030 534 060	204 030 534 090	204 371 534 100	204 304 534 100



Grit : Mid-Coarse						
Packing(pcs): 6/12/100						
Order No. :	PS323-3	PS324-3	PS326-3	PS327-3	PS328-3	PS310-3
Recommended R.P.M:	10,000~12,000 / min					
Size Φ × L(mm):	3 x 7	5 x 10	6 x 9.5	9.5 x 8	10 x 1	10 x 1.8
ISO No. : 658...	204 243 524 030	204 243 524 050	204 030 524 060	204 030 524 090	204 371 524 100	204 304 524 100



Grit : Fine						
Packing(pcs): 6/12/100						
Order No. :	PS323-4	PS324-4	PS326-4	PS327-4	PS328-4	PS310-4
Recommended R.P.M:	10,000~12,000 / min					
Size Φ × L(mm):	3 x 7	5 x 10	6 x 9.5	9.5 x 8	10 x 1	10 x 1.8
ISO No. : 658...	204 243 514 030	204 243 514 050	204 030 514 060	204 030 514 090	204 371 514 100	204 304 514 100

Silicone Plishers -Special for dental clinic precious metal



Grit : Coarse			Mid-Coarse		Fine	
Packing(pcs): 6/12/100						
Order No. :	PS129-2	PS130-2	PS129-3	PS130-3	PS129-4	PS130-4
Recommended R.P.M:	7,000~12,000 / min					
Size Φ × L(mm):	3 x 7	5 x 10	3 x 7	5 x 10	3 x 7	5 x 10
ISO No. : 658...	314 243 534 030	314 243 534 050	314 243 524 030	314 243 524 050	314 243 514 030	314 243 514 050



Grit : Coarse						
Packing(pcs): 6/12/100						
Order No. :	PS332-2	PS334-2	PS336-2	PS337-2	PS338-2	PS330-2
Recommended R.P.M:	10,000~15,000 / min					
Size Φ × L(mm):	3 x 7	5 x 10	6 x 9.5	9.5 x 8	10 x 1	10 x 1.8
ISO No. : 802...	204 243 534 030	204 243 534 050	204 030 534 060	204 030 534 090	204 371 534 100	204 304 534 100



Grit : Mid-coarse						
Packing(pcs): 6/12/100						
Order No. :	PS332-3	PS334-3	PS336-3	PS337-3	PS338-3	PS330-3
Recommended R.P.M:	10,000~15,000 / min					
Size Φ × L(mm):	3 x 7	5 x 10	6 x 9.5	9.5 x 8	10 x 1	10 x 1.8
ISO No. : 802...	204 243 524 030	204 243 524 050	204 030 524 060	204 030 524 090	204 371 524 100	204 304 524 100



Grit : Fine						
Packing(pcs): 6/12/100						
Order No. :	PS332-4	PS334-4	PS336-4	PS337-4	PS338-4	PS330-4
Recommended R.P.M:	7,000~12,000 / min					
Size Φ × L(mm):	3 x 7	5 x 10	6 x 9.5	9.5 x 8	10 x 1	10 x 1.8
ISO No. : 802...	204 243 514 030	204 243 514 050	204 030 514 060	204 030 514 090	204 371 514 100	204 304 514 100

Ceramic Diamond Grinder -Special for zironia



Grit : Coarse		
Packing(pcs): 6/12/100		
Order No. :	PC329-3	PC331-3
Recommended R.P.M:	7,000~10,000 / min	
Size Φ × L(mm):	2.8 x 7	3 x 7
ISO No. : 802...	204 161 523 028	204 273 523 030

Ceramic Grinder -Special for dental clinic metal and resin



Grit : Fine				
Packing(pcs): 6/12/100				
Order No. :	PC132-4	PC133-4	PC336-4	PC337-4
Recommended R.P.M:	7,000~10,000 / min			
Size Φ × L(mm):	2.8 x 7	3 x 7	2.8 x 7	3 x 7
ISO No. : 802...	314 161 513 028	314 273 513 030	204 161 513 028	204 273 513 030

Zogear Dental Polishing kits



ID:RA1112

High Gloss Polishing RA1112 Kit for Composite
Used for low-speed
Usage Soft silicone polishers and diamond polishers for composite materials, preparation and high gloss polishing

Package: 12pcs/kit
4pcs white ceramic grinders:
CW3064m *2pcs, CW3114m *2pcs
4pcs light blue silicone polishers:
SH3114m, SH3144m,
SH3414m, SH3204m
4pcs pink rubber diamond polisher:
RD3117, RD3147, RD3417, RD3207

ID:RA2112

High Gloss Polishing RA2112 Kit for Porcelain
Used for low-speed
Usage: Clinical intraoral high gloss polishing for zirconia case temper, form repair and after repair.

Package: 12pcs/kit
4pcs white ceramic grinders:
CW3064m *2pcs, CW3114m *2pcs
4pcs pink silicone polishers:
SH3113m, SH3143m,
SH3413m, SH3203m
4pcs yellow rubber diamond polisher:
RD3115, RD3145, RD3415, RD3205



ID:RA3112

High Gloss Polishing RA3112 Kit for Full Zirconia Crown
Used for low speed
Usage: Clinical intraoral high gloss polishing for zirconia case temper, form repair and after repair.

Package: 12pcs/kit
4pcs light yellow ceramic diamond grinders:
CD3064 *2pcs, CD3114 *2pcs
4pcs light grey rubber diamond polishers:
RD3114, RD3144, RD3414, RD3204
4pcs yellow rubber diamond polisher:
RD3115, RD3145, RD3415, RD3205





ID:RA0309

Composite resin polishing kit RA 0309
Used for low-speed
Usage: Ceramic grinders and soft silicone polishers for composite materials, preparation and high gloss polishing.

Package: 9pcs/kit
3pcs white ceramic grinders:
CW3064, CW3114, CW3514
3pcs pink silicone polishers:
SH3203, SH3413, SH3133
3pcs light blue silicone polishers:
SH3204, SH3414, SH3134



ID:RA0109

Amalgam polishing kits RA 0109
Used for low-speed
Rubber polishers for amalgam materials, preparation and high gloss polishing.
Package: 9pcs/kit

3pcs black rubber polisher
RF 320 2, RF 341 2, RF313 2
3pcs brown rubber polisher
RF 320 4, RF 341 4, RF313 4
3pcs blue rubber polisher
RF 320 5, RF 341 5, RF313 5



ID:RA0304

Polishing RA0304 Kit for Composite
Used for low-speed
Usage: Soft silicone polishers for porcelain

Package: 4pcs/kit
2pcs white silicone polishers:
SH3132, SH3202
2pcs blue silicone polishers:
SH3134, SH3204



ID:HP0312

Porcelain denture polishing kits HP 0312
Used for low-speed
Usage: Soft silicone polishers for composite materials, prepar ation and high gloss polishing.

Package: 12pcs/kit
6pcs white silicone polishers:
SH2122 *2pcs, SH2412 *2, SH2322 *2
3pcs pink silicone polishers:
SH2123, SH2413, SH2323
3pcs light blue silicone polishers:
SH2124, SH2414, SH2324

ID:HP0207

High Gloss Polishing HP0207 Kit for Porcelain
Used for Straight Handpiece
Usage: Diamond burs,soft silicone polisher and universal diamond polishers for porcelain

Package: 7pcs/kit
3pcs diamond Burs(HP):
DD2392, DD2343, DD2323
2pcs light grey silicone polishers:
SH2322, SH2122
2pcs yellow rubber diamond polishers:
RD2325, RD2125





ID:HP0412

Resin bridgework polishing kits HP0412
Used for low-speed
Usage: Soft silicone polishers for composite materials, preparation and high gloss polishing.

Package: 12pcs/kit
4pcs black silicone polishers:
SK2132 *2pcs, SK2142, SK2022
4pcs green silicone polishers:
SK2133 *2pcs, SK2143, SK2023
4pcs yellow silicone polishers:
SK2135 *2pcs, SK2145, SK2025





ID:HP0406

High Gloss Polishing HP0406 Kit for Resin bridgework
Used for Laboratory
Usage: Carbide burs,soft silicone polishers and universal diamond polishers for composite materials, preparation and high gloss polishing.

Package: 6pcs/kit
2pcs carbide bur(HP):
TH805, TH803
2pcs light yellow silicone polishers:
SK2135, SK2125
2pcs pink rubber diamond polishers:
RD2127, RD2137

ID:HP0306

High Gloss Polishing HP0306 Kit for Full Zirconia Crown Used for straight handpiece
Usage: Ceramic diamond grinders and universal diamond polishers for zirconia case temper, form repair and after repair.

Package: 6pcs/kit
2pcs light yellow ceramic diamond grinders:
CD2024, CD2124
2pcs grey rubber diamond polishers:
RD2324, RD2124
2pcs yellow rubber diamond polishers:
RD2325, RD2125

Carbide bur



Extraction Series

US NO.	FG SURG 702LL	FG SL 702LL	FG SLL 702LL
FG	016	016	016
head length	7mm	7mm	7mm
length	25mm	28mm	32mm



US NO.	FG151	FG SURG151	FG SL151
FG	016	016	016
head length	11mm	11mm	11mm
length	23mm	25mm	28mm



US NO.	FG 4
FG	014
head length	1.45mm
length	30mm



Bone Cutting

US NO.	FG 161
FG	016
head length	10mm
length	25mm



US NO.	FG 162
FG	016
head length	10mm
length	25mm



Safe End

US NO.	FG152	FG SURG152
FG	016	016
head length	9mm	9mm
length	21mm	25mm



Scaling Burs

US NO.	FLAME
FG (22mm)	012



US NO.	PERIO
FG (22mm)	009



Troughing Bur

US NO.	1	2	4
DT	008	010	014
length	34mm	34mm	34mm



Implant Bur

US NO.	L1	L2	L3	L4	L5	L6	L7	L8
RA SURG	008	010	012	014	016	018	021	023
length(mm)	34	34	34	34	34	34	34	34

Trimming & Finishing Burs



Needle

US NO.	7901	7902	7903
TF	009	010	012



Taper Pointed

US NO.	7611	7612	7613
TF	010	014	014



Fig.41 Round

US NO.	7004	7006
TF	014	018



Taper T-Series

US NO.	7114	7214	7714
TF	009	010	014



Taper Cone

US NO.	7204	7205
TF	014	016



Fig.379(44E) Egg

US NO.	7404	7406
TF	014	018



US NO.	H158	H159	H160	H161
TF	012	014	016	018



US NO.	7653	7664	7675	7686
TF	012	014	016	018



US NO.	7572
TF	010



US NO.	7104	7106	7108
TF	016	018	023



US NO.	EF9
TF	014



US NO.	48L
TF	012

CB.1 / Round



US NO.	ISO NO.	1/4	1/2	1	2	3	4	5	6	7	8
FG (19mm)	500 314 001 001	005	006	008	010	012	014	016	018	021	023
FGSS (16.5mm)	500 313 001 001	005	006	008	010	012	014	016	018	021	023
RA (22mm)	500 204 001 001	005	006	008	010	012	014	016	018	021	023
FG SURG (25mm)	500 316 001 001	–	–	008	010	012	014	016	018	–	023
RA SURG (26mm)	500 205 001 001	–	–	008	010	012	014	016	018	021	023
HP (44.5mm)	500 104 001 001	005	006	008	010	012	014	016	018	021	023

CB.2 / Inverted Cone



US NO.	ISO NO.	33 1/2	34	35	36	37	38	39	40	41
FG (19mm)	500 314 010 001	006	008	010	012	014	016	018	021	023
FGSS (16.5mm)	500 313 010 001	006	008	010	–	014	–	–	–	–
RA (22mm)	500 204 010 001	006	008	010	012	014	016	018	021	023
HP (44.5mm)	500 104 010 001	–	008	010	012	014	016	018	021	023

CB.7L / Pear



US NO.	ISO NO.	331L	332L	333L
FG (21mm)	500 315 238 001	010	–	014
FGSS (16.5mm)	500 313 238 001	–	–	–
RA (22mm)	500 204 238 001	010	012	014

CB.21L / Straight Flat End



US NO.	ISO NO.	57L	58L	59L	60L
FG (21mm)	500 315 109 006	–	012	014	016
FGSS (16mm)	500 313 109 006	–	–	–	–
RA (22mm)	500 204 109 006	010	–	–	–
FG SURG (25mm)	500 316 109 006	010	012	014	016
RA SURG (26mm)	500 205 109 006	–	–	–	–

CB. 21 / Straight Flat End



US NO.	ISO NO.	56	57	58	59	60	61	62	63
FG (19mm)	500 314 107 006	009	010	012	014	016	–	–	–
FGSS (16.5mm)	500 313 107 006	009	010	–	–	–	–	–	–
RA (22mm)	500 204 107 006	009	010	012	014	016	018	–	–
FG SURG (25mm)	500 316 107 006	–	010	012	014	016	–	–	–
RA SURG (26mm)	500 205 107 006	–	010	–	–	–	–	–	–
HP (44.5mm)	500 104 107 006	009	010	012	014	016	018	021	023

CB. 31 / Straight Flat End Cross-Cut



US NO.	ISO NO.	555	556	557	558	559	560	561	562	563
FG (19mm)	500 314 107 007	008	009	010	012	014	016	–	–	–
FGSS (16.5mm)	500 313 107 007	–	009	010	012	–	–	–	–	–
RA (22mm)	500 204 107 007	008	009	010	012	014	016	018	021	023
FG SURG (25mm)	500 316 107 007	008	009	010	012	014	016	–	–	–
RA SURG (26mm)	500 205 107 007	–	–	010	–	–	–	–	–	–
HP (44.5mm)	500 104 107 007	008	009	010	012	014	016	018	021	023

CB. 21R / Straight Dome End



US NO.	ISO NO.	1155	1156	1157	1158	1159	1160
FG (19mm)	500 314 137 006	008	009	010	012	014	016
FGSS (16.5mm)	500 313 137 006	008	009	010	012	–	–
RA (22mm)	500 204 137 006	–	–	010	–	–	–
FG SURG (25mm)	500 316 137 006	008	009	010	012	014	016
RA SURG (26mm)	500 205 137 006	–	–	–	–	–	–

CB. 23 / Taper Flat End



US NO.	ISO NO.	168	169	170	171	172
FG (19mm)	500 314 168 006	008	009	010	012	016
FGSS (16.5mm)	500 313 168 006	–	–	010	012	–
RA (22mm)	500 204 168 006	008	009	010	012	016
FG SURG (25mm)	500 316 168 006	008	009	010	012	016
RA SURG (26mm)	500 205 168 006	–	–	–	–	–
HP (44.5mm)	500 104 168 006	008	009	010	012	016

CB. 7 / Pear



US NO.	ISO NO.	329	330	331	332	333
FG (19mm)	500 314 237 001	006	008	010	012	014
FGSS (16.5mm)	500 313 237 001	–	008	010	012	–
RA (22mm)	500 204 237 001	–	008	010	012	–
FG SURG (25mm)	500 316 237 001	006	008	010	012	014
RA SURG (26mm)	500 205 237 001	–	–	–	–	–
HP(44.5mm)	500 104 237 001	006	008	–	–	–

CB. 23L / Taper Flat End



US NO.	ISO NO.	169L	170L	171L	172L
FG (21mm)	500 315 170 006	009	010	012	016
FGSS (16.5mm)	500 313 170 006	–	–	–	–
RA (22mm)	500 204 170 006	–	–	–	–

CB. 31RL / Straight Dome End Cross-Cut



US NO.	ISO NO.	1557L	1558L
FG (21mm)	500 315 139 007	010	012
FGSS (16.5mm)	500 313 139 007	–	–
RA (22mm)	500 204 139 007	–	–

CB. 23R / Taper Dome End



US NO.	ISO NO.	1168	1169	1170	1171	1172
FG (19mm)	500 314 194 006	008	009	010	012	016
FGSS (16.5mm)	500 313 194 006	–	–	–	–	–
RA (22mm)	500 204 194 006	–	–	010	012	016

CB. 3 / Wheel



US NO.	ISO NO.	14
FG (19mm)	500 314 042 006	012
FGSS (16.5mm)	500 313 042 006	–
RA (22mm)	500 204 042 006	–

CB. 245Amalgam Prep



US NO.	ISO NO.	245	246
FG (19mm)	500 314 233 006	009	012
FGSS (16.5mm)	500 313 233 006	009	–
RA (22mm)	500 204 233 006	009	–

CB. 207End Cutting



US NO.	ISO NO.	955	956	957	958
FG (19mm)	500 314 150 001	008	009	010	012
FGSS (16.5mm)	500 313 150 001	–	–	–	–
RA (22mm)	500 204 150 001	–	–	010	–



CB. 31L/ Straight Flat End Cross-Cut

US NO.	ISO NO.	556L	557L	558L	559L	560L
FG (21mm)	500 315 109 007	009	010	012	014	016
FGSS (16.5mm)	500 313 109 007	–	–	–	–	–
RA (22mm)	500 204 109 007	–	010	–	–	–
FG SURG (25mm)	500 316 109 007	–	010	012	014	016
RA SURG (26mm)	500 205 109 007	–	010	–	–	–



CB. 31R/ Straight Dome End Cross-Cut

US NO.	ISO NO.	1555	1556	1557	1558	1559	1560
FG (19mm)	500 314 137 007	008	009	010	012	014	016
FGSS (16.5mm)	500 313 137 007	008	009	010	010	014	016
RA (22mm)	500 204 137 007	008	009	010	010	014	016
FG SURG (25mm)	500 316 137 007	008	009	010	012	014	016
RA SURG (26mm)	500 205 137 007	008	009	010	010	014	016
HP (44.5mm)	500 104 137 007	008	009	010	012	014	016



CB. 33/ Taper Flat End Cross-Cut

US NO.	ISO NO.	698	699	700	701	702	703	704
FG (19mm)	500 314 168 007	008	009	010	012	016	–	–
FGSS (16.5mm)	500 313 168 007	008	009	010	012	016	–	–
RA (22mm)	500 204 168 007	008	009	010	012	016	021	023
FG SURG (25mm)	500 316 168 007	008	009	010	012	016	021	–
RA SURG (26mm)	500 205 168 007	–	–	–	–	016	–	–
HP (44.5mm)	500 104 168 007	–	009	010	012	016	021	023



CB. 33L/ Taper Flat End Cross-Cut

US NO.	ISO NO.	699L	700L	701L	702L	703L
FG (21mm)	500 315 170 007	009	010	012	016	–
FGSS (16.5mm)	500 313 170 007	–	–	–	–	–
RA (22mm)	500 204 170 007	–	–	012	–	–
HP (44.5mm)	500 104 170 007	009	010	012	016	021



CB. 33R/ Taper Dome End Cross-Cut

US NO.	ISO NO.	1701	170[2]
FG (19mm)	500 314 194 007	012	016
FGSS (16.5mm)	500 313 194 007	–	–
RA (22mm)	500 204 194 007	–	–
FG SURG (25mm)	500 316 194 007	012	016
RA SURG (26mm)	500 205 194 007	–	–



Metal Cutting

US NO.	1931	1932
FG (19mm)	010	012



US NO.	1957	1958
FG (19mm)	010	012



US NO.	2057	2058
FG (19mm)	010	012



CFF

超细双刃
Superfine Cross Cut



直径 Ø 1/10 mm	014	023	014	023	040	045	023	023	016
长度 L ISO mm	3.1	3.9	3.2	5.0	14.1	14.1	8.0	5.0	8.0
HP 500 104 ...	277 110 ...	277 110 ...	237 110 ...	237 110 ...	201 110 ...	201 110 ...	141 110 ...	225 110 ...	198 110 ...
Order NO. 货号	073CFF-014	073CFF-023	077CFF-014	073CFF-023	079CFF-040	079CFF-045	129CFF-023	137CFF-023	138CFF-016

CFF

超细双刃
Superfine Cross Cut



直径 Ø 1/10 mm	023	023	040	060	023	023	023	023
长度 L ISO mm	8.0	8.0	11.5	14.2	17	14.1	16	16
HP 500 104 ...	138 110 ...	289 110 ...	274 110 ...	275 110 ...	187 110 ...	201 110 ...	137 110 ...	292 110 ...
Order NO. 货号	138CFF-023	139CFF-023	251CFF-040	L251CFF-060	257CFF-023	261CFF-023	293CFF-023	295CFF-023

NFF · Superfine Single Cut · 超细单刃

NFF

超细单刃
Superfine Single Cut



直径 Ø 1/10 mm	045	010	023	023
长度 L ISO mm	14.1	4.2	14	16
HP 500 104 ...	201 102 ...	196 102 ...	201 102 ...	292 102 ...
Order NO. 货号	079NFF-045	138NFF-010	261NFF-023	295NFF-023



079NFF-045

• Tungsten Carbide Cutters •技工钨钢磨头系列

CF • Fine Cross Cut • 细齿双刃

CF

细齿双刃
Fine Cross Cut



直径 Ø	1/10 mm	023	060	014	023	014	023	060	012	040
长度 L ISO	mm	2.0	12.5	3.1	3.9	3.2	5.0	11	3.5	8.9
HP 500 104 ...		001 140 ...	143 140 ...	277 140 ...	237 140 ...	237 140 ...	237 140 ...	237 140 ...	257 140 ...	257 140 ...
Order NO. 货号		071CF-023	072CF-060	0731CF-014	077CF-023	077CF-014	077CF-023	077CF-060	078CF-012	078CF-040

CF

细齿双刃
Fine Cross Cut



直径 Ø	1/10 mm	060	031	040	045	060	023	023
长度 L ISO	mm	12.2	115	74.1	14.1	15	14.1	8.0
HP 500 104 ...		257 140 ...	199 140 ...	201 140 ...	201 140 ...	201 140 ...	201 140 ...	141 140 ...
Order NO. 货号		078CF-060	079CF-031	079CF-040	079CF-045	079CF-060	129CF-023	137CF-023

CF

细齿双刃
Fine Cross Cut



直径 Ø	1/10 mm	023	060	060	023	023	023	023
长度 L ISO	mm	8.0	13.9	14.2	17	14	16	16
HP 500 104 ...		289 140 ...	274 140 ...	275 140 ...	187 140 ...	201 140 ...	137 140 ...	292 140 ...
Order NO. 货号		139CF-023	251CF-060	L251CF-060	257CF-023	261CF-023	293CF-023	295CF-023

CF

细齿双刃
Superfine Cross Cut



直径 Ø	1/10 mm	023	014	016	023	040	060
长度 L ISO	mm	16	3.5	8.0	8.0	7.8	12.2
HP 500 104 ...		116 140 ...	274 140 ...	198 140 ...	198 140 ...	263 140 ...	263 140 ...
Order NO. 货号		364CF-023	390CF-014	138CF-016	138CF-023	351CF-040	351CF-060



078CF-060

• Tungsten Carbide Cutters •技工钨钢磨头系列

CS • Standard Cross Cut • 标准双刃



079CS-045



078CS-040



L077CS-060

CS

标准双刃
Standard Cross Cut

直径 Ø	1/10 mm	010	012	014	016	018	021	023	025	027
长度 L ISO	mm	0.8	1.0	1.2	1.4	1.6	1.8	2.0	2.25	2.4
HP 500 104 ...		001 190 ...	001 190 ...	001 190 ...	001 190 ...	001 190 ...	001 190 ...	001 190 ...	001 190 ...	001 190 ...
Order NO. 货号		071CS-010	071CS-012	071CS-014	071CS-016	071CS-018	071CS-021	071CS-023	071CS-025	071CS-027

CS

标准双刃
Standard Cross Cut



直径 Ø	1/10 mm	031	040	050	060	060	014	023	023	060
长度 L ISO	mm	2.8	3.4	4.3	5.3	12.5	3.1	3.9	5	11
HP 500 104 ...		001 190 ...	001 190 ...	001 190 ...	001 190 ...	143 190 ...	277 190 ...	277 190 ...	239 190 ...	237 190 ...
Order NO. 货号		071CS-031	071CS-040	071CS-050	071CS-060	072CS-060	073CS-014	073CS-023	077CS-023	077CS-060

CS

标准双刃
Standard Cross Cut



直径 Ø	1/10 mm	012	040	060	031	040	045	060	023	016
长度 L ISO	mm	3.5	8.9	12.2	11.5	14.1	14.1	15	8	3.9
HP 500 104 ...		257 190 ...	257 190 ...	257 190 ...	199 190 ...	201 190 ...	201 190 ...	201 190 ...	141 190 ...	225 190 ...
Order NO. 货号		078CS-012	078CS-040	078CS-060	079CS-031	079CS-040	079CS-045	079CS-060	129CS-023	137CS-016

• Tungsten Carbide Cutters •技工钨钢磨头系列

CS • Standard Cross Cut • 标准双刃

CS

标准双刃
Standard Cross Cut



直径 Ø 1/10 mm	023	010	016	023	023	040	060	060	023
长度 L ISO mm	5.3	4.2	8	8	8	11.5	13.9	14.2	17
HP 500 104...	225 190...	196 190...	198 190...	198 190...	289 190...	274 190...	274 190...	275 190...	187 190...
Order NO. 货号	137CS-023	138CS-010	138CS-016	138CS-023	139CS-023	251CS-040	251CS-060	L251CS-060	257CS-023

CS

标准双刃
Standard Cross Cut



直径 Ø 1/10 mm	060	023	023	023	060	040	060	023	014
长度 L ISO mm	13.9	14	16	16	12.5	7.8	12.2	16	3.5
HP 500 104...	194 190...	201 190...	137 190...	292 190...	113 190...	263 190...	263 190...	116 190...	274 190...
Order NO. 货号	257CS-060	261CS-023	293CS-023	295CS-023	296CS-060	351CS-040	351CS-060	364CS-023	390CS-014

CN • Standard Single Cut • 标准单刃

CN

标准单刃
Standard Single Cut



直径 Ø 1/10 mm	027	031	040	050	060	060	031	040	045
长度 L ISO mm	2.4	2.8	3.4	4.3	12.2	12.2	11.5	14.1	12.9
HP 500 104...	001 175...	001 175...	001 175...	001 175...	238 175...	257 175...	199 175...	201 175...	200 175...
Order NO. 货号	071CN-027	071CN-031	071CN-040	071CN-050	L077CN-060	078CN-060	079CN-031	079CN-040	079CN-045

CN

标准单刃
Standard Single Cut



直径 Ø 1/10 mm	060	010	060	060	060	060
长度 L ISO mm	15	4.2	13.9	14.2	13.9	12.2
HP 500 104...	201 175...	196 175...	274 175...	275 175...	194 175...	263 175...
Order NO. 货号	079CN-060	138CN-010	251CN-060	L251CN-060	257CN-060	351CN-060



257CN-060

• Tungsten Carbide Cutters •技工钨钢磨头系列

KF • Special Superfine Cut • 细齿螺旋反齿

KF

细齿螺旋反齿
Secial Sperfine Cut



直径 Ø 1/10 mm	023	040	023	023	040	060	023	023
长度 L ISO mm	5.3	13.7	9	10.5	14.5	13.9	10.5	14.0
HP 500 104...	237 134...	201 134...	141 134...	199 134...	274 134...	274 134...	185 134...	201 134...
Order NO. 货号	L077KF-023	079KF-040	129KF-023	199KF-023	251KF-040	251KF-060	257KF-023	261KF-023

KFF • Special Superfine Cross Cut • 细齿螺旋反齿

KFF

细齿螺旋反齿
Special Superfine Cut



直径 Ø 1/10 mm	040	023	010	016	023	023	060
长度 L ISO mm	13.7	8.0	4.2	8.0	8.0	8.0	14.2
HP 500 104...	201 137...	141 137...	196 137...	198 157...	198 137...	289 137...	275 137...
Order NO. 货号	079KFF-40	129KFF-023	138KFF-010	138KFF-016	138KFF-023	139KFF-023	L251KFF-060

CR • Coarse Cross Cut • 粗齿双刃

CR

粗齿双刃
Coarse Cross Cut



直径 Ø 1/10 mm	060	060	060	045	060	060	060
长度 L ISO mm	12.5	11	12.2	12.9	15	13.9	12.2
HP 500 104...	143 220...	237 220...	257 220...	200 220...	201 220...	274 220...	263 220...
Order NO. 货号	072CR-060	077CR-060	078CR-060	079CR-045	079CR-060	251CR-060	351CR-060



251KF-060

Dental Rotary

• Tungsten Carbide Cutters •技工钨钢磨头系列

NR • Coarse Cross Cut • 粗齿单刃

NR



粗齿单刃
Coarse Cross Cut

直径 Ø	1/10 mm	060	045	060	060
长度 L ISO	mm	12.2	12.9	15	13.9
HP 500 104 ...		257 215 ...	200 215 ...	215 215 ...	274 215 ...
Order NO. 货号		078NR-060	079NR-045	079NR-060	251NR-060



251NR-060

KR • Special Coarse Cut • 粗齿螺旋反齿

KR



粗齿螺旋反齿
Special Coarse Cut

直径 Ø	1/10 mm	040	045	023	060	060	070
长度 L ISO	mm	9.0	14.1	14.0	14.2	12.2	14.2
HP 500 104 ...		237 176 ...	201 176 ...	201 176...	275 176 ...	263 176...	263 176...
Order NO. 货号		077KR-040	079KR-045	261KR-023	L251KR-060	351KR-060	351KR-070



L251KR-060



251NRR-060

CCR • Super Coarse Cross Cut • 极粗双刃

CRR



极粗双刃
Super Coarse Cross Cut

直径 Ø	1/10 mm	060	070	060
长度 L ISO	mm	12.5	14.2	13.9
HP 500 104 ...		143 223...	263 223 ...	274 223...
Order NO. 货号		072CRR-060	351CRR-070	251CRR-060

NRR • Super Coarse Single Cut • 极粗单刃

NRR



极粗单刃
Super Coarse Single Cut

直径 Ø	1/10 mm	070	060
长度 L ISO	mm	14.2	13.9
HP 500 104 ...		257 220...	274 220 ...
Order NO. 货号		351NRR-070	251NRR-060

氧化锆车针系列 / Solid carbide burs for zirconia milling

W-GX3
Ø 007



圆头
Round End Parallel
Carbide Solid

直径 Ø 1/10 mm		007
刃数 Blades		2
柄径 Shank Ø		3.0
货号	W-GX3-...	007
DLC	W-GX3C-...	007

DLC–Diamond-Like Coating 类金刚石涂层

W-GX3
Ø 025



圆头
Round End Parallel
Carbide Solid

直径 Ø 1/10 mm		025
刃数 Blades		2
柄径 Shank Ø		3.0
货号	W-GX3-...	025
DLC	W-GX3C-...	025

DLC–Diamond-Like Coating 类金刚石涂层

W-GX3
Ø 010



圆头
Round End Parallel
Carbide Solid

直径 Ø 1/10 mm		010
刃数 Blades		2
柄径 Shank Ø		3.0
货号	W-GX3-...	010
DLC	W-GX3C-...	010

DLC–Diamond-Like Coating 类金刚石涂层

• 以上产品适用德国威兰德设备 Work With WIELAND







T-GX3
Ø 010



圆头
Round End Parallel
Carbide Solid

直径 Ø 1/10 mm		010
刃数 Blades		2
柄径 Shank Ø		3.0
货号	T-GX3-...	010
DLC	T-GX3C-...	010

DLC–Diamond-Like Coating 类金刚石涂层

T-GX3
Ø 020



圆头
Round End Parallel
Carbide Solid

直径 Ø 1/10 mm		020
刃数 Blades		2
柄径 Shank Ø		3.0
货号	T-GX3-...	020
DLC	T-GX3C-...	020

DLC–Diamond-Like Coating 类金刚石涂层

氧化锆车针系列/ Solid carbide burs for zirconia milling



GX3

圆头
Round End Parallel
Carbide Solid

直径 Ø 1/10 mm	007	010	020	025	030	040
刃数 Blades	2	2	2	2	3	3
柄径 Shank Ø	3.0	3.0	3.0	3.0	3.0	3.0
货号 GX3-...	007	010	020	025	030	040
DLC GX3C-...	007	010	020	025	030	040

DLC–Diamond-Like Coating 类金刚石涂层



GX4

圆头
Round End Parallel
Carbide Solid

直径 Ø 1/10 mm	007	010	020	025	030	040
刃数 Blades	2	2	2	2	3	3
柄径 Shank Ø	4.0	4.0	4.0	4.0	4.0	4.0
货号 GX4-...	007	010	020	025	030	040
DLC GX4C-...	007	010	020	025	030	040

DLC–Diamond-Like Coating 类金刚石涂层



GXF4

平头
Flat End Parallel
Carbide Solid

直径 Ø 1/10 mm	007	010	020	025	030	040
刃数 Blades	2	2	2	2	3	3
柄径 Shank Ø	4.0	4.0	4.0	4.0	4.0	4.0
货号 GXF4-...	007	010	020	025	030	040
DLC GXF4C-...	007	010	020	025	030	040

DLC–Diamond-Like Coating 类金刚石涂层







GX6

圆头
Round End Parallel
Carbide Solid

直径 Ø 1/10 mm	007	010	020	025	030	040
刃数 Blades	2	2	2	2	3	3
柄径 Shank Ø	6.0	6.0	6.0	6.0	6.0	6.0
货号 GX6-...	007	010	020	025	030	040
DLC GX6C-...	007	010	020	025	030	040

DLC–Diamond-Like Coating 类金刚石涂层



电镀HP金刚砂磨头/Electroplate HP diamonds



250



Head Dia(1/10mm) 订货号（HP） Order NO. H 250 ISO NO 806 104 250	016	018	025	045	050	055	060	060	070	080	090	100
L =	10	10	10	8	10	12	11	13	12	13	13	13



368



Head Dia(1/10mm) 订货号（HP） Order NO. H 368 ISO NO 806 104 368	021	023	037	060	070
L =	8	5	10	13	13



292



Head Dia(1/10mm) 订货号（HP） Order NO. H 292 ISO NO 806 104 292	012	014	025	031	029
L =	15	10	15	15	15



801



Head Dia(1/10mm) 订货号（HP） Order NO. H 801 ISO NO 806 104 801	010	012	014	016	018	021	030	040	050
L =	010	012	014	016	018	021	030	040	050



818



Head Dia(1/10mm) 订货号（HP） Order NO. H 818 ISO NO 806 104 818	042	061	080	100
L =	0.5	0.5	0.5	0.5



820



Head Dia(1/10mm) 订货号（HP） Order NO H 820 ISO NO 806 104 820	060	080	100	120
L =	2.3	2.3	2.3	2.3



909



Head Dia(1/10mm) 订货号（HP） Order NO. H 909 ISO NO 806 104 909	035	045	054	065	080	100	120
L =	1.0	1.5	1.5	2.0	2.5	2.5	2.5

电镀HP金刚砂磨头/Electroplate HP diamonds

835



Head Dia(1/10mm) 订货号（HP） Order NO. H 812 ISO NO 806 104 812	014	021	035
L =	4	4	3.5

825



Head Dia(1/10mm) 订货号（HP） Order NO. H 825 ISO NO 806 104 825	021	025	033	045	063	097	120
L =	0.7	0.9	1	1.1	1.3	1.5	1.5

812



Head Dia(1/10mm) 订货号（HP） Order NO. H 812 ISO NO 806 104 812	025	057	073
L =	2	2	3

803



Head Dia(1/10mm) 订货号（HP） Order NO H 803 ISO NO 806 104 803	014	016	018	021	025
L =	1.6	1.6	1.6	2	2

807



Head Dia(1/10mm) 订货号（HP） Order NO H 807 ISO NO 806 104 807	018	021	025
L =	5	5	6

805



Head Dia(1/10mm) 订货号（HP） Order NO H 805 ISO NO 806 104 805	018	021	027	040	050	060	093
L =	0.6	0.7	1	1.5	2.8	2	3.5

850



Head Dia(1/10mm) 订货号（HP） Order NO H 806 ISO NO 806 104 806	016	018	023	030	040	035	050	065
L =	10	10	8	10	9	10	13	13

836



Head Dia(1/10mm) 订货号（HP） Order NO H 836 ISO NO 806 104 836	025	055
L =	7	6

电镀HP金刚砂磨头/Electroplate HP diamonds

837



Head Dia(1/10mm) 订货号（HP） Order NO H 837 ISO NO 806 104 837	014	016	018	030	035	055	065	053
L =	8	8	8	8	8	8	8	12

881



Head Dia(1/10mm) 订货号（HP） Order NO H 881 ISO NO 806 104 881	018	020	025	033	040
L =	10	12	10	8	8

859



Head Dia(1/10mm) 订货号（HP） Order NO H 859 ISO NO 806 104 859	010	014	018	023
L =	10	11.5	11.5	15

847



Head Dia(1/10mm) 订货号（HP） Order NO H 847 ISO NO 806 104 847	016	018	025	031	035	040	050
L =	8	8	10	10	10	9	9

烧结金刚石磨头/Sinter Diamond Burs

141



Head Dia(1/10mm) 订货号（HP） Order NO H 141 ISO NO 807104 141	025	031	050
L =	8	8	12

165



Head Dia(1/10mm) 订货号（HP） Order NO H 165 ISO NO 807104 165	021	023	035	050
L =	8	8	12	12

001



Head Dia(1/10mm) 订货号（HP） Order NO H 001 ISO NO 807 104 001	021	025	033	040	050
L =	021	025	033	040	050

烧结金刚石磨头/Sinter Diamond Burs

041



1,3.10

Head Dia(1/10mm) 订货号（HP） Order NO H 041 ISO NO 807 104 041	050	060	080
L =	2	2	3

068



1,3.10

Head Dia(1/10mm) 订货号（HP） Order NO H 068 ISO NO 807 104 068	060
L =	2

111



1,3.10

Head Dia(1/10mm) 订货号（HP） Order NO H 111 ISO NO 807 104 111	025	031	050
L =	8	8	12

172



1,3.10

Head Dia(1/10mm) 订货号（HP） Order NO H 172 ISO NO 806 104 172	025	031	040	050	060
L =	8	8	10	10	12.5

198



1,3.10

Head Dia(1/10mm) 订货号（HP） Order NO H 198 ISO NO 806 104 198	025	037	050
L =	8	9	9

199



1,3.10

Head Dia(1/10mm) 订货号（HP） Order NO H 199 ISO NO 806 104 199	025	031	040	050	060
L =	10	10	10	10	12

263



1,3.10

Head Dia(1/10mm) 订货号（HP） Order NO H 263 ISO NO 806 104 263	040	050	060
L =	12	12	12

274



1,3.10

Head Dia(1/10mm) 订货号（HP） Order NO H 274 ISO NO 806 104 274	025	040	060
L =	10	12	14

304



1,3.10

Head Dia(1/10mm) 订货号（HP） Order NO H 304 ISO NO 806 104 304	025	050	060	080
L =	0.9	2	2	2

Dental alginate impression material

10 years of Quality worth of trust



☐ Blue ☐ Color change

Ref.#	Description	Package
TM029-1	Universal	454g/bag, 24bags/ctn
TM029-2	For porcelain	454g/bag, 24bags/ctn

Synthetic Polymer Teeth



- 28X1,4X1,6X1,8X1
  We supply full shade and form polymer teeth, Base Vita 16, from A1 to D4
  30 anteriors and 12 posteriors model available

Ref.#	Description	Package
TM001	One layer	5/24/16/12set/box 50box/ctn
TM002	Two layer	
TM003	Three layer	

Denture Base Resin Type I



- Shade: 2#,3#
  Heat-curing

Ref.#	Description	Bottle/Ctn
TM004-1	100g powder	100
TM004-2	500g powder	20
TM004-3	100ml liquid	100
TM004-4	500ml liquid	20

Denture Base Resin Type II

- Shade: 2#,3#
  Self-curing

Ref.#	Description	Bottle/Ctn
TM005-1	100g powder	100
TM005-2	500g powder	20
TM005-3	100ml liquid	100
TM005-4	500ml liquid	20

Fibered Denture Base Resin

- Shade: 2#,3#
  Heat-curing/Self-curing

Ref.#	Description	Bottle/Ctn
TM006-1	100g powder	100
TM006-2	500g powder	20
TM006-3	100ml liquid	100
TM006-4	500ml liquid	20

Tooth Acrylic/ Self-curing Tooth Acrylic



teeth.Shade:#0 transparent;
#1-#3 Light yellow

Ref.#	Description	Package
TM007-1	Tooth Acrylic 100g	10bags/ctn
TM007-2	Self-curing Tooth Acrylic 100g	40bottles/ctn

Self-curing Soft Liner Material



Ref.#	Description	Set/Box
TM008	25g powder + 20ml	1

Moldling Composition



Ref.#	Description	Box/Ctn
TM010	Red,225g	48

Sheet Wax



Thickness
24#: 0.50mm
26#: 0.40-0.45mm
28#: 0.35mm
30#: 0.30mm

Ref.#	Description	Pcs/Box	Box/Ctn
TM011	24#26#28#30#	30	100

Base Plate Wax



Ref.#	Description	Box/Ctn
TM012-1	Red, ordinary 240g	50
TM012-2	Pink, tropical 240g	50
TM013-3	Red, 170X95X2(480g)	30

Inlay Wax



Ref.#	Description	Box/Ctn
TM013	100g	40

Dipping Wax



Ref.#	Description	Package
TM014	80g	80g/box

Wax for Crown & Bridge



Ref.#	Description	Package
TM015-1	Hard,80g	80g/box
TM015-2	Soft,80g	80g/box

Wax Patterns



TM016-1 TM016-2 TM016-3 TM016-4

TM016-9 TM016-10 TM016-11 TM016-12



TM016-5 TM016-6 TM016-7 TM016-8

With good plasticity,is suitable for making wax patterns for castings and casting various metal prostheses.

Ref.#	Description	Pcs/Box
TM016-1/3/4/7/8	10X1	20
TM016-2/5/6/9/ 10/11/12	10X1	10

Casting Wax Wire



Ref.#	Description	Box/Ctn
TM017-1	Round (0.8,1.0,1.2,1.5,2.0) 50g/box	100
TM017-2	Round (2.5,3.0,3.5,4.0,5.0) 100g/box	

Zinc Poly-carboxylate Cement



Ref.#	Description	Package
TM019-1	30g powder/bottle, 15ml liquid/bottle	1set/box 80box/ctn
TM019-2 TM019-3	30g powder/bottle, 15ml liquid/bottle	300bottle/ctn

Enhanced Glass Ionomer Cement



Ref.#	Description	Package
TM021-1	9g powder/bottle, 6ml liquid/bottle	1set/box 100box/ctn
TM021-2 TM021-3	9g powder/bottle, 6ml liquid/bottle	300bottle/ctn

Eugenol



Ref.#	Description	Box/Ctn
TM023	20ml	100

Zinc-Phosphate Cement



Ref.#	Description	Package
TM018-1	30g powder/bottle, 15ml liquid/bottle	3sets/box 50box/ctn
TM018-2 TM018-3	30g powder/bottle, 15ml liquid/bottle	300bottles/ctn

Glass Ionomer Cement



Ref.#	Description	Package
TM020-1	20g powder/bottle, 15ml liquid/bottle	3set/box 50box/ctn
TM020-2 TM020-3	20g powder/bottle 15ml liquid/bottle	300bottle/ctn

Temporary Stoppings



Ref.#	Description	Box/Ctn
TM022	100g	100

Eugenol Cement



Ref.#	Description	Box/Ctn
TM024-1	2X10g powder+6ml liquid	90
TM024-2	10g powder	
TM024-3	6ml liquid	

Hard/Super-hard Dental Stone



Ref.#	Description	Bag/Ctn
TM025-1	Hard 1KG	25
TM025-2	Super-hard 1KG	25

Amalgam Alloy



It is available in high silver alloy (69% of silver).

Ref.#	Description
TM026	Ag-69 25g

Silver Alloy Capsules



Ref.#	Description
TM027-1	Ag-43 200mg/capsule
TM027-2	Ag-43 400mg/capsule
TM027-3	Ag-43 600mg/capsule

Dental Alloy



TM028-1
ZGCAST NB, A high strength nickel chrome with beryllium alloy, used for dental ceramic restorations
TM028-2
ZGCAST NP,A biocompatible, beryllium-free, nickel chrome alloy as defined by 22674, for use with ceramic restorations
TM028-3
ZGCAST CC ,A biocompatible,nickel & beryllium free, cobalt chrome alloy as defined by 22674, for use with ceramic restorations.

TM028-4
ZGCAST Soft , A nickel base alloy as defined by ISO22674 designed for the production of high quality full crowns,bridges,inlays,acrylics and composite restorations
TM028-5
ZGCAST TS, Nickel cobalt dental alloy, for restorations of removable framework and partial dentures
TM028-6
ZGCAST PS, A biocompatible cobalt chrome alloy,nickel & beryllium free, as defined by ISO22674 ,for restorations of removable framework and partial dentures.

		TM028-1	TM028-2	TM028-3	TM028-4	TM028-5	TM028-6
composite	Nickel(%)	76	61	--	75	61	--
	Chome(%)	15	25	25	5	16	29
	Molybdenum(%)	5	11	6	--	5	6
	Aluminlum(%)	2	--	--	--	--	--
	Beryllium(%)	1.7	--	--	--	1.6	--
	other(%)	<3	<3	<3	<3	<3	<3
	Si(%)	--	1.5		--	--	--
	Cobalt(%)	--	--	61	--	8	64
	Tungsten(%)	--	--	5	--	--	--
	Cu	--	--	--	12.5	--	--
	Sn	--	--	--	5.5	--	--
	Manganese	--	--	--	--	3.5	--
Technical data	Melting Paper	1232℃-1288℃	1310℃-1360℃	1290℃-1370℃	1230℃-1330℃	1290℃-1372℃	1290℃-1373℃
	Yield Strength	552 Mpa	360Mpa	530Mpa	260Mpa	500Mpa	520Mpa
	Elongation	11%	8.3(g/cc)	4%	19%	5%	6%
	Density	7.9(g/cc)	19%	8.5(g/cc)	8.4(g/cc)	8.0(g/cc)	8.3(g/cc)
	Coefficient of the Liner Expansion(25-500℃)	13.8 X 10-6K-1	14.1 X 10-6K-1	14.1 X 10-6K-1	--	--	--
	Modulus of elast	--	--	--	--	230Gpa	220Gpa





Super-velvet floss---satin thread structure PTFE materical,satin thread structure,velvet,bear avulsion,and be easy to glid.



Magic dental floss will be full of your teeth and gum when using, which will clean completely.



XYLITOL floss can be suitable for more people,especially good for diabetic.



TC001

- Available in:

a:Waxed,Mint

b:Natural(unwaxed,without flavour)

c:Antibacterial(Waxed,without flavour)

d:Whitening(Unwaxed,wint fluoride)

Varieties of Dental Floss Dispenser

Mini Pack (3M to 20M)



D221 D222 D223 D226

Regular Pack (15M to 50M)



D201 D202 D203 D205 D206

Premium Pack (15M to 50M)



D211 D212 D215

Large Pack (50M to 200M)



D231 D232

Credit Card Floss (10M to 50M)



Interdental Brushes

	Wire size (diameter)	Passage hole diameter(PHD)	Bristle size (diameter)
Pink	0.4mm	0.6mm	2.0mm
Red	0.5mm	0.9mm	2.2mm
Blue	0.6mm	1.1mm	2.5mm
Yellow	0.7mm	1.3mm	3.0mm
Green	0.8mm	1.6mm	3.5mm







IB301 IB302 IB303 IB304



IB305



TC002



TC005

Tongue Scraper



TC006-1

TC006-2

Tongue Brush



TC007-1



TC007-2

Interspace Brush



TC009

Stain Remover



TC011

- It can clean plaques, tartar and food deposits easily on your teeth.

Denture Brush



TC008-1



TC008-2



TC008-3



TC019



TC020



TC027



TC028

Clinicly Proven - Significantly Reduce Plaques around braces and other orthodontic appliances

Orthodontic Kit



TC013 Wax



BOX



BAG

TC012

- ***Orthodontic kit :**
  1.Orthodontic toothbrush("V" shape bristle);
  2.Travel toothbrush("V" shape bristle);
  3.Orthodontic wax;
  4.Timer(2 minutes); 5.Dental mirror;
  6.Dental Floss(15m mint & waxed);
  7.Dental thread ; 8.Interdental brush
  9. Soft interdental brush(TC012S)

Sand Timer



TC014-1



TC014-2

TC014-3

TC014-4

Dental Floss Threader



TC025
- Material: Nylon
  Length: 9.0cm
  Threader Diameter: 0.3mm

Finger Brush





TC010
- Material: Silicone
  It is safe to keep your baby's teeth and gums cleaner and healthier.

Crystal



TC023
- Color: blue, pink, White
  Package: 5pcs/box

Efficient Cleaning Sponge



TC026
- Foam: 20X25mm, Handle:125mm
  Package: 100pcs/bag

Mirror



TC021
Round



TC022
Teeth Model

Sports mouth guard



NEW!



Teeth Brushing Model With tongue



A0002





A0003
Times Brushing Model

Standard Model



A0005
- 28pcs, hard gum, wax fix



A0007
- 32pcs, soft gum



A0006
- 28pcs, hard gum



A0004
- 28pcs, soft gum,



A0008
- 28pcs, hard gum

Standard Children Model



A0009
- 24pcs, soft gum

Restorstion With Implant





A0010
- Clear, Blue, Orange, Pink, Yelliow can be choose

Removable Standard Model



A0001
- 28pcs, hard gum





A0011
- 28pcs, soft gum

Standard Model



A0020
- 28 teeth

Ortho Metal & Ceramic



A0012



A0014

A0013

Transparent Standard Model



A0019

Pathology Model with half implant



A0018



A0017

A0015



A0016

DU-3000

Color for upholstery



Package Contents

- LED film viewer
- 24V noiseless DC motor
- Instrument tray with air brake
- LED cold light lamp
- Water tank (air pressurized) (build-outside)
- Automatically flushing spittoon control system
- 4 way foot control
- Saliva ejector with high and low suction
- 3 way syringe (hot/cold each)

For Option

- Imported or China original scaler
- Imported or China original curing light
- Imported or China original 4 holes high-speed handpiece
- Imported or China original 4 holes low-speed handpiece
- LED Bleaching system
- Air compressor

Technology Parameters

- Input power: 220V/50HZ
- Motor voltage: 24V
- Water pressure: 0.2Mpa-0.4Mpa
- Air pressure: 0.5Mpa-0.8Mpa

Mobile Dental Cabinet



MDC-3

Technology Parameters

- Dimension(mm): W530 X D490 X H850
- Top Material: Glass
- Top Color: Blue
- Cabinet Material: Cold-rolled steel
- Drawer Face Color: Creamic white
- Skle Paner Color: C reamic white
- Handle Color: (Silvery Grey)

Nurse stool



NS 90B-1 Leather

NS 90B-2 PU

NS 500 Leather

NS30G-1 Leather

NS30G-2 PU

AC-1000/2000

Air compressor

Specifications:

- Power supply: AC 220V±10% 50±1Hz
- Exhaust volume: 60L/min@0.4Mpa
- Max pressure: 0.8Mpa
- ON/OFF pressure: 0.5/0.8Mpa
- Environment temperature: 5-40℃
- Continuous operating time: No limit
- Power: 600W/850W
- Noise: ≤60dB/≤62dB
- Air tank volume: 24L/35L
- Overall dimension: 41X41X68 cm/46X46X68 cm



HH113

Handpiece





Led handpiece integrate E-generator



Torque push Cartridge



4holes



2 holes

Technical:

- **High speed handpiece, 3 wayspray**
- **Rotation speed:** ≥300,000 rpm
- **Chuck type:** Push button
- **Bur applicable:**Φ1.59mm~Φ1.6mm X 21mm~23mm (diameter X length)
- **Noise:** ≤68dB

Model	Description	Opotion	Air pressure at the back end of HP
HH113-F-SP	Stand Push LED handpiece integrate E-generator	4 holes/2 holes	0.25~0.27mpa(4 Hole)
HH113-F-TP	Torque Push LED handpiece integrate E-generator	4 holes/2 holes	0.20~0.22mpa(2 Hole)

HH123

Technical:

- **High speed handpiece, 1/3 wayspray**
- **Rotation speed:** ≥300,000 rpm
- **Chuck type:** Push button
- **Bur applicable:**Φ1.59mm~Φ1.6mm X 21mm~23mm (diameter X length)
- **Noise:** ≤68dB





4holes



2 holes

Model	Description	Opotion	Air pressure at the back end of HP
HH123-SP-A	Stand Push handpiece,1 way spray	4 holes/2 holes	0.25~0.27mpa(4 Hole)
HH123-TP-A	Torque Push handpiece,1 way spray	4 holes/2 holes	
HH123-SP-B	Stand Push handpiece,3 way spray	4 holes/2 holes	0.20~0.22mpa(2 Hole)
HH123-TP-B	Torque Push handpiece.3 way spray	4 holes/2 holes	

HLS1000





HLS1000 External Low speed Handpiece set

Description:

- Low speed handpiece 1:1 Ratio, with external cooling system
- Air pressure: 245~392 kpa(2.5~4.0kgf/cm2)
- Water pressure: 198 kpa(2kg)
- Rotation speed: 22,000~27,000 rpm
- Bur applicable: Φ2.334mm-Φ2.355mm
- Noise: ≤70dB

Model	Description	Opotion
HLS1000	External Low speed Handpiece set	4 holes/2 holes
HM223	Air Motor	4 holes/2 holes
HL200	Straight Handpiece	
CA210	Contra Angle	

Reciprocating IPR system





Automatic strips, Hole type double size
IPR-115 15μm(0.17mm), for per polishing
IPR-125 25μm(0.17mm), for finishing
IPR-140 40μm(0.17mm), for contouring
IPR-160 60μm(0.17mm), for reduction
IPR-190 90μm(0.17mm), for use as a saw for opering contacts

Model	Description
IPR-1000	1 pcs handle + 5 pcs automatic strips + 3 pcs strips
IPR-2000	1 pcs contra angle + 5 pcs automatic strips + 3 pcs stips + 1 pcs feeler gauge + 1 pcs pusher

IPR-3 Polish striper

Width: 2/4/6mm

Coarse, Middle coarse, Fine

Single/Double sided



IPR-2 Feel gauge

Simple Handpiece cleaning & lubrication system









Technical:

- **Rated Voltage: AC120V10%-AC230V10% 50/60HZ**
- **Input Voltage: 24.0V**
- **Air Pressure: 0.25-0.3Mpa(2.5-3.0kgf/cm2)(50_85PSI)**
- **Dimensions: W280xD275xH360mm**
- **Weight: 6.8kg**



LS-180





CL-1000

Characteristic:

- High power LED, purely dental blue light
- Digital display, adjustable work time
- Working model:Full power,gradually strong,pulse
- High capacity rechargeable Li-ion battery, low battery detection
- Low-power,long standby time
- Over-temperature protection, light source detection
- Light power: more than 1200 mw/cm
- Solidification time and depth: 5s/3nm

Application:

- Solidify all brands of resin materials.

Volume/Weight:

- Volume(cm):24X19X9
- Weight(KG)/PCS:0.8















CL-2000

Characteristic:

- High power LED
- Digital display, adjustable work time
- Working model:Full power,gradually strong,pulse
- High capacity rechargeable Li-ion battery, low battery detection
- Low-power,long standby time
- Light power: more than 1500 mw/cm²
- Solidification time and depth: 5s/3nm
- Wave length: 450-480nm
- Charge Voltage: AC100-240V 50-60HZ

Application:

- Solidify all brands of resin materials.

Volume/Weight:

- Volume(cm): 25x15x12
- Weight(KG)/PCS: 0.85









CL-6000

Characteristic:

- High power LED,better effect.
- Digital Display,adjustable work time
- Working model:Full power,gradually strong,pulse
- High capacity rechargeable Li-ion battery(double), low battery detection
- Low-power,longer standby time(300-500 times)
- Light power: more than 800-1000 mw/cm
- Solidification time and depth: 5s/3nm
- Wave length: 440-490nm
- Charge Voltage: AC100-240V 50-60HZ

Application:

- Solidify all brands of resin materials.

Volume/Weight:

- Volume(cm):20 X 13 X 6.8cm
- Weight(KG)/PCS:0.32

TW-6000

Teeth whiting



Features:

- High efficiency goose pipe design,adjust angle at random, convenient for use.
- Combination of high power blue led.
- Tunable bleaching time with microprocessor-controlled timer presets.
- Digital indiacator with audio feedback.
- Smart auto-select power: 100 to 240 Volts AC.50/60 Hz for global use.
- High Speed Multi-Arch Teeth Whitening System.
- Small base size design,suitable use in dental clinic
- High uniformity of light output
- High sensitive infrared remote control setting function
- Enclosed disposable sheath,prevent cross-infection,clean and convenient,let patient feel relieved.
- 5 minute counting with memory, the longest whitening time is 30 minutes

Specification:

- Broad Spectrum: 430nm ~ 490nm
- Light Output power: up to 2500 mW/cm





Come with two goggles

TW-5000A/TW-5000B



Features:

- The specifical wavelength and high density light speed catalyze whitening gel.
- Special design,innocuous silica gel muzzle, make sure shopping intersectional infection.
- The new model of power supply make sure steady power output and long-time continuous working even in some cities and places with mutative voltage.
- Time display screen shows the whitening time clearly to both dentist and patient.

Technical:

- Input voltage: 100-240V, 50/60Hz
- Power consumption: 300W
- Light Size:18*74mm2
- Light resource: 6-pcs high power LED
- Wave length: 420-490nm
- Light intensity: 2 intensities (maximum 6000mw/cm2)
- Adjustable timer: 1-20 minutes

TW-5000A

TW-5000B



UC-100

Ultrasonic cleaner

Specifications:

- Inner size: 240× 140× 150 MM
- Frequency: 40 kHz
- Scope of tmeperature: 0~80C
- Scope of frequency: 1-100%
- Advantages: Adjustable of temperature / Time/ Power
- Material: Stainless steel tank, ironclad
- Package size: 32x22x27
- Weight: 4.2KGS
-
- Ltrasonic power: 90W
- Scope of time: 1-99 minutes
- Dischage water: YES



UC-500

Ultrasonic cleaner

Specifications:

- Inner size: 240× 140× 150 MM
- Frequency: 40 kHz
- Scope of temperature: 0~80C
- Scope of frequency: 1-100%
- Advantages: Adjustable of temperature /Time/Power
- Material: Stainless steel tank, Stainless steel clad
- Package size: 35*25*33 CM
- Weight: 5KGS
- Apacity: 5L
- Ultrasonic power: 120W
- Scope of time: 1-99 minutes
- Dischange water: YES





AM-2000

Technical Data

Input Voltage:	220V 50HZ /60HZ
Input power:	30W
Mixing frequency:	2690RP~4200RPM
Mixing time:	4 to 40 seconds
Fuse:	250V,T,0.5A
Dimensions:	295L X 250W X 230H
Weight:	2.2KG

Water Distiller

WD-1000



Optional:



Technical Data

Input Voltage:	220V / 110V 50/60HZ
Input power:	750W
Distiller Volume :	1L/H
Capacity:	4L
Protection Temperature:	160 ℃
Size:	400L X 240W X 380H
Weight:	6KG

WD-2000



Technical Data

Input Voltage:	220V / 110V 50/60HZ
Input power:	750W
Distiller Volume :	1L/H
Capacity:	4L
Protection Temperature:	160℃
Chamber size:	φ 180× 200
Weight:	6KG
Size:	400L X 240W X 380H

ST-2000



Color: purple
blue

Model	Power	Voltage	Frequency	Tank Capacity	Apearance size	Inside Dimension	Outside Dimension	G.W.
ST-2000-23L	2000W	AC220V/110V±10%	50/60Hz±1Hz	23Litres	445x640x395mm	Φ249x450mm	740x550x500mm	53KG
ST-2000-18L	1800W	AC220V/110V±10%	50/60Hz±1Hz	18Litres	445x550x395mm	Φ249x355mm	670x550x500mm	48KG
ST-2000-16L	1800W	AC220V/110V±10%	50/60Hz±1Hz	16Litres	445x550x395mm	Φ230x360mm	670x550x500mm	47KG
ST-2000-12L	1800W	AC220V/110V±10%	50/60Hz±1Hz	12Litres	445x550x395mm	Φ200x360mm	670x550x500mm	46KG



Product Character

- Based on the new class B of international prEN13060, have 3 pulsating vacuum, Vacuum up to -0.9Bar(-0.09Mpa).Suitable to sterilizing wrap, solid,porous,hollow device.
- Use imported & advanced 16-bit microprocessor, easy to operate. Most suitable for the Dept of Stomatology,Surgery and Lab.
- With B & D test and vacuum test procedures.To test the penetrability.
- The jet type of steam generator, ensure the efficient sterilizing.
- With alarm system for waste water tank.avoid the waste water to enter into the sterilizing circulation,make the sterilizing completely.
- Precise digital display and advanced self-test system ensure you get the working data freely.
- Double lock door system for safety during operating.
- Optional inbuilt mini-printer or USB connector to record the process of sterilizing.

ST-7000



Color: purple
Silver

Model	Power	Voltage	Frequency	Tank Capacity	Apearance size	Inside Dimension	Outside Dimension	G.W.
ST-7000-23L	2000W	AC220V/110V±10%	50/60Hz±1Hz	23Litres	480x630x420mm	Φ249x450mm	750x595x525mm	53KG
ST-7000-18L	1800W	AC220V/110V±10%	50/60Hz±1Hz	18Litres	480x560x420mm	Φ249x355mm	675x595x525mm	50KG



Product Character

- Based on the new class B,have 3 pulsating vacuum,Vacuum up to -0.9Bar(-0.09Mpa).Residual humidity is ＜0.2.Suitable to sterilizing wrap, unwrap, solid, porous, hollow device.
- Use imported & advanced 16-bit microprocessor, easy to operate. Most suitable for the Dept of Stomatology,Ophthalmology,Surgery and Lab
- With B & D test and vacuum test procedures.To test the penetrability.
- Chamber punched by Stainless Steel (#304,thickness:2.5mm),together with the jet type of steam generator ensure the efficient sterilizing.
- With alarm system for waste water tank.avoid the waste water to enter into the sterilizing circulation,make the sterilizing completely.
- Precise LCD display and advanced self-test system ensure you get the working data freely.
- Double lock door system for safety during operating.
- The new design of water tank is on the top ,easy to clean
- Optional inbuilt mini-printer or USB connector to record the process of sterilizing.



APPARATUS AND INSTRUMENTS

Dental Imaging Series



Runyes 3DS



3Shape TRIOS



3DISC FireCR



Apixia PSP



Visiodent RSV5 Size 1.5



HANDY HDR500 HDR600



YES Size 1



Runyes DS530 Size 1

Dental Imaging Series


Vatech EZ Size 1.5


Vatech EZ Soft Size 1.5



Rayme


DIO–XX



PROX



Touch–Screen



JG–I



JG–II Touch–Screen


Rainbow


BLX–10


BLX–10 Plus


BLX–9


BLX–8


BLX–8 Plus


BLX–6


BLX–5



X–12C



X–12D


X–12E


Runyes RAY68(M)

Dental Imaging Series



Runyes RAY68(M)–D



Runyes RAY68(W)



Runyes F–V2



Runyes F–V3



SR



Apixia Plate



3DISC FireCR



Carestream D Speed



Carestream D88+



Carestream E Speed



YES Star D Speed



YES Star E Speed



Quick Developing



FPS3000



Sensor Positioner



Film Holder



198–2



Sensor Cover



PA Series



PC PD PW Series

Implant & Surgical Series



Venton M1



TRAUS X-cube



TRAUS SIP10 Optic



SAEYANG Ki-20



YUSENDENT C-sailor



W&H SI-923



Dmetec Surgystar



Bonart ART-OP1



Bonart ART-E1



COLTENE PerFect TCS II 02



A1RR



F3WW



2W Laser



7W Laser



3W/10W Laser



STA



Bio-Gide

Implant & Surgical Series



SSM–03



MAS3–01



SMK3–01



MLA–01



TAT–02



SBE–01



BEC–01



Bio–Oss



TSK–01



All In One



BCM2–01

Implant & Surgical Series



IBS–set 18



IBS–set 28



IGK–01



TBM–03



ELR–Set



AAS–01



FSRK–02



Guide Kit



Initial Kit



Tissue Punch Kit



Round Bur Kit



Trephine Kit



Diamond Round Bur Kit



Bone Collecter Kit



Tissue Former Kit



Bone Expander Kit



Total Remove Kit



Sinus Kit



Lateral Kit



One Drilling Kit

Apex Locator Endo Treatment etc



DENTAPORT ZX



Root ZX Mini



RAYPEX 6



PROPEX II



iFinder



iFive



D2ZZ



RPEX6



TriAuto Mini



Tri Auto ZX



Tri Auto ZX Module



VDW.SILVER RECIPROC



VDW.GOLD RECIPROC



ENDO MATE Tc2



X-smart



R-smart Plus



C-SMART Mini2



T-FINE-II



T-Fine-III LED



T-Fine-IV

Apex Locator Endo Treatment etc



NL 400-1-W



NL400-1



BeeFil 2 in 1



C-Fill



FreeFill



CV-FILL



C-blade



C-blade II



YS-GC-A



Obturation Pen



YS-DT-A



DY310



C Pilot



Mtwo



RECIPROC



Diatech Bur



Crown Bridge Kit



SS White



SybronEndo



Microdont

Curing Light


VAFU 1 Second to Cure


CV-215 GUN


CV-215


YS-C


V200


V300


SLC-8D


SLC-7A(Build-in)


A180


LY-240D


L033


L036



DB686DELI


Db686 HELEN+



LED70


DY400-4



Light Meter


Optical Fiber


Teeth Whitening Head


Light Hood

Intraoral Camera


MD740


MD770


MD810UW


MD830UF


MD870


MD910A


MD930U


MD950A


MD950SD


MD950SDW


MD960U


MD970


Md1020


Md1500


MD1500W


Md2000


MD2000C


MD2000W


MD3000


MD 4000

Intraoral Camera


CF683A


CF685


CF688A


CF688A


CF986


Easy Go



M70


M73



M868


M868A


M888



M989


M989W


M958A



MD300



M95


M188


M169


M22


M22A

Steam Sterilizer and Accessory Equipment



SEA-22L-B-LED E



SEA-29L-B-LED E



SEA-45L-B-LED E



SEA-12L-B-LED



SEA-15L-B-LED



SEA-15L-N-LED



SEA-22L-B-LED



STE-16-C



STE-18-C



STE-18L-D



STE-23-C

Steam Sterilizer and Accessory Equipment



STE-12L-D



STE-23L-D



STE-8L-D



E018



E118



T229



T245



D208Q



D229



SEAL 120



LUB90(B)



LUB909



DRINK



5L



2.5L



Printer



Sterilization Pouch

Teeth Whitening Series



D2BB



D4ZZ



M-55+CF-986



M203C



D1AA



D5FF



M-61



M-60



MD-668



D3CC



M209A



D6GG



M203A



M-66



M-66B



M-68



M209A-01

Teeth Whitening Series



D7HH



M208A



M-86A



MD-666



MD-669



MD-885



MD-885L



MD-887A



MD-887B



M-520



YD-DWTK



KT-A01



KT-A02



KT-TWT

Ultrasonic Scaler



Q6



NP Compact



NP Pro



YS-CS-A(V)



M1



M3II



A6 A6L



A8



K08D K08DL



K08A K08AL



K08B



Jade S1



Jade S2



B5 B5S

Ultrasonic Scaler



B5L



P4



P5



P5L



P6



P7



P7L



P9



P9L



C5 C5S C5L



C6



C7 C7L



I102 I102L



X1



I102E I102EL



Air Prophy New



Air Prophy



Air Prophy with Quick Coupling



Aluminum Oxide Microblaster



Air Scaler

Orthodontic Series



Niti Super Elastic



Niti Reverse Curve



Niti Heat–Activated



Niti Open Coil Spring



Niti Closed Coil Spring



Color Coated Niti



Ti–Mo Alloy



Copper Niti Super Elastic



Copper Niti Heat–Activated



Wire Placing Box Round



Wire Placing Box RECT



Wire Placing Box



Arch Former



Plastic Case Metal Bracket



Envelope Metal Bracket



Black Card Metal bracket



18K Golden Bracket



Ceramic Bracket



Luce Bracket



SC Self–ligating Bracket

Orthodontic Series



SH Self-ligating Bracket



AES-Active SL



Ceramic Self-ligating Bracket



Monocrystalline SAPPIRE Bracket



First Molar Bracket



Bag Packing Buccal Tube



Box Packing Bucal Tube



Molar Bands



Molar Bands with Sheath



Molar Bands with Cleat



Ligature Tie



S Style Separator



Cartoon Ligature Tie



Rotation Wedge



Elastic Placer



Elastic Power Chain



Ligature Gun



Elastic Rubber Band



Lingual Button



Lingual Button Chain

Orthodontic Series



Crimple Hook



Crimple Stop



Ligature Wires



Face Bow



Single bar Retractor



Bracket Positioning Gauge-Bar Type



Bracket Positioning Gauge-Star Type



Arch Turret



Safety Neck Pad with Module



Stainless Steel Reflector



Glass Reflector



Orthodontic Wax



Gold Plated Screw Post



Titanium Screw Post



Stainless Steel Screw Post



Mini Screw Shaft



Orthodontic Screws



Fiber post



Xihubiom Light Cure Adhesive



Xihubiom Self Cure Adhesive

Orthodontic Series



Transbond XT #712036



Transbond Plus #712103



Transbond XT #712035



Dentex Light Cure Adhesive



Fuji Ortho LC



Interproximal Enamel Kit



Interproximal Enamel Kit Hand Use



YUSENDENT Interproximal Enamel Kit



Link Pins



Distal End Cutter(Flush)



Ligature Cutter Angle of 13



Bracket Removing Pliers–Posterior Root



TMJ



T4K



B2



K3



K2



A1 A2 A3



i–3



T4A

Amalgam Capsules



Amalgam Capsule



Bottle Package



200–1200mg



Box Package



AG 200



AG400



AG600



AG800



AG1200



Amalgam Alloy



Amalgam Carrier-Metal



ST-C



YDA



SYG300



G5



G6



G8

Brushes


YLMA


YLMA


YLMA


YLMA


TPCMA


TPCMA


TPCMA


TPCMA


MA06


MA07


MA08


MA09


BA01



AT01


BH01


ADTYB9A


ADTYB9B


DH 01


MA 01


MA 04

Brushes

Disposable Mascara Wands


MS300


MS301


MS302


MS303


MS320


MS320C

Disposable Mascara Wands


LG–225


LG–201


LG–202


LG–225L

Disposable Eyeliner Brush


EL–413


EL–418

Composite



DX Universal Kit



DX Universal



DX.Anterior



DX.Posterior



DX Medium Flow



DX Super Low Flow



Nanofil Kit



Nanofil Universal



DX Low Flow



Nanofil Flow



Nanofil Cartridge



Z250



Z250XT



Z350XT



Z350XT Flow



P60



Valux Plus

Composite



AP–X


Majesty


Majesty LV2 Flow



Spectrum



Chrisma



Chrisma OPAL



Neofil



Dyad Flow



Herculite Precis Kit


Gradia Direct


Tetric N–Ceram


Tetric N–Flow


C022A


C001


CG 01


CG 02


AR Heater


Composite Heater



Protemp II



Protemp 4

Gutta Percha Points & Absorbent Paper Points



GP02



GP02LM



GP04



GP06



PP02



PP02LM



PP04



PP06



GP200



GP200 LM



GP400



GP 600



GP700A



GP700M



200



PP200LM



PP 400



PP 600



PP 700 M



PP 700 F

Disposable Prophy Cups & Brushes



Description			Model	Retail
Latch type prophy brush	flat / white	pkg of 144	PB-300	$38.00
Latch type prophy brush	flat / black	pkg of 144	PB-310	$40.00
Screw-on type prophy brush	flat / white	pkg of 144	PB-320	$36.00
Screw-on type prophy brush	pointed / white	pkg of 144	PB-330	$36.00
Latch type prophy brush	pointed / white	pkg of 144	PB-340	$38.00
Latch type prophy brush	pointed / black	pkg of 144	PB-350	$40.00
Latch type prophy brush	cup shade / white	pkg of100	PB-360	$38.00
Latch type prophy brush	cup shade / bristle	pkg of100	PB-370	$42.00
Latch type prophy cup	webbed / white	pkg of 144	PC-505	$22.00
Screw-on type prophy cup	webbed / white	pkg of 144	PC-515	$25.00
Pointed-on prophy cup	webbed / white	pkg of 144	PC-525	$25.00
Snap-on prophy cup	webbed / white	pkg of 144	PC-535	$12.00

Shipping Dimensions: 4"L x 3"W x 2"H 1lbs.

Mamang Headlight & Loupes

THE BEST TWO–LIGHT HEAD LAMP IN THE WORLD
Two light beams from two LED light sources converge on a point 30 ~ 40cm from the eyes––>Shadowless











Product Description:

Item no	JD–8802
Weight	110g
Color temperature(K)	5000
Battery	Lithium Polymer Battery
Light source	Two light for shadowless lamp
Illuminance controlability	10,000–70,000 lux at distinct distance
Operation continuity	2 hours–––12 hours
Recommended collocation	1.5X lense ,3.5X Telescopic magnifying glass
Colors	Silver,Rose,Gold,Black
Adaptable head size	165mm–220mm

Feature:

1.Ergonomic C–band (JD–8802)
2.Brightness(0~100,000lux:JD8802)
3.Semi–permanent life span of light source(led)
4.Interchangeable light color by color Cap(white,daylight,warm)
5.Light weight(about 100g)&Wirelessness
6.Attachable Loupes&Camera
7.Two rechargeable batteries
8.Working time: 2–12 hours

Mamang Headlight & Loupes

Packing List:
2 pc of battery
1 pc of battery charger
1 pc of battery holder
3 sets of color light cap







CUSTOMIZED LOUPE
JD–01 Loupes






JD–02 Telescope

Model	JD–02
Magnification	3.5X~5X
Working distance	260mm~480mm
Depth of Field	60mm~90mm
Field of View	80mm~55mm
Weight	25g






Dr.kim Headlight & Loupes& Camera

Dr Kim Headlight
The Best HEAD LAMP in the world
Two light beams from two LED light sources converge on a point 30 ~ 40cm from the eyes––>Shadowless



Comparison between conventional head lamp & Dr–Kim head lamp

Feature:
Ergonomic C–Band (DKH–50)
Brightness (~100,000lux:DKH–50)
Semi–permanent life span of light source(LED)
Interchangeable light color by color cap (white,daylight,warm)
Light weight (about 100grams) & wirelesses
Easy On & Off
Attachable loupes & camera
Two rechargeable batteries



light on



Light off

Dr.kim Headlight & Loupes& Camera

Dr.Kim Loupes






Dr Kim Telescope 2.5X/4.0X







Dr Kim Camera System





Dr Kim Bag






Tooth Models


M2001


M2030


M3001


M3008


M4001


M4020


M4029


M5005


M6003


M6006


M7002


M7010


M8004


M8005


M8011


M8014


M8016


M8017


M8024


M8025



Dental Restorative Material

Light Cure Composite

Universal Nano Hybrid Light Cure Composite
Esthetic Nano Hybrid Light Cure Composite
FLOW Nano Flowable Light Cure Composite
Color Nano Flowable Light Cure Composite

Bonding & Etch

Universal Adhesive
Total Etch Light Cure Adhesive
Self Etch Light Cure Adhesive
Etch 37 Dental Etching Gel
Etch 20 BAC Dental Etching Gel

Resin Cement

Self Adhesive Dual Cure Resin Cement
Self Adhesive Dual Cure Resin Cement
Dual Cure Resin Cement

Indirect Restoration Bonding

Porcelain Fracture Repair Kit
Indirect Restoration Bonding Kit
Composite Luting System
Veneer Bonding Kit
Porcelain Silane Primer
Metal/Zirconia Primer
Hydrofluoric Acid Etchant

Endodontic

Dual Cure Core Buildup Composite
EDTA Root Canal Gel
Light Cure Calcium Hydroxide Base/Liner
Calcium Hydroxide Paste

Temporary

Non-Eugenol Temporary Cement
Implant Non-Eugenol Temporary Cement
Crown Self Cure Temporary Crown And Bridges Resin
Light Cure Temporary Composite

Orthodontic, Prevention & Finishing

Self Cure Orthodontic Adhesive Kit
Light Cure Orthodontic Adhesive Kit
Pit & Fissure Sealant
Dental Desensitizer
Light Cure Liquid Polish
Diamond Polishing Discs
Milling Blank