Provide one -stop product services for global vehicles and spare parts

DMB HK Limited
Doing Major Business

VEHICLES MADE IN CHINA



Product Catalogue

35/F., Central Plaza, 18 Harbour Road. Wanchai - Hong Kong
Telephone: +852 2824 8140 WhatsApp: +852 6778 9546 Wechat: +86 130 2881 9456 Web: www.dmb-hk.com

DMB HK Limited
Doing Major Business

DMB HK Limited is a company in Hong Kong - China, that integrates production, development and sale for new vehicles, second -hand vehicles and spare parts from China.We can distribute and export many brands of vehicles to overseas countries and regions in the world. We can offer technical support from the original factories to our customers and a year warranty to importers.




DMB HK Limited
Doing Major Business
东风商用车
XAMC
DFAC

商用车
Commercial vehicles



自卸车 Dump Truck



产品参数 Product parameters

产品名称 Product Name	DFL3318A12	DFL3310A12	DFL3258A6	DFH3250A
驾驶室类型 Cab	标准顶单卧 Standard Roof single bedroom	高顶双卧 High Roof Double Bedroom	标准顶单卧 Standard Roof single bedroom	标准顶单卧 Standard Roof single bedroom
驱动形式 Driving mode	8X4	8X4	6X4	6X4
轴距 Wheel Base(mm)	1850+4200+1350	2050+4000+1350	3800+1350	3800+1350
整备质量 Curb Weight(kg)	11600	12300	10500	10500
发动机 Engine				
型号 Model	LK375 33	DCI420-51	LK375 33	DCI385-51
最大功率 Max.Power(HP)	375	420	375	385
最大扭矩Max.Torque(N・M)	1600	2000	1600	1800
排放标准 Emission standard	欧2Euro II	欧五Euro V	欧二Euro II	欧五Euro V
变速箱 Gearbox	12JSD180T	12JSD200T		
车桥 Axle				
前桥 Front Axle(T)	9	9		
后桥Rear Axle(T)	16(轮减)(Reduction)	16(轮减)(Reduction)	16(轮减)(Reduction)	16(轮减)(Reduction)
主减速比 Main reduction ratio	5.263	5.263	5.263	5.921
悬架系统 Suspension				
前悬Front suspension	钢板弹簧/10/10片 10/10 Leaf Spring	钢板弹簧/10/10片 10/10 Leaf Spring	钢板弹簧/10/10片 10/10 Leaf Spring	钢板弹簧/10/10片 10/10 Leaf Spring
后悬Rear suspension	钢板弹簧/13/13片 13/13 Leaf Spring	钢板弹簧/13/13片 13/13 Leaf Spring	钢板弹簧/13/13片 13/13 Leaf Spring	钢板弹簧/13/13片 13/13 Leaf Spring
轮胎 Tyre	12.00R20	12.00R20	12.00R20	12.00R20
油箱 Fuel Tank(L)	350	350	350	350

自卸车 Dump Truck



产品参数	Product parameters
X5000自卸车	X5000 dump truck
型号：SX32556R354C	Model: SX32556R354C
驱动形式：6*4	Driving mode: 6 * 4
发动机：ISME 345 30	Engine: ISME 345 30
变速器：12JSD200T-B-QH50	Gearbox: 12JSD200T-B-QH50
轴距（mm）：3575+1400	Wheelbase (mm): 3575+1400
轮胎：11R22.5	Tire: 11R22.5
上装：	Carbin dimensions:
5400×2300×1500 底8边6	5400x2300x1500, bottom 8 sides 6



产品参数	Product parameters
自卸车	Dump truck
型号：ZZ3257V364GB1	Model: ZZ3257V364GB1
驱动形式：6*4	Driving mode: 6 * 4
发动机：WP10.380E201	Engine: WP10.380E201
变速器：HW19710,	Gearbox: HW19710,
轴距：3800+1450	Wheelbase: 3800+1450
轮胎：315/80R22.5	Tire: 315/80R22.5
货箱尺寸：	Carbin dimensions:
5600×2300×1500mm	5600 x 2300 x 1500mm



产品参数	Product parameters
自卸车	Dump truck
型号：NG80B 3142APZ	Model: NG80B 3142APZ
驱动形式：8*8	Driving mode: 8 * 8
发动机：WP12.420E32	Engine: WP12.420E32
变速器：12JS200T	Gearbox: 12JS200T
轴距：1500+5050+1450	Wheelbase: 1500+5050+1450
轮胎：12.00R24	Tire: 12.00R24
货箱尺寸：8000x2300x1500	Carbin dimensions: 8000x2300x1500



产品参数	Product parameters
天龙 自卸车	Tiarlong dump truck
型号：DFH3310A6	Model: DFH3310A6
驱动形式：8*4	Driving mode: 8 * 4
发动机：SZ520 51	Engine: SZ520 51
变速器：12JSDX240TA-B	Gearbox: 12JSDX240TA-B
轴距：2050+4000+1350	Wheelbase: 2050+4000+1350
轮胎：13R22.5	Tire: 13R22.5
货箱尺寸：7800X2350X1500	Carbin dimensions: 7800X2350X1500



产品参数	Product parameters
H3000自卸车	H3000 dump truck
型号：SX3315MU366	Model: SX3315MU366
驱动形式：8*4	Driving mode: 8 * 4
发动机：WP12.400E201	Engine: WP12.400E201
变速器：10JSD180-铁壳-QH50	Gearbox: 10JSD180 iron shell QH50
轴距（mm）：1800+3575+1400	Wheelbase (mm): 1800+3575+1400
轮胎：13R22.5 12+1	Tire: 13R22.5 12+1
上装：7200*2300*1500 底8边6	Carbin dimensions: 7200 * 2300 * 1500 Bottom 8 Sides 6



产品参数	Product parameters
自卸车	Dump truck
型号：ZZ3257V3847B1	Model: ZZ3257V3847B1
驱动形式：6*4	Driving mode: 6 * 4
发动机：WP12.400E201	Engine: WP12.400E201
变速器：	Gearbox:
HW19710变速箱+HW50取力器	Hw19710transmission+HW50powertake-off
轴距：3800+1450	Wheelbase: 3800+1450
轮胎：12.00R20	Tire: 12.00R20
货箱尺寸：5600*2300*1500	Carbin dimensions: 5600 * 2300 * 1500

自卸车 Dump Truck



产品参数	Product parameters
自卸车	Dump truck
型号：ISUZU GIGA VC61	Model: ISUZU GIGA VC61
驱动形式：8*4	Driving mode: 8 * 4
发动机：6WG1-TCG51	Engine: 6WG1-TCG51
变速器：ZF8S2230TO	Gearbox : ZF8S2230TO
轴距：1850+3600+1370mm	Wheelbase: 1850+3600+1370mm
轮胎：315/80 R22.5	Tire: 315/80 R22.5
货箱尺寸：7400×2300*1800	Carbin dimensions: 7400 x 2300 * 1800



产品参数	Product parameters
新大V 自卸车	New Big V dump truck
型号：CA3256P	Model: CA3256P
驱动形式：6*4	Driving mode: 6 * 4
发动机：WP10.340E32	Engine: WP10.340E32
变速器：陕齿RTD-11509C	Gearbox : Shaan Gear RTD-11509C
轴距：3700+1350	Wheelbase: 3700+1350
轮胎：12.00R20	Tire: 12.00R20
货箱尺寸：5600*2300*1500	Carbin dimensions: 5600 * 2300 * 1500



产品参数	Product parameters
F3000 自卸车	F3000 dump truck
型号：SX3255DT384	Model: SX3255DT384
驱动形式：6*4	Driving mode: 6 * 4
发动机：WP10.380E22	Engine: WP10.380E22
变速器：10JSD180+QH50	Gearbox : 10JSD180+QH50
轴距（mm）：3775+1400	Wheelbase (mm): 3775+1400
轮胎：12.00R20	Tire: 12.00R20
上装：5600x2300x1500 底8边6 矩形斗 前举	Carbin dimensions: 5600x2300x1500, bottom 8 sides, 6 rectangular buckets, front lift



产品参数	Product parameters
X3000自卸车	X3000 dump truck
型号：SX33154V406C	Model: SX33154V406C
驱动形式：8*4	Driving mode: 8 * 4
发动机：ISME 420 30	Engine: ISME 420 30
变速器：12JSD200T-B+QH50	Gearbox : 12JSD200T-B+QH50
轴距（mm）：1800+3975+1400	Wheelbase (mm): 1800+3975+1400
轮胎：12.00R20 12+1	Tire: 12.00R20 12+1
上装：7600*2300*1500 底10 边8 U型斗	Carbin dimensions: 7600 * 2300 * 1500 bottom 10 sides 8 U-shaped bucket



产品参数	Product parameters
GTL-E自卸车	GTL-E dump truck
型号：BJ3259DLPKB-1	Model: BJ3259DLPKB-1
驱动形式：6×4	Driving mode: 6 × 4
发动机：ISGe3-380	Engine: ISGe3-380
变速器：HW23712（铁）	Gearbox : HW23712 (iron)
轴距（mm）：3825+1350	Wheelbase (mm): 3825+1350
轮胎：13R22.5	Tire: 13R22.5
上装：5600×2300×1500mm, 矩形斗，锰板底8边6	Carbin dimensions: 5600 x 2300 x 1500mm, rectangular bucket, manganese plate bottom 8 sides 6



产品参数	Product parameters
N8C 自卸车	N8C dump truck
型号：Dayun N8C	Model: Dayun N8C
驱动形式：8×4	Driving mode: 8 × 4
动力电池组总储电量（kWh）：560	Total battery storage (kWh): 560
变速器：6E240	Gearbox : 6E240
轴距（mm）：1800+4200+1400	Wheelbase (mm): 1800+4200+1400
轮胎：12.00R20	Tire: 12.00R20
上装：7000×2350×1500	Carbin dimensions: 7000 x 2350 x 1500

渣土车 Muck transport truck



型号：DFH3310A21
驱动形式：8*4
发动机：DDi75E350
变速器：10JSD140B
轴距：1995+2950+1350mm
轮胎：12R22.5
货箱尺寸：5600*2350*1500

Model: DFH3310A21
Driving mode: 8*4
Engine: DDi75E350
Gearbox: 10JSD140B
Wheelbase: 1995+2950+1350mm
Tire: 12R22.5
Carbin dimensions: 5600*2350*1500



产品参数	Product parameters
型号：CQ3317SV11306	Model: CQ3317SV11306
驱动形式：8X4	Driving mode: 8X4
发动机：F3GCE611E*M	Engine: F3GCE611E * M
变速器：12JSDX220T-B	Gearbox: 12JSDX220T-B
轴距：2000+3600+1400mm	Wheelbase: 2000+3600+1400mm
轮胎：11.00R20	Tire: 11.00R20
货箱尺寸：6000*2350*1500	Carbin dimensions: 5000 * 2350 * 1500



产品参数	Product parameters
型号：HN3250H35C9M5	Model: HN3250H35C9M5
驱动形式：6X4	Driving mode: 6X4
发动机：CM6D18.345	Engine: CM6D18.345
变速器：12SDCY1851A	Gearbox: 12SDCY1851A
轴距：3900+1350mm	Wheelbase: 3900+1350mm
轮胎：11.00R20	Tire: 11.00R20
货箱尺寸：5600*2350*1500	Carbin dimensions: 5600 * 2350 * 1500

矿卡 Mining truck



矿卡 Mining truck









产品参数 Product parameters

驱动形式/Driving mode	6x4	发动机型号/Engine Model	WP12G460E310
整备质量/Curbweight	30000kg	排放等级/Emission Standard	欧三/EUR II
最大允许总质量/GVW	90000kg	总排量/Displacement	11.596L
最高车速/Max.Speed	48km/h	额定功率/Rated Power	338kW
最小转弯直径/Minimum turning diameter	11.5m	最大扭矩/Max Torque	2000N・m
最大爬坡度/Max.Grade Ability	≥37%	变速箱型号/Gearbox Model	7DS200
油箱容积/Fuel Tank	700L	取力器/PTO	QH70N
外形尺寸/Overall dimension(mm)	9045x3460x4050mm	前进档速比/Forward Ratio	9.14-1.00
轴距/Wheelbase(mm)	3800+1600	倒档速比/Reverse Ratio	8.51
最小离地间隙/Min. ground clearance	380mm	前桥型号/Front Axle Model	20T
接近角/Approach Angle	35°	后桥型号/Rear Axle Model	35T
离去角/Departure Angle	429	主减速器速比/Main Reducer Ratio	15.66
前悬/Front suspension	1755mm	轮辋/Rim	10.00W-24
后悬/Rear suspension	1890mm	轮胎/Tire	14.00R25
货厢尺寸/Cargo size(mm)	5900x3200x1500-1800	制动类型/Brake Type	鼓式/Drum type

轻型自卸卡车 Light dump truck

轻型自卸卡车 Light dump truck



轻卡级设计、底盘扎实、经济实用；外观新颖，乘坐舒适，直通大梁，大后桥、大货箱，承载力更强采用年轻化设计语言、轿车化内饰；驾乘安全舒适、承载性和通过性更好；产品线丰富，用户选择更多。

Light truck level design, solid chassis, economical and practical; Novel appearance, comfortable ride, straight to the main beam, large rear axle, large cargo box, stronger load-bearing capacity, adopting a youthful design languageSedan like interior design; Better driving safety, comfort, carrying capacity, and passability; Rich product line, with more choices for users.

产品参数 Product parameters

车型系列 Model series	小霸王 Little Overlord	途逸 Tuyi	多利卡 Dolika	开普特 Captain
驱动drive		4x2		
驾驶产Cabin	1600单排	1650单排	1730单排	2030单排
车型号Modiel	VH23-221	V92-711	CE90-301-202A	CM92-301-204A
轴距Wheelbase	2700	2800	3300	3800
发动机型-Engine mode	LJ469Q-1AEB	JE493ZLQ3A	YC4FA120 33	B125 33
变速箱Gearbox	SMT	5GT32	5TS40	6DS60T-D
前后桥 Front/rear axle	1/1.5t	1.5t/3t	邦乐1.8/3.5t(主减4.875)	德纳2.2/5.5t 前鼓后鼓(主减4.33)
轮胎Tire	17SR14LT后单胎	185R15 8PR后双胎	7.00R16 12PR半钢子午线	7.5OR16 14PR真空胎
整车尺寸 Overall dimension	4500x1600x1980	542841900A2075	5952x1990x225	6995x2230x2350
车厢 Cargo Body	2700x1600x360	3400*1830*355	4170x1880x400	5150x2120x550
基本配置 Standard Facllity	前盘后股普通电调收音机+USB接口助力转向大灯高度可调燃油箱45L瓦楞底板	140mm车架液制动 12V电源动转电动门窗中控门锁雾灯折叠钥匙瓦楞板	188mm车架气制动 弹密制动排气制动 转离合助力80L油箱 2x90Ah蓄电池	192mm车架气制动 弹簧制动排气制动 云力马痊离合助力 125L铁油箱 2x90Ah蒂电池 MP3电动窗中控锁 多功能方向盘



产品参数	Product parameters
自卸车 型号：C62-721J 驱动形式：4×2 发动机：B125 33 变速箱：6DS60T-D 轴距：3308mm 上装：4170*2050*400	Dump truck Model: C62-721J Driving mode: 4x2 Engine: B125 33 Transmission: 6DS60T-D Wheelbase: 3308mm Body dimension: 4170 * 2050 * 400



产品参数	Product parameters
自卸车 型号：BJ3046D9JDA-FA 驱动形式：4×2 发动机：YN27CRE1 变速箱：538ZHF 轴距：2800mm 上装：3300x1860x600	Dump truck Model: BJ3046D9JDA-FA Driving mode: 4x2 Engine: YN27CRE1 Transmission: 538ZHF Wheelbase: 2800mm Body dimension: 3300x1860x600



产品参数	Product parameters
自卸车 型号：ZZ3048D3214C143 驱动形式：4×2 发动机：YN4102QBZL 变速箱：WLY10H46 轴距：3200 上装：3600*2100*600	Dump truck Model: ZZ3048D3214C143 Driving mode: 4x2 Engine: YN4102QBZL Transmission: WLY10H46 Wheelbase: 3200 Body dimension: 3600 * 2100 * 600



产品参数	Product parameters
自卸车 型号：SX3103E2Y13B3410 驱动形式：4×2 发动机：YC4D130-33 变速箱：8JS85TF-C 轴距：3400 上装：3500*2100*1000	Dump truck Model: SX3103E2Y13B3410 Driving mode: 4x2 Engine: YC4D130-33 Transmission: 8JS85TF-C Wheelbase: 3400 Body dimension: 3500 * 2100 * 1000



产品参数	Product parameters
自卸车 型号：NPR 驱动形式：4×2 发动机：4KH1CN5MD 变速箱：MSB-5SM 轴距：3360mm 上装：14FT DUMP TRUCK	Dump truck Model: NPR Driving mode: 4x2 Engine: 4KH1CN5MD Transmission: MSB-5SM Wheelbase: 3360mm Body dimension: 14FT DUMP TRUCK



产品参数	Product parameters
自卸车 型号：KMC3041GC268DP6 驱动形式：4×2 发动机：CA4DB1-11E6 变速箱：万里扬10H30 轴距：2680mm 上装：3200*1860*600	Dump truck Model: KMC3041GC268DP6 Driving mode: 4x2 Engine: CA4DB1-11E6 Transmission: Wanliyang 10H30 Wheelbase: 2680mm Body dimension: 3200 * 1860 * 600

Focous on export of commercial/passenger vehicles

中型卡车 Medium duty truck



产品参数	Product parameters
载货车	Cargo Truck
型号：KMC1060D3	Model: KMC1060D3
驱动形式：4×2	Driving mode: 4x2
发动机：JE493ZLQ3A	Engine: JE493ZLQ3A
变速箱：WLY6G40	Transmission: WLY6G40
轴距：3300	Wheelbase: 3300
上装：4200×2060×400	Body dimension: 4200 × 2060 × 400



产品参数	Product parameters
载货车	Cargo Truck
型号：SX11858J571	Model: SX11858J571
驱动形式：4×2	Driving mode: 4x2
发动机：WP6.210E32	Engine: WP6.210E32
变速箱：8JS85TM-铁壳	Transmission: 8JS85TM iron shell
轴距：5700	Wheelbase: 5700
上装：7500*2400*600	Body dimension: 7500 * 2400 * 600



产品参数	Product parameters
载货车	Cargo Truck
型号：CM94-301	Model: CM94-301
驱动形式：4×2	Driving mode: 4x2
发动机：B125 33	Engine: B125 33
变速箱：6DS60T-D	Transmission: 6DS60T-D
轴距：3800	Wheelbase: 3800
上装：5150×2120×550	Body dimension: 5150 x 2120 x 550



产品参数	Product parameters
载货车	Cargo Truck
型号：FRR	Model: FRR
驱动形式：4×2	Driving mode: 4x2
发动机：4HK1-TCG50	Engine: 4HK1-TCG50
变速箱：MLD-6Q	Transmission: MLD-6Q
轴距：5200	Wheelbase: 5200
上装：7000×2250×450	Body dimension: 7000 x 2250 x 450



产品参数	Product parameters
载货车	Cargo Truck
型号：BJ1088VEJEA-F	Model: BJ1088VEJEA-F
驱动形式：4×2	Driving mode: 4x2
发动机：F3.8s3141	Engine: F3.8s3141
变速箱：6S558	Transmission: 6S558
轴距：3360	Wheelbase: 3360
上装：4170×1960×400	Body dimension: 4170 x 1960 x 400



产品参数	Product parameters
载货车	Cargo Truck
型号：ZZ1107D3815C1R	Model: ZZ1107D3815C1R
驱动形式：4×2	Driving mode: 4x2
发动机：YN4102QBZL	Engine: YN4102QBZL
变速箱：WLY6TS55C	Transmission: WLY6TS55C
轴距：3800	Wheelbase: 3800
上装：4850*2150*550	Body dimension: 4850 * 2150 * 550

轻型卡车 Light truck



产品参数	Product parameters
载货车	Cargo Truck
型号：V92-711	Model: V92-711
驱动形式：4×2	Drive mode: 4x2
发动机：JE493ZLQ3A	Engine: JE493ZLQ3A
变速箱：5GT32	Transmission: 5GT32
轴距：2800	Wheelbase: 2800
上装：3400*1830*355	Upper Body: 3400 * 1830 * 355



产品参数	Product parameters
载货车	Cargo Truck
型号：W18	Model: W18
驱动形式：4×2	Drive mode: 4x2
发动机：M16KR	Engine: M16KR
变速箱：DAT18R	Transmission: DAT18R
轴距：3100	Wheelbase: 3100
上装：2700×1820×360	Upper Body: 2700 x 1820 x 360



产品参数	Product parameters
载货车	Cargo Truck
型号：BJ1040V9JB6-AA	Model: BJ1040V9JB6-AA
驱动形式：4×2	Drive mode: 4x2
发动机：D19TCIE3	Engine: D19TCIE3
变速箱：5G32	Transmission: 5G32
轴距：2880	Wheelbase: 2880
上装：3330×1750×360mm	Upper Body: 3330 x 1750 x 360mm



产品参数	Product parameters
载货车	Cargo Truck
型号：SCH1025D	Model: SCH1025D
驱动形式：4×2	Drive mode: 4x2
发动机：DAM15KR	Engine: DAM15KR
变速箱：5挡MT	Transmission: 5-speed MT
轴距：3050	Wheelbase: 3050
上装：2900*1540*375	Upper Body: 2900 * 1540 * 375



产品参数	Product parameters
载货车	Cargo Truck
型号：K01S	Model: K01S
驱动形式：4×2	Drive mode: 4x2
发动机：DK12-01	Engine: DK12-01
变速箱：5 MT	Transmission: 5 MT
轴距：2760	Wheelbase: 2760
上装：2700×1500×340	Upper Body: 2700 x 1500 x 340



产品参数	Product parameters
载货车	Cargo Truck
型号：KMC1038D3	Model: KMC1038D3
驱动形式：4×2	Drive mode: 4x2
发动机：JE493ZLQ3A	Engine: JE493ZLQ3A
变速箱：5 MT	Transmission: 5 MT
轴距：2800	Wheelbase: 2800
上装：3690*1820*390	Upper Body: 3690 * 1820 * 390



Classical power

Comfortable driving and riding

Safe and reliable







厢货车 Van-type Vehicle Series

产品参数 Product parameters

载 重 Platform		3.5T				4.5T			4.5T		
方向机位置 Steering wheel position		Left hand drive				Left hand drive			Right hand drive		
总质量 GVW(T)		3.5-4.5				4.5-5.5			4.5-5.5		
燃油 Fuel		Diesel				Diesel			Diesel		
宽度 Body(mm)		1730		1730		1730		1850	1880		
轴 距 Wheelbase(mm)		2515	2800	2515	2800	3308	3308	—	2515	2800	3300
Engine 发动机	Euro I	—		JE493		JE493	—	—	—	JE493	—
	Euro III	YC4FA		JE493		JE493	YC4FA	—	JE493	JE493	JE493
	Euro IV	YC4FA		JE493/ZD30		JE493	YC4FA	ZD30	JE493	—	—
	Euro V	YC4FA		JE493/ZD30		JE493	YC4FA	ZD30	—	—	—
	Euro VI	—		JE493	JE493	JE493	—	ZD30	—	ZD30	ZD30
变速箱 Transmission		5GT32		5GT32/C6J45 (F6JZ45-AMT)		5GT40/6GT40			5G32/C6J45T		
前桥 Front axle(T)		1.5		2.2		1.8	2.2		1.8/2.2		
后桥 Rear axle(T)		3		3.5		3.5	3.5		3.5		
板簧 Leaf spring		5/7+3				6/6+5	6/6+5		6/5 (6/6+5)		
轮胎 Tire		6.50R16 (Rear double) , 7.00R16 (Rear Single)				7.00R16 (Single/Double)	7.00R16 (Single/Double)		6.50R16, 7.00R16		
制动 Brake		Hydraulic break				Hydraulic break	Air Break		Hydraulic break		
取力器 PTO		With							with		
货箱尺寸 Cargo box(mm)		3100/3800/4200							3100	3700	4150



◆ Luxury interior



◆ ISUZU engine



◆ High-strength body

牵引车 Tractor



产品卖点

- 东风牵引车系列是国内品种齐全，动力覆盖面广，底盘配置丰富的车型系列，品种吨位覆盖9吨-50吨，满足各类货物运输，是各类物流企业的理想选择；2、马力大、承载能力强、勤力性好、外型关觀、高效環保、行駛安全；
- Dongfeng tractor series is a complete variety of domestic, Comprehensive Horse Power Coverage, chassis configuration rich model series, variety tonnage covering 9-50 tons, to meet all kinds of cargo transportation, is the ideal choice for all kinds of logistics enterprises;2, large horsepower, strong carrying capacity, good diligence, appearance, efficient environmental protection, driving safety;

产品参数 Product parameters	
轴距:3800+1350mm	Wheelbase: 3800+1350mm
发动机:东风康明斯15NNS6B530A	Engine: Dongfeng Cummins 15NNS6B530A.
变速箱:14档变速箱	Gearbox: 14-speed gearbox
后桥速比:3.64	Rear axle speed ratio: 3.64
车身长度:7.44米	Length: 7.44m.
车身宽度:2.55米	Width: 2.55m.
车身高度:3.96米	Height: 3.96m.
前轮距:2010mm	Front tread: 2010mm
后轮距:1860/1860mm	Rear tread: 1860/1860mm
整车重量:9.37吨	Curbweight: 9.37 tons

牵引车 Tractor



产品参数	Product parameters
天龙 牵引车 型号：DFH4251AX4AV 驱动形式：6*4 发动机：dCi420 变速器：12JSD200TA-B 轴距（mm）：3400+1350 油箱：550（铝合金） 轮胎：12R22.5	Tianlong tractor Model: DFH4251AX4AV Driving mode: 6 * 4 Engine: dCi420 Transmission: 12.SD200TA-B Wheelbase (mm): 3400+1350 Fuel tank: 550 (aluminum alloy) Tire: 12R22.5



产品参数	Product parameters
牵引车 型号：ISUZU GIGA EXZ52 VC61 驱动形式：6*4 发动机：6UZ1-TCG50 变速器：ZF 16S2030TO 轴距：3385+1370mm 轮胎：315/80R22.5	Tractor Model: ISUZU GIGA EXZ52 VC61 Driving mode: 6 * 4 Engine: 6UZ1-TCG50 Transmission: ZF 16S2030TO Wheelbase: 3385+1370mm Tire: 315/80R22.5



产品参数	Product parameters
牵引车 型号：ZZ4257V344GB1 驱动形式：6*4 发动机：WP12.400E201 变速器：HW19710 轴距：3400+1350 轮胎：315/80R22.5	tractor Model: ZZ4257V344GB1 Driving mode: 6 * 4 Engine: WP12.400E201 Transmission: HW19710 Wheelbase: 3400+1350 Tire: 315/80R22.5



产品参数	Product parameters
X6000牵引车 型号：SX4258Y3344 驱动形式：6*4 发动机：潍柴WP13.550E501 变速器：法士特自动挡F16JZ26A 轴距（mm）：3375+1400 油箱：(760L+230L) 轮胎：315/70R22.5	X6000 tractor Model: SX4258Y3344 Driving mode: 6 * 4 Engine: Weichai WP13.550E501 Transmission: Fast automatic F16JZ26A Wheelbase (mm): 3375+1400 Fuel tank: (760L+230L) Tire: 315/70R22.5



产品参数	Product parameters
牵引车 型号：BJ4259SMFKB-RF 驱动形式：6*4 发动机：ISGe3-430 变速器：12TX2420TD铝自动挡 轴距：3300+1350 轮胎：295/80R22.518PR混合	tractor Model: BJ4259SMFKB-RF Driving mode: 6 * 4 Engine: ISGe3-430 Transmission: 12TX2420TD aluminum auto Wheelbase: 3300+1350 Tire: 295/80R22.518PR hybrid



产品参数	Product parameters
新J6P 牵引车 型号：CA4250P 驱动形式：6*4 发动机：CA6DM2-39E3F(内置EGR) 变速器：CA10TAX190M 轴距：3450+1350MM 轮胎：12.00R20	New J6P tractor Model: CA4250P Driving mode: 6 * 4 Engine: CA6DM2-39E3F (with built-in EGR) Transmission: CA10TAX190M Wheelbase: 3450+1350mm Tire: 12.00R20

半挂车 Semi Trailer



箱式运输半挂

- 车型：翼开启厢式车
- 厢体尺寸：12830x 2400x 2400
- 燃料类型：被牵引
- 吨位：30t-40t
- 轴数：3
- 轮胎规格：11.00-20-12PR
- 后轮轮距：1840
- 前悬：-2510
- 钢板弹簧片数：-,8,8,8

- Model: wing opening type box van
- Body size: 12830x 2400x 2400.
- Fuel type: trailered
- Tonnage: 30t-40t
- Number of axles: 3
- Tyre size: 11.00-20-12PR
- Rear wheel base: 1840
- Front suspension: -2510
- Number of leaf springs: -,8,8,8

半挂车 Semi Trailer



产品参数	Product parameters
侧帘式运输半挂	Side curtain transport semi trailer
车身长/宽/高：12/2.5/3.98	Body length/width/height: 12/2.5/3.98
仓栅开启方式：对开	Opening method of the stake grate: double door opening
载重能力：60吨	Pay Load : 60 tons
厢板形式/扇数：雨布 开	Form/number of panels: Poncho with opening
板簧片数、规格：10片标	Number and specification of leaf springs: 10 pieces standard
轮胎规格：12R22.5/13	Tire size: 12R22.5/13



产品参数	Product parameters
宽件低平板半挂车	Wide piece low flatbed semi-trailer
外形尺寸（长 x 宽 x 高）：	Overall dimensions (length x width x height):
16000mm x 3200mm x 1700mm	16000mm x 3200mm x 1700mm
载重能力：80吨	Payload : 80 tons
自重：12吨	Curbweight: 12 tons
轴数：4轴	Number of axles: 4
轴距：8000mm-1310mm-1310mm-1310mm	Wheelbase:8000mm-1310mm-1310mm-1310mm
轮胎：12R22.5	Tire: 12R22.5



产品参数	Product parameters
双层栏板半挂车	Double layer fence semi-trailer
外形尺寸(长 x 宽 x 高)：	Overall dimensions (length x width x height):
13000mm x 2500mm x 4000mm	13000mm x 2500mm x 4000mm
载重能力：40吨	Payload: 40 tons
自重：8吨	Curbweight: 8 tons
轴数：3轴	Number of axles: 3
轴距：7000mm-1310mm-1310mm	Wheelbase: 7000mm -1310mm -1310mm
轮胎：12R22.5	Tire: 12R22.5



产品参数	Product parameters
仓栏半挂车	Stake semi-trailer
外形尺寸(长 x 宽 x 高)：	Overall dimensions (length x width x height):
13000mm x 2500mm x 4000mm	13000mm x 2500mm x 4000mm
载重能力：40吨	Load capacity: 40 tons
自重：7.5吨	Curbweight: 7.5 tons
轴数：3轴	Number of axles: 3
轴距：7000mm-1310mm-1310mm	Wheelbase: 7000mm -1310mm -1310mm
轮胎：12R22.5	Tire: 12R22.5



产品参数	Product parameters
三轴低平板半挂车	Three-axle low flatbed semi-trailer
外形尺寸(长x 宽x 高)：	External dimensions(length x width x height):
13000mm x 3000mm x 1650mm	13000mmx 3000mm x 1650mm
载重能力:60吨	Pay Load : 60 tons
自重:9吨	Curbweight: 9 tons
轴数:3轴	Number of axles: 3
轴距:8000mm-1310mm-1310mm	Wheelbase: 8000mm -1310mm -1310mm
轮胎:12R22.5	Tire: 12R22.5



产品参数	Product parameters
四轴平板半挂：	Four axle flat plate semi-trailer:
车身长宽高：14x 3x 3.6	Body length, width, and height: 14 x 3 x 3.6
轴数：4轴	Number of axles: 4
轮胎规格：12R22.5	Tire specification: 12R22.5
自重：11吨左右	Curbweight: around 11 tons
载重：80吨	Payload : 80 tons



产品参数	Product parameters
三轴骨架半挂车	Three axles skeleton semi-trailer
外形尺寸（长x宽x高）：	Overall dimensions (length x width x height):
12500mm x 2500mm x 1600mm	12500mm x 2500mm x 1600mm
载重能力：40吨	Payload : 40 tons
自重：6吨	Curbweight: 6 tons
轴数：3轴	Number of axles: 3
轴距：7500mm-1310mm-1310mm	Wheelbase: 7500mm -1310mm -1310mm
轮胎：12R22.5	Tire: 12R22.5



产品参数	Product parameters
三轴U型斗自卸半挂车	Three axle U-shaped bucket dump semi-trailer
外形尺寸（长 x 宽 x 高）：	Overall dimensions (length x width x height):
10000mm x 2500mm x 3500mm	10000mm x 2500mm x 3500mm
载重能力：50吨	Payload: 50 tons
自重：10吨	Curbweight: 10 tons
轴数：3轴	Number of axles: 3
轴距：4600mm-1310mm-1310mm	Wheelbase: 4600mm -1310mm -1310mm
轮胎：12R22.5	Tire: 12R22.5

半挂车 Semi Trailer

半挂车 Semi Trailer



产品参数	Product parameters
三轴冷藏半挂车	Three axle refrigerated semi-trailer
外形尺寸（长x宽x高）:	Overall dimensions (length x width x height):
13500mm x 2600mm x 4000mm	1350mm x 2600mm x 4000mm
载重能力：30吨	Payload: 30 tons
自重：9吨	Curbweight: 9 tons
轴数：3轴	Number of axles: 3
轴距：7550mm-1310mm-1310mm	Wheelbase: 7550mm -1310mm -1310mm
轮胎：12R22.5	Tire: 12R22.5



产品参数	Product parameters
侧开门箱式半挂车	Side door van semi-trailer
外形尺寸（长 x 宽 x 高）:	Overall dimensions (length x width x height):
13500mm x 2500mm x 2600mm	1350mm x 2500mm x 2600mm
载重能力：35吨	Payload: 35 tons
自重：8吨	Curbweight: 8 tons
轴数：3轴	Number of axles: 3
轴距：6550mm-1310mm-1310mm	Wheelbase: 6550mm -1310mm -1310mm
轮胎：12R22.5	Tire: 12R22.5



产品参数	Product parameters
三轴畜牧双层半挂车	Three axles trailer for animal
外形尺寸（长x宽x高）:	Overall dimensions (length x width x height):
13000mm x 2500mm x 4000mm	13000mm x 2500mm x 4000mm
载重能力：30吨	Payload : 30 tons
自重：10吨	Curbweight: 10 tons
轴数：3轴	Number of axles: 3
轴距：6550mm-1310mm-1310mm	Wheelbase: 6550mm -1310mm -1310mm
轮胎：12R22.5	Tire: 12R22.5



产品参数	Product parameters
6车位轿运半挂车	6-cars transport semi-trailer
外形尺寸(长x宽x高):	Overall dimensions dimensions (length x width x height):
18000mm x 2500mm x 4000mm	18000mm x 2500mm x 4000mm
载重能力：6辆标准轿车	Payload:: 6 standard cars
自重约：15吨	Curbweight: 15 tons
轴数：3轴	Number of axles: 3
轴距：9000mm-1310mm-1310mm	Wheelbase: 9000mm-1310mm-1310mm
轮胎：11R22.5	Tire: 11R22.5



产品参数	Product parameters
三轴油罐半挂车	Three axles oil tank semi-trailer
外形尺寸(长x宽x高):	Overall dimensions (length x width x height):
12000mm x 2500mm x 3600mm	12000mm x 2500mm x 3600mm
有效容积：50方	Effective volume: 50 cubic meters
自重约：10吨	Curbweight: 10 tons
载重能力：50吨	Payload: 50 tons
轴数：3轴	Number of axles: 3
轴距：7500mm-1310mm-1310mm	Wheelbase: 7500mm -1310mm -1310mm
轮胎：12R22.5	Tire: 12R22.5



产品参数	Product parameters
三轴水泥粉罐半挂车	Three axles cement powder tank semi-trailer
外形尺寸（长x宽x高）:	Overall dimensions (length x width x height):
12000mm x 2500mm x 3800mm	12000mm x 2500mm x 3800mm
有效容积：35方	Volume: 35 cubic meters
自重约：8吨	Curbweight: 8 tons
载重能力：30吨	Payload : 30 tons
轴数：3轴	Number of axles: 3
轴距：7350mm-1310mm-1310mm	Wheelbase: 7350mm -1310mm -1310mm
轮胎：11R22.5	Tire: 11R22.5



产品参数	Product parameters
三轴液化石油气（LPG）半挂车	Three axle liquefied petroleum gas (LPG) semi-trailer
外形尺寸(长x宽x高):	Overall dimensions (length x width x height):
13000mm x 2500mm x 3800mm	13000mm x 2500mm x 3800mm
有效容积:50方	Effective volume: 50 cubic meters
自重约:10吨	Curbweight : 10 tons
载重能力:40吨	Pay Load : 40 tons
轴数:3轴	Number of axes: 3
轴距:7600mm-1310mm-1310mm	Wheelbase: 7600mm-1310mm-1310mm
轮胎:11R22.5	Tire: 11R22.5



产品参数	Product parameters
复合板箱式运输半挂车	Composite panel box transport semi-trailer
车身长/宽/高:13.95/2.5/1.56	Body length/width/height: 13.95/2.5/1.56
吨位：60吨	Pay Load : 60 tons
轮胎规格:12R22.5/13	Tire specifications: 12R22.5/13
支腿形式：28外支腿	Leg form: 28 Outer legs



产品参数	Product parameters
三轴13米侧翻自卸半挂车	Three axle 13 meter side-dump semi-trailer
外形尺寸(长x宽x高):	Overall dimensions (length x width x height):
13000mm x 2500mm x 1600mm	13000mm x 2500mm x 1600mm
载重能力:40吨	Pay Load : 40 tons
自重约:10吨	Curbweight : 10 tons
轴数:3轴	Number of axes: 3
轴距:6600mm-1310mm-1310mm	Wheelbase: 6600mm -1310mm -1310mm
轮胎:11R22.5	Tire: 11R22.5



产品参数	Product parameters
说明：半挂车需根据客户要求和货物定做，因此无固定参数	
外形尺寸：根据货物尺寸定制	
自重：根据车身结构和材料选择	
轮胎：大型低平板半挂车所需的特殊轮胎	

Explanation: the trailer needs to be customized according to the customer requirements and the goods,so there is no fixed parameter.
Model: Low flatbed large cargo transport semi-trailer
External dimensions: customized according to the size of the goods
Load capacity: Based on the number of axles and structural design
Self weight: based on vehicle structure and materials
The wheelbase is determined based on the total length and number of axles of the vehicle
Tires: Special tires required for large low flatbed semi-trailers



产品参数	Product parameters
箱式运输半挂车	Box type transport semi-trailer
车身长/宽/高：13.95/2.5/1.56	Body length/width/height: 13.95/2.5/1.56
吨位：60	Pay Load : 60
轮胎规格:12R22.5/13	Tire specifications: 12R22.5/13
厢板形式/扇数：3mm	Form/number of panels: 3mm



产品参数	Product parameters
港口中转专用骨架半挂车	Port transfer specialized skeleton semi-trailer
外形尺寸(长 x 宽 x 高):	External dimensions (length x width x height):
12400mm x 2500mm x 1600mm	12400mm x 2500mm x 1600mm
自重约:7-8吨	Curbweight : 7-8 tons
轴数:2轴或3轴	Number of axes: 2 or 3 axes
轴距:9000mm-1310mm-1310mm（3轴）	Wheelbase: 9000mm-1310mm-1310mm (3-axis)
轮胎:11R22.5或12R22.5	Tires: 11R22.5 or 12R22.5

专用车
Special purpose vehicle



吸污车 Sewage suction truck



- 吸污罐容积:7-8.5m³
- 高压泵压力:16-22Mpa
- 真空泵排量:4000-20000L/min
- 控制方式:遥控/手动
- 清水箱容积:2.5-3.2m³
- 卷盘能力:60-100m
- 最大真空度:≥85%
- 后盖开启方式:液压开启

- Capacity of sewage suction tank: 7-8.5m3.
- High-pressure pump pressure: 16-22Mpa
- Displacement of vacuum pump: 4000-20000L/min.
- Control mode: remote control/manual
- Clear water tank volume: 2.5-3.2m3
- Reel capacity: 60-100m
- Maximum vacuum degree: ≥85%
- Opening mode of rear cover: hydraulic opening.



产品参数	Product parameters
清洗吸污车	Sewage suction truck
TZXW6060	TZXW6060
罐体有效容积：6方	Effective volume of tank: 6 cubic meters
LHD/RHD 欧II-VI	LHD/RHD Euro II-VI



产品参数	Product parameters
清洗吸污车	Sewage suction truck
TZXW6022	TZXW6022
罐体有效容积：22方	Effective volume of tank: 22 cubic meters
LHD/RHD 欧II-VI	LHD/RHD Euro II-VI



产品参数	Product parameters
吸粪车	Septic suction truck
TZXF6050	TZXF6050
罐体有效容积：5方	Effective volume of tank: 5 cubic meters
LHD/RHD 欧II-VI	LHD/RHD Euro II-VI



产品参数	Product parameters
联合疏通车	Conbined dreging vehicle
TZST6080	TZST6080
罐体有效容积：8方	Effective volume of tank: 8 cubic meters
LHD/RHD 欧II-VI	LHD/RHD Euro II-VI

洒水车 Sprinkler truck



- 水箱容积:15-20m³
- 洒水宽度:15m
- 水泵扬程:90米
- 外形尺寸:10*2.5*3.3m
- 准乘人数:3人
- 钢板厚度:4mm
- 轴距:4350+1300

- Water tank volume: 15-20m ³
- Watering width: 15m
- Water pump head: 90 meters
- External dimensions: 10 * 2.5 * 3.3m
- Passengers allowed: 3
- Steel plate thickness: 4mm
- Wheel base: 4350+1300



产品参数	Product parameters
洒水车	Sprinkler truck
TZSS6010	TZSS6010
罐体有效容积:10方	Effective volume of tank: 10 cubic meters
LHD/RHD 欧II-VI	LHD/RHD Euro II-VI



产品参数	Product parameters
洒水车	Sprinkler truck
TZSS6020	TZSS6020
罐体有效容积:20方	Effective volume of tank: 20 cubic meters
LHD/RHD 欧II-VI	LHD/RHD Euro II-VI



产品参数	Product parameters
雾炮抑尘车	Mist cannon dust suppression vehicle
TZYC6080	TZYC6080
罐体有效容积:8方	Effective volume of tank: 8 cubic meters
LHD/RHD 欧II-VI	LHD/RHD Euro II-VI



产品参数	Product parameters
冲洗两用清扫车	Flushing dual-purpose cleaning vehicle
TZQS6060	TZQS6060
罐体有效容积:6方	Effective volume of tank: 6 cubic meters
LHD/RHD 欧II-VI	LHD/RHD Euro II-VI

抑尘车 Dust suppression vehicle



- 罐体有效容积:5-14m³
- 后洒水宽度:≥16
- 喷雾机回转角度: 110°~120
- 可选动力源:燃油/电动/液压
- 前冲洗宽度:≥24m
- 绿化喷洒宽度:≥14m
- 喷雾机回转角度:-10°~+40°
- 产品型号:TMD/ZT

- Effective volume of tank: 5-14m3
- Rear sprinkling width: ≥16
- Rotating angle of sprayer: 110 ~ 120.
- Optional power source: fuel/electric/hydraulic.
- Front-flushing width: ≥24m
- Green spraying width: ≥14m
- Rotating angle of sprayer:-10 ~+400.
- Product model: TMD/ZT



产品参数	Product parameters
多功能抑尘车	Multi-function dust suppression vehicle
TS5186TDYGF6	TS5186TDYGF6
罐体有效容积：10方	Effective volume of tank: 10 cubic meters
LHD/RHD 欧 II -VI	LHD/RHD Euro II-VI



产品参数	Product parameters
液压单发抑尘车	Multi-function dust suppression vehicle
TS5180	TS5180
罐体有效容积：10方	Effective volume of tank: 10 cubic meters
LHD/RHD 欧 I -VI	LHD/RHD Euro II-VI



产品参数	Product parameters
多功能抑尘车	Multi-function dust suppression vehicle
TS5186TDYGF6	TS5186TDYGF6
罐体有效容积：10方	Effective volume of tank: 10 cubic meters
LHD/RHD 欧 II -VI	LHD/RHD Euro II-VI



产品参数	Product parameters
双桥抑尘车	Double Bridge dust suppression vehicle
TS5186TDYGF6	TS5186TDYGF6
罐体有效容积：8方	Effective volume of tank: 8 cubic meters
LHD/RHD 欧 I -VI	LHD/RHD Euro II-VI

垃圾车 Garbage truck



- 箱体容积:3.5-18.5m³
- 装填循环一次时间:≤30s
- 控制方式：自动、手动
- 液压油缸:厦门银华
- 控制系统:德国西门子
- 压缩比:≥2.5
- 推卸垃圾时间:≤25s
- 液压系统最大压力:16MPa

- Body volume: 3.5-18.5m3
- Time for one filling cycle: ≤30s.
- Control mode: automatic and manual.
- Hydraulic cylinder: Yin Hua, Xiamen
- Control system: Siemens, Germany
- Compression ratio: ≥2.5
- Time for dumping garbage: ≤25s
- Maximum pressure of hydraulic system: 16MPa



产品参数	Product parameters
勾臂垃圾车	Hook arm garbage truck
TSGB5186	TSGB5186
罐体有效容积：6方	Effective volume of tank: 6 cubic meters
LHD/RHD 欧 II -VI	LHD/RHD Euro II-VI



产品参数	Product parameters
自装式垃圾车	Self-loading garbage truck
TSZZ5186	TS5186
罐体有效容积：6方	Effective volume of tank: 6 cubic meters
LHD/RHD 欧 II -VI	LHD/RHD Euro II-VI



产品参数	Product parameters
压缩垃圾车	Compressed garbage truck
TS5186TDYGF6	TS5186TDYGF6
罐体有效容积：8方	Effective volume of tank: 8 cubic meters
LHD/RHD 欧 II -VI	LHD/RHD Euro II-VI



产品参数	Product parameters
餐厨垃圾车	Kitchen garbage truck
TSCC5186	TSCC5186
罐体有效容积：6方	Effective volume of tank: 6 cubic meters
LHD/RHD 欧 II -VI	LHD/RHD Euro II-VI

随车吊 Truck mounted crane



品牌：徐工
底盘型式：随车起重机
臂架型式：伸缩臂
最大起升质量：6300kg
液压系统推荐流量：40L/min
最大回转速度：360度全回转
吊机重量：2350kg

Brand: XCMG
Chassis type: truck-mounted crane
Type of boom: telescopic boom
Maximum lifting mass: 6300kg
Recommended flow rate of hydraulic system: 40L/min.
Maximum slewing speed: 360 degrees full slewing.
Crane Weight: 2350kg



产品参数	Product parameters
随车吊	Truck-mounted crane
TSSC6012	TSSC6012
起吊重量：12吨	Lifting weight: 12 tons
LHD/RHD 欧 II -VI	LHD/RHD Euro II-VI



产品参数	Product parameters
随车吊	Truck-mounted crane
TSSC6014	TSSC6014
起吊重量：14吨	Lifting weight: 14 tons
LHD/RHD 欧 II -VI	LHD/RHD Euro II-VI



产品参数	Product parameters
随车吊	Truck-mounted crane
TSSC6008	TSSC6008
起吊重量：8吨	Lifting weight: 8 tons
LHD/RHD 欧 II -VI	LHD/RHD Euro II-VI



产品参数	Product parameters
随车吊	Truck-mounted crane
TSSC6006	TSSC6006
起吊重量：6吨	Lifting weight:6 tons
LHD/RHD 欧 II -VI	LHD/RHD Euro II-VI

饲料运输车 Feed transport vehicle



散装饲料运输车主要用于从饲料厂向畜牧场养禽场及饲料用户运输散装饲料成品或饲料生产原粮，
同时也适用于运输某些无腐蚀性粉粒状物料，如制药厂粉料和粮库周转。
Feed transport vehicles are mainly used to transport bulk feed products or raw materials for feed production from feed factories to livestock farms, poultry farms and feed users. They are also suitable for transporting certain non-corrosive powdery and granular materials, such as powder materials in pharmaceutical factories and grain warehouse turnover.

型号 CA1310P62K1L6T4E6Z
外形尺寸(长x宽x高)mm 10500x2550x3970
发动机型号/马力 CA6DK2-35E65/350
罐体外形尺寸(mm) 7500x2540x2460
罐体容积(m') 38

Model CA1310P62K1L6T4E6Z
Overall dimension (length x width x height) mm 10500x2550x3970
Engine model/horsepower CA6DK2-35E65/350
Tank dimensions (mm) 7500x2540x2460
Tank volume (m') 38



产品参数	Product parameters
外形尺寸(长x宽x高)mm 9500x2250x3970	
罐体容积(m') 29.4	
Overall dimensions (length x width x height) mm 9500x2250x3970	
Tank volume (m') 29.4	



产品参数	Product parameters
外形尺寸(长x宽x高)mm 10500x2550x3970	
罐体容积(m') 38	
Overall dimensions (length x width x height) mm 10500x2550x3970	
Tank volume (m') 38	



产品参数	Product parameters
外形尺寸(长x宽x高)mm 11600x2550x3995	
罐体容积(m') 68	
Overall dimensions (length x width x height) mm 11600x2550x3995	
Tank volume (m') 68	



产品参数	Product parameters
外形尺寸(长x宽x高)mm 10500x2550x3970	
罐体容积(m') 38	
Overall dimensions (length x width x height) mm 10500x2550x3970	
Tank volume (m') 38	

高压清洗车 High pressure cleaning vehicle



- 水箱容积:9-13m³
- 喷水架清洗宽度:2.5-3.5m
- 高压清洗能力:3-15Km/h
- 清洗水流量:150L/min
- 低压冲洗宽度:大于等于24m
- 喷水架偏角:左右30°
- 最高清洗水压力:13MPa
- 低压洒水流量: 600-800L/min

- Water tank volume: 9-13cbm
- Cleaning width of water spray rack: 2.5-3.5m
- High pressure cleaning capacity: 3-15Km/h
- Cleaning water flow: 150L/min.
- Low pressure flushing width: 24m or more.
- Angle of spray rack: 300 left and right.
- Maximum washing water pressure: 13MPa
- Low pressure sprinkler flow: 600-800L/min.



产品参数	Product parameters
高压清洗车	High pressure cleaning vehicle
TSQX5160	TSQX5160
水箱容积：4方	Water tank volume:4cbm
LHD/RHD 欧 II -VI	LHD/RHD Euro II-VI



产品参数	Product parameters
高压清洗车	High pressure cleaning vehicle
TSQX5166	TSQX5166
水箱容积：6方	Water tank volume:6cbm
LHD/RHD 欧 II -VI	LHD/RHD Euro II-VI



产品参数	Product parameters
高压清洗车	High pressure cleaning vehicle
TSQX51610	TSQX51610
水箱容积：10方	Water tank volume:10cbm
LHD/RHD 欧 II -VI	LHD/RHD Euro II-VI



产品参数	Product parameters
高压清洗车	High pressure cleaning vehicle
TSQX5165	TSQX5165
水箱容积：5方	Water tank volume:5cbm
LHD/RHD 欧 II -VI	LHD/RHD Euro II-VI

搅拌车 Concrete mixer truck



- 整备质量kg：13760
- 外廓尺寸mm：9910x2525x3960
- 最小离地间隙mm：237
- 进/出料速度m³/min：≥4/≥4
- 出料残余%：≤0.5
- 驱动形式：8x4
- 轴距mm:1995x2855x1350
- 水箱容积L:450

- Curb weight kg: 13760
- Overall dimensionmm: 9910 x 2525 x 3960
- Minimum ground clearance mm: 237
- Feeding/discharging speed m3/min: ≥4/≥4
- Discharge residual%: ≤ 0.5
- Driving mode: 8x4
- Wheelbase mm:1995x2855x1350
- Water tank volume L:450



产品参数	Product parameters
搅拌车	Concrete mixer truck
TSJB6006	TSJB6006
搅拌容积：4方	Mixing volume: 4 cbm
LHD/RHD 欧 II -VI	LHD/RHD Euro II-VI



产品参数	Product parameters
搅拌车	Concrete mixer truck
TSJB6009	TSJB6009
搅拌容积：9方	Mixing volume: 9 cbm
LHC/RHD 欧 II -VI	LHD/RHD Euro II-VI



产品参数	Product parameters
搅拌车	Concrete mixer truck
TSJB60010	TSJB60010
搅拌容积：10方	Mixing volume: 10cbm
LHD/RHD 欧 II -VI	LHD/RHD Euro I -VI



产品参数	Product parameters
搅拌车	Concrete mixer truck
TSJB6012	TSJB6012
搅拌容积：12方	Mixing volume: 12cbm
LHC/RHD 欧 II -VI	LHD/RHD Euro II-VI

32米混凝土泵车 32 meters concrete pump truck



产品卖点

- 总长9米，总高3.46米，轴距4.5米，转场灵活，经松应对狭小复杂的施工场地。

Product Advantage

- The total length is 9 meters, the total height is 3.46 meters, the wheelbase is 4.5 meters, the transfer is flexible, and it can easily cope with the small and complex construction site.

产品参数	Product parameters
底盘：重汽豪沃	Chassis: Sinotruk Howo
发动机马力（HP）：220/240	Power (HP) : 220/240
轴距(mm)：4500	Wheelbase (mm) : 4500
理论泵送量：100（m^3/h)	Theoretical pumping capacity: 100 (m^3/h)

产品参数	Product parameters
外形尺寸(mm)：9000*2500*3460	Dimensions (mm) : 9000*2500*3460
整车质量(kg)：18000	Curb weight(kg) : 18000
排放标准：欧六	Emission standard: Euro 6
最大布料半径（mm）：24000	Maximum fabric radius (mm) : 24000

38米混凝土泵车 38 meters concrete pump truck



产品卖点

- 总长9.9米，总高3.6米，轴距4.7米，转场灵活，满足1-6层建筑施工用。

Product Advantage

- The total length is 9.9 meters, the total height is 3.6 meters, the wheelbase is 4.7 meters, the transfer is flexible, and it can meet the construction of 1-6 floors.

产品参数	Product parameters
底盘：东风/重汽豪沃	Chassis: Dongfeng/SinotruK Howo
发动机马力（HP）：270/310	Power(HP) :270/310
轴距(mm)：4700/5200	Wheelbase (mm) :4700/5200
理论泵送量：110（m^3/h)	Theoretical pumping capacity: 110 (m^3/h)

产品参数	Product parameters
外形尺寸(mm)：9900*2500*3600	Dimensions (mm) : 9900*2500*3600
整车质量(kg)：23000	Curb weight(kg) :23000
排放标准：欧六	Emission standard: Euro 6
最大布料半径（mm）：33000	Maximum fabric radius (mm) : 33000

混凝土泵车Concrete pump truck

52米混凝土泵车 52 meters concrete pump truck



产品卖点

- 整车总长度12.3米，总高4米，国内三桥最大米数车型，满足城镇建房规划、高速、高铁、水利等建设工程的需求和使用。

Product Advantage

- The total length of the vehicle is 12.3 meters, the total height is 4 meters, the model of the longest arm with 3 axles chassis in China, to meet the needs and use of urban housing planning, high-speed, high-speed rail, water conservancy and otherconstruction projects.

产品参数	Product parameters
底盘：重汽山德卡/五十铃	Chassis: SITRAK/Isuzu
发动机马力（HP）：400/420	Power (HP) :400/420
轴距(mm)：4600+1400/4800+1370	Wheelbase (mm) :4600+1400/4800+1370
理论泵送量(m^3/h): 140	Theoretical pumping capacity: 140 (m^3/h)

产品参数	Product parameters
外形尺寸(mm)：12300×2500×4000	Overall dimension (mm):12300×2500×4000
整车质量（kg）：35000	Carb Weight(kg):35000
排放标准：欧六	Emission standard: Euro 6
最大布料半径（mm）：45200	Maximum fabric radius (mm) : 45200

65米混凝土泵车 65 meters concrete pump truck



产品卖点

- 解决了长臂架泵车通过性差，施工作业占地面积大的难点，满足城镇建房规划、高速、高铁、水利等建设工程的需求和使用。

Product Advantage

- Solve the difficulties of poor passability of long boom pump truck and large construction area, meet the needs and use of urban housing planning, high-speed, high-speed rail, water conservancy and other construction projects.

产品参数	Product parameters
底盘：福田戴姆勒	Chassis: Foton Daimler
发动机马力（HP）：470	Power (HP) :470
轴距（mm）：2100+4800+1350	Wheelbase (mm) :2100+4800+1350
理论泵送量（m^3/h）：180	Theoretical pumping capacity:180

产品参数	Product parameters
外形尺寸(mm):15300×2500×4000	Overall dimension (mm):15300×2500×4000
整车质量(kg):46000	Carb Weight(kg):46000
排放标准：欧六	Emission standard: Euro 6
最大布料半径（mm）：59000	Maximum fabric radius (mm) : 59000

沥青洒布车 Asphalt distributor truck



- 喷洒方式：泵压撒布
- 沥青洒布量：0.25~3Lkg/m2
- 整车质量：7360kg
- 洒布宽度：4000mm
- 沥青罐容量：4300L
- 发动机功率：103KW
- 最高车速：110Km/h

- Spraying method: pumping and spreading.
- Asphalt spreading amount: 0.25~3Lkg/m2
- Curb weight: 7360kg
- Spreading width: 4000mm
- Asphalt tank capacity: 4300L
- Engine power: 103KW
- Maximum speed: 110Km/h



产品参数	Product parameters
沥青撒布车	Asphalt distributor truck
TSSB6004	TSSB6004
搅拌容积：4方	Mixing volume: 4 cbm
LHD/RHD 欧II-VI	LHD/RHD Euro II-VI



产品参数	Product parameters
沥青撒布车	Asphalt distributor truck
TSSB6006	TSSB6006
搅拌容积：6方	Mixing volume: 6 cbm
LHD/RHD 欧II-VI	LHD/RHD Euro II-VI



产品参数	Product parameters
沥青撒布车	Asphalt distributor truck
TSSB60012	TSSB60012
搅拌容积：12方	Mixing volume: 12 cbm
LHD/RHD 欧II-VI	LHD/RHD Euro II-VI



产品参数	Product parameters
沥青撒布车	Asphalt distributor truck
TSSB60013	TSSB60013
搅拌容积：13方	Mixing volume: 13 cbm
LHD/RHD 欧II-VI	LHD/RHD Euro II-VI

舞台车 Stage vehicles



- 车辆型号：HLW5160XWTHF5
- 总质量：16000kg
- 额定载质量：3255kg
- 外形尺寸：9650x2500x3950mm
- 轴数：2
- 轴荷：5600
- 轴距：5700mm
- 前排乘客：3人

- Vehicle model: HLW5160XWTHF5
- G.V.W: 16000kg
- Rated load Weight: 3255kg
- Overall dimensions: 9650x2500x3950mm
- Number of axles: 2
- Axle load: 5600
- Wheelbase: 5700mm
- Front passengers: 3 Seats



产品参数	Product parameters
舞台车	Stage vehicles
TSXF60090	TSXF60090
舞台面积：90方	Stage area: 90 cbm
LHD/RHD 欧II-VI	LHD/RHD Euro II-VI



产品参数	Product parameters
舞台车	Stage vehicles
TSXF60040	TSXF60040
舞台面积：40方	Stage area: 40 cbm
LHD/RHD 欧II-VI	LHD/RHD Euro II-VI



产品参数	Product parameters
舞台车	Stage vehicles
TSXF60070	TSXF60070
舞台面积：70方	Stage area: 70 cbm
LHD/RHD 欧II-VI	LHD/RHD Euro II-VI



产品参数	Product parameters
舞台车	Stage vehicles
TSXF600100	TSXF600100
舞台面积：100方	Stage area: 100 cbm
LHD/RHD 欧II-VI	LHD/RHD Euro II-VI

冷藏车 Refrigerated truck



- 型号：DFH5310XLCDXLDX
- 发动机型号：DDi11E465-60
- 发动机功率：343kw
- 燃料类型：柴油
- 最高车速：110km/h
- 最大扭矩：2240n/m
- 轴数：4
- 轴距：2050x4600x1350mm

- Model: DFH5310XLCDXLDX
- Engine model: DDi11E465-60
- Engine power: 343kw
- Fuel type: diesel
- Maximum speed: 110km/h
- Maximum torque: 2240n/m
- Number of axles: 4
- Wheelbase: 2050x4600x1350mm



产品参数	Product parameters
冷藏车	Refrigerated truck
TSLC6003	TSLC6003
箱体长度：3米	Box length: 3 m
LHD/RHD 欧II-VI	LHD/RHD Euro II-VI



产品参数	Product parameters
冷藏车	Refrigerated truck
TSLC60042	TSLC60042
箱体长度：4.2米	Box length: 4.2 m
LHD/RHD 欧II-VI	LHD/RHD Euro II-VI



产品参数	Product parameters
冷藏车	Refrigerated truck
TSLC6008	TSLC6008
箱体长度：8米	Box length: 8 m
LHD/RHD 欧II-VI	LHD/RHD Euro II-VI



产品参数	Product parameters
冷藏车	Refrigerated truck
TSLC6010	TSLC6010
箱体长度：10米	Box length: 10 m
LHD/RHD 欧II-VI	LHD/RHD Euro II-VI

救护车 Ambulance



- 外形尺寸(毫米)5320×1695×2415
- 病人隔间(毫米)3000*1500*1550
- 总重(千克)2860千克
- 整车整备质量(kg)2100
- 前/后悬架(mm)1190/1080
- 轴距(毫米)305010
- 最大值速度(公里/小时)150
- 额定乘客(人)6

- Overall dimensions (mm)5320×1695×2415
- Patient compartment(mm)3000*1500*1550
- GVW (kg)2860(Kg)
- Curbweight (kg)2100
- Front/Rear suspension (mm)1190/1080
- wheelbase (mm)305010
- Max. speed (Km/h)150
- Rated passengers（persons）6



产品参数	Product parameters
救护车	Ambulance
TSJH362	TSJH362
福特转运型一体化	Ford transshipment integration
LHD/RHD 欧II-VI	LHD/RHD Euro II-VI



产品参数	Product parameters
救护车	Ambulance
TSJH362	TSJH348
福特救护型一体化	Ford ambulance integration
LHD/RHD 欧II-VI	LHD/RHD Euro II-VI



产品参数	Product parameters
救护车	Ambulance
TSJH360	TSJH360
江铃转运型一体化	JMC transshipment integration
LHD/RHD 欧II-VI	LHD/RHD Euro II-VI



产品参数	Product parameters
救护车	Ambulance
TSJH333	TSJH333
金杯转运型一体化	jinbei transshipment integration
LHD/RHD 欧II-VI	LHD/RHD Euro II-VI

消防车 Fire fighting truck



型号：ZZ5207N4617E5
外形长x宽x高：8470x2500x3640mm
轴距：4600mm
功率：225kw（440马力）
变速器：机械式10档变速箱
制动系统：双管路液压制动系统
离合器：常结合单片干式
转向系统：动力转向系统

Model: ZZ5207N4617E5
Appearance length x width x height: 8470x2500x3640mm
Wheelbase: 4600mm
Power: 225kw(440 HP)
Transmission: mechanical 10-speed gearbox.
Braking system: Double-pipeline hydraulic braking system
Clutch: combined with single-chip dry type
Steering system: power steering system



产品参数	Product parameters
消防车	Fire engine
TSXF6007	TSXF6007
罐体容积：7方	Tank Volume: 7 CBM
LHD/RHD 欧 II -VI	LHD/RHD Euro II-VI



产品参数	Product parameters
消防车	Fire engine
TSXF6008	TSXF6008
罐体容积：8方	Tank Volume: 8 CBM
LHD/RHD 欧 II -VI	LHD/RHD Euro II-VI



产品参数	Product parameters
消防车	Fire engine
TSXF6004	TSXF6004
罐体容积：4方	Tank Volume: 4 CBM
LHD/RHD 欧 II -VI	LHD/RHD Euro II-VI



产品参数	Product parameters
消防车	Fire engine
TSXF60012	TSXF60012
罐体容积：12方	Tank Volume: 12 CBM
LHD/RHD 欧 II -VI	LHD/RHD Euro II-VI

清障车 Wrecker



类型：清障车
轴数：5
尺寸：11180x2500x3350mm
最高车速：92
准乘人数：2
总质量：50000
燃料种类：柴油
轴距：8000（双轴）

Type: wrecker
Number of axle: 5
Size: 11180x2500x3350mm
Maximum speed: 92（km/h)
Number of passengers allowed: 2
Total mass: 50,000
Fuel type: diesel
Wheelbase: 8000mm (two axles)



产品参数	Product parameters
清障车	wrecker
TSQZ6008	TSQZ6008
平板式	Flat
LHD/RHD 欧 II -VI	LHD/RHD Euro II-VI



产品参数	Product parameters
清障车	wrecker
TSQZ6009	TSQZ6009
随车吊清障车	with crane
LHD/RHD 欧 II -VI	LHD/RHD Euro II-VI



产品参数	Product parameters
清障车	wrecker
TSQZ60010	TSQZ60010
一拖二	One drag two
LHD/RHD 欧 II -VI	LHD/RHD Euro II-VI



产品参数	Product parameters
清障车	wrecker
TSQZ60011	TSQZ60011
重型一拖二	Heavy One drag two
LHD/RHD 欧 II -VI	LHD/RHD Euro II-VI

餐厨车 Kitchen truck



型号：JHW5040XCCE6
外形尺寸：5995x2120x3300mm
额定功率：81kw
发动机型号：CA4DB1-11E6
轴距：3308mm
整备质量：4365kg
箱体尺寸：4200x2000x2000mm
轴数：2

Model: JHW5040XCCE6
Overall dimensions: 5995x2120x3300mm
Rated power: 81kw
Engine model: CA4DB1-11E6
Wheelbase: 3308mm
Curb Weight: 4365kg
Box size: 4200x2000x2000mm
Number of axles: 2



产品参数	Product parameters
餐厨车	Kitchen truck
TSCC5040	TSCC5040
LHD/RHD 欧 II -VI	LHD/RHD Euro II-VI



产品参数	Product parameters
餐厨车	Kitchen truck
TSCC5030	TSCC5030
LHD/RHD 欧 II -VI	LHD/RHD Euro II-VI



产品参数	Product parameters
餐厨车	Kitchen truck
TSCC5045	TSCC5045
LHD/RHD 欧 II -VI	LHD/RHD Euro II-VI



产品参数	Product parameters
餐厨车	Kitchen truck
TSCC5110	TSCC5110
LHD/RHD 欧 II -VI	LHD/RHD Euro II-VI

牛奶运输车 Milk transport vehicle



型号：CLW5250GNYC5
箱体尺寸：7950x2330x1560mm
发动机型号：BF6M2012-22E5
额定功率：165kw
驱动方式：6x2
轴距：1900+4700mm
马力：200马力以上
整车尺寸：10800x2500x3150mm

Model: CLW5250GNYC5
Box size: 7950x2330x1560mm
Engine model: BF6M2012-22E5
Rated power: 165kw
Driving mode: 6x2
Wheelbase: 1900+4700mm
Horsepower: More than 200 horsepower.
Overall dimension: 10800x2500x3150mm



产品参数	Product parameters
牛奶运输车	Milk transport vehicle
TSNN60008	TSNN60008
管体容积： 30方	Tank Volume: 30 CBM
LHD/RHD 欧 II -VI	LHD/RHD Euro II-VI



产品参数	Product parameters
牛奶运输车	Milk transport vehicle
TSXF60009	TSXF60009
管体容积： 8方	Tank Volume: 8 CBM
LHD/RHD 欧 II -VI	LHD/RHD Euro II-VI



产品参数	Product parameters
牛奶运输车	Milk transport vehicle
TSXF60010	TSXF60010
管体容积： 12方	Tank Volume: 12 CBM
LHD/RHD 欧 II -VI	LHD/RHD Euro II-VI



产品参数	Product parameters
牛奶运输车	Milk transport vehicle
TSXF60011	TSXF60011
管体容积： 20方	Tank Volume: 20 CBM
LHD/RHD 欧 II -VI	LHD/RHD Euro II-VI

LED宣传车 LED Advertising truck



- 车厢尺寸：3100x1700x1700
- 发电机尺寸:1060x1060x0900
- P6彩屏尺寸：2304x1536mm
- 前眉单红屏尺寸：960x320mm
- 尾门红屏尺寸：960x1280mm
- 舞台尺寸：2700x1500mm
- 离地间隙：720mm

- Cargo box size: 3100x1700x1700
- Generator size: 1060x1060x0900
- P6 color screen size: 2304x1536mm
- Front screen size: 960x320mm.
- Rear screen size: 960x1280mm
- Stage size: 2700x1500mm
- Ground Clearance: 720mm



产品参数	Product parameters
LED宣传车	LED Advertising truck
TSLED70051	TSLED70051
双侧LED可升降	Both leds can lift
LHD/RHD 欧II-VI	LHD/RHD Euro II-VI



产品参数	Product parameters
LED宣传车	LED Advertising truck
TSLED70051	TSLED70051
单侧LED可升降	One side LED can lift
LHD/RHD 欧II-VI	LHD/RHD Euro II-VI



产品参数	Product parameters
LED宣传车	LED Advertising truck
TSLED70051	TSLED70051
双侧LED固定式	Both leds Fixed
LHD/RHD 欧II-VI	LHD/RHD Euro II-VI



产品参数	Product parameters
LED宣传车	LED Advertising truck
TSLED70051	TSLED70051
单侧LED固定式	Oneside leds FIXED
LHD/RHD 欧II-VI	LHD/RHD Euro II-VI

除雪车 Snow plow



- 类型：除雪车
- 型号：HCY5252TCY
- 额定质量：6610,5470,5520
- 轴距：4325x1350
- 整车尺寸：10310，12210,12310x2496x3530
- 最高车速：80
- 准乘人员：2
- 轴数：3

- Type: snow removal vehicle
- Model: HCY5252TCY
- Rated mass: 6610,5470,5520
- Wheelbase: 4325x1350
- Vehicle dimensions: 10310, 12210,12310x2496x3530.
- Maximum speed: 80
- Passenger: 2
- Number of shafts: 3



产品参数	Product parameters
除雪车	Snow plow
TS5250	TS5250
撒盐除雪型	Salt and snow removal
LHD/RHD 欧II-VI	LHD/RHD Euro II-VI



产品参数	Product parameters
除雪车	Snow plow
TS5251	TS5251
推铲清扫型	Shovelling Type
LHD/RHD 欧II-VI	LHD/RHD Euro II-VI



产品参数	Product parameters
除雪车	Snow plow
TS5250	TS5250
融雪撒布型	The snowmelt spray type
LHD/RHD 欧II-VI	LHD/RHD Euro II-VI



产品参数	Product parameters
除雪车	Snow plow
TS5250	TS5250
撒盐清扫型	Salt-swept
LHD/RHD 欧II-VI	LHD/RHD Euro II-VI

油罐车 Fuel tank truck



类型：铝合金运油车
产品型号：QXC5260GYYZ6
外轮廓尺寸：10090x2550x3500mm
总质量：26000kg
驱动形式：6x4
发动机型号：MC07H.35-60
整备质量：9800kg
燃油种类：柴油

Type: aluminum alloy tanker
Product model: QXC5260GYYZ6
Overall dimension: 10090x2550x3500mm.
Total mass: 26000kg
Driving mode: 6x4
Engine model: MC07H.35-60
Curbweight: 9800kg
Fuel type: diesel oil



产品参数	Product parameters
油罐车	Oil tank truck
TSYG5515	TS55115
罐体容积：15方	Tank Volume: 15 CBM
LHD/RHD 欧II-VI	LHD/RHD Euro II-VI



产品参数	Product parameters
油罐车	Oil tank truck
TSYG5520	TS55120
罐体容积：20方	Tank Volume: 20 CBM
LHD/RHD 欧II-VI	LHD/RHD Euro II-VI



产品参数	Product parameters
油罐车	Oil tank truck
TSYG5530	TS5530
罐体容积：30方	Tank Volume: 30 CBM
LHD/RHD 欧II-VI	LHD/RHD Euro II-VI



产品参数	Product parameters
油罐车	Oil tank truck
TSYG5508	TS55108
罐体容积：8方	Tank Volume: 8 CBM
LHD/RHD 欧II-VI	LHD/RHD Euro II-VI

高空作业车 Aerial working platform



类型：多功能高空车
伸展结构：伸缩臂式
最大工作高度：25m
最大作业幅度：13.5m
额定载荷：200kg
发动机功率：85kw
轴距：3360mm
整机总质量：4495

Type: multifunctional aerial vehicle
Extension structure: telescopic arm type
Maximum working height: 25m
Maximum operating range: 13.5m
Rated load: 200kg
Engine power: 85kw
Wheelbase: 3360mm
Gross Vehicle Weight: 4495



产品参数	Product parameters
高空作业车	Aerial work platform
TSGK6816	TSGK6816
最大高度：16m	Maximum height: 16m
LHD/RHD 欧II-VI	LHD/RHD Euro II-VI



产品参数	Product parameters
高空作业车	Aerial work platform
TSGK6812	TSGK6812
最大高度：12m	Maximum height: 12m
LHD/RHD 欧II-VI	LHD/RHD Euro II-VI



产品参数	Product parameters
高空作业车	Aerial work platform
TSGK6818	TSGK6818
最大高度：18m	Maximum height: 18m
LHD/RHD 欧II-VI	LHD/RHD Euro II-VI



产品参数	Product parameters
高空作业车	Aerial work platform
TSGK6820	TSGK6820
最大高度：20m	Maximum height: 20m
LHD/RHD 欧II-VI	LHD/RHD Euro II-VI

柴油客车重点推介车型 Popular model of diesel bus



柴油客车重点推介车型 Popular model of diesel bus



K7（MD6701系列） 21+1座



K7（MD6701系列） 22+1座



K7W（MD6702系列） 26+1座



产品卖点

- 经典的仿考斯特车型设计；
- 同长度下座位数较多；
- 价格便宜；
  康明斯发动机；

Product Advantage

- Classic Coaster inspired model design;
- There are more seats of the same length;
- Cheap prices;
  Cummins engine;

产品参数 Product parameters		
尺寸	Dimension	7740×2260×2820
座位数	Seats	13-23
最大时速	Max.speed（km/h）	≤100
轴距	Wheelbase（mm）	3308，3935，4435
发动机	Engine	康明斯Euro II
轮胎	Tire	7.00R16LT

柴油客车重点推介车型 Popular model of diesel bus



产品卖点

- 前置发动机，散热性能更好；
- 后双轴设计 长途旅行更舒适；
- 双前风档，3+2座椅可以做到70座。

Product Advantage

- The front engine has better heat dissipation performance,
- the rear double-axle design makes the long-distance travel more comfortable,
- the double-front windshield, 3 + 2 seats can achieve 70 seats.

产品参数	Product parameters	
尺寸	Dimension	12450*2550*3845
座位数	Seats	51+1+1/70
最大时速	Max.speed（km/h)	120
悬挂	Suspension system	Front and middle leaf spring suspension, rear airbag suspension
发动机	Engine	Cummins L360 20 Euro II
轮胎	Tire	315/80R22.5

柴油客车6m-12m Diesel bus 6m-12m



产品参数	Product parameters
型号: 6600F7D6Z	Model: 6600F7D6Z
外形尺寸:5990×2050×2785	Overall dimension: 5990*2050*2785
标准座位数: 18+1(10-19)	Standard seating number: 18 + 1 (10-19)
发动机: YCY24140-60	Engine: YCY24140-60



产品参数	Product parameters
型号：6730K8D6Z	Model number: 6730K8D6Z
外形尺寸（mm）： 7280×2250×2840	Overall dimension (mm): 7280*2250*2840
标准座位数：27+1（24-30）	Standard seating number: 27 + 1 (24-30)
发动机：YCY30150-60A	Engine: YCY30150-60A



产品参数	Product parameters
型号：6781KD1E6B	Model number: 6781KD1E6B
外形尺寸: 7805×2390×3260	Overall dimension : 7805*2390*3260
标准座位数：29+1（24-32）	Standard seating number: 29 + 1 (24-32)
发动机：WP4.6NQ220	Engine: WP4.6NQ220



产品参数	Product parameters
型号：V8	Model number: V8
外形尺寸（mm）： 8567*2480*3455MM	Overall dimension (mm): 8567*2480*3455MM
标准座位数：33+1+1	Standard seating number: 33+1+1
发动机：Cummins EQB210-20	Engine: Cummins EQB210-20

柴油客车6m-12m Diesel bus 6m-12m

柴油客车6m-12m Diesel bus 6m-12m



产品参数	Product parameters
外观尺寸:8755*2500*3240/3300	Dimensions:8755*2500*3240/3300
座位数：24-38	Seating capacity: 24-38
发动机：YCS06 245（柴油）	Engine: YCS06 245 (diesel)
车型代号:XML6887 客车	Vehicle code :XML6887 bus



产品参数	Product parameters
型号：6110A6D6Z	Model number: 6110A6D6Z
外形尺寸:10990×2500×3285	Overall dimension : 1099*02500*3285
标准座位数：47+1	Standard seating number: 47 + 1
发动机：YCK08310-60	Engine: YCK08310-60



产品参数	Product parameters
型号：6120D 外形尺寸（mm）： 12000*2550*3820/3950MM 标准座位数：55+1/66+1 发动机：Cummins L325 20	Model number: 6125AY Overall dimension (mm): 12000*2550*3820/3950MM Standard seating number: 55+1/66+1 Engine: Cummins L325 20



产品参数	Product parameters
型号：6121D 外形尺寸（mm）： 12170×2600×3950 标准座位数：55+1+1 发动机：Cummins L325 20	Model number: 6121D Overall dimension (mm): 12170×2600×3950mm Standard seating number: 55+1+1 Engine: Cummins L325 20



产品参数	Product parameters
型号：6120K09D1E6	Model number: 6120K09D1E6
外形尺寸: 12000×2550×3690	Overall dimension: 12000*2550*3690
标准座位数：49+1（24-56）	Standard seating number: 49 + 1 (24-56)
发动机：WP9H336E62	Engine: WP9H336E62



产品参数	Product parameters
型号：6127 外形尺寸（mm）： 12000*2550*3820MM 标准座位数：45+1 发动机：ISLe375 30	Model number: 6125AY Overall dimension (mm): 12000*2550*3820MM Standard seating number: 45+1 Engine: ISLe375 30



产品参数	Product parameters
外观尺寸:12990x2550x3695	Dimensions :12990x2550x3695
座位数:24-56	Seating capacity: 24-56
发动机：WP10H375（柴油）	Engine: WP10H375 (diesel)
车型代号:XML6132 双玻	Vehicle code :XML6132 Double glass



产品参数	Product parameters
型号：6140A9D6Y	Model number: 6140A9D6Y
外形尺寸: 13700×2550×3780	Overall dimension: 13700*2550*3780
标准座位数：55+1（24-56）	Standard seating number: 55 + 1 (24-56)
发动机：WP10H400E62	Engine: WP10H400E62

电动客车重点推介车型Popular model for electric bus



产品卖点

- 前围采用微笑的设计风格，整车采用圆润饱满的基调，具有极强的亲和力，曲线优美，配合组合式大灯，简约大气，彰显非凡气质。
- 整体式仪表操作台，外观高端豪华，造型时尚美观，操控按钮布局合理，触手可及，驾驶操作方便舒适。
- 高性价比；高续航；快速充电，客运服务回本快。

Product Advantage

- The front uses the smiling design style, the entire vehicle uses the round full tone, has the extremely strong affinity. Beautiful curve, with combined headlights, simplicity and grandewr, highlight the extraordinary temperament.
- Integral instrument console, the appearance of high-end luxury, stylish and beautiful shape, control button layout is reasonable, accessible, convenient and comfortable driving operation.
- High performance-price ratio; high-endurance; fast charging, fast return of passenger service.

产品参数	Product parameters	
尺寸	Dimension	11300×2500×3285
座位数	Seats	24-50
最大时速	Max.speed（km/h）	120
电机功率	Motor power	245kw
发动机	Engine	338.4KWH
轮胎	Tire	380

电动客车6m-12m Electric bus with a length of 6m-12m



产品参数	Product parameters
外观尺寸(mm):5990*2050*2700/2780/2870	Overall dimension :5990*2050*2700/2780/2870
座位数:10-19	Seating capacity: 10-19
续航里程(km) :302	Range (km) : 302
总电量(kwh) :105	Total electricity (kwh: 105
车型代号:XML6601考斯特纯电动客车	Model code :XML6601 Coster pure electric bus



产品参数	Product parameters
型号：6600K8EV21	Model number: 6600K8EV21
外形尺寸(mm):5990×2250×3150	Overall dimensio : 5990*2250*3150
标准座位数：18+1（10-19）	Standard seating number: 18 + 1 (10-19)
续航里程：200km	Range: 200km



产品参数	Product parameters
型号：6821A5EV21	Model number: 6821A5EV21
外形尺寸(mm):8195/2390/3260	Overall dimension (mm): 8195 / 2390 / 3260
标准座位数：31+1（24-32）	Standard seating number: 31 + 1 (24-32)
续航里程：260/300km	Range: 260 / 300km



产品参数	Product parameters
型号：6110A6EV21	Model number: 6110A6EV21
外形尺寸(mm):10990×2500×3285	Overall dimension (mm): 10990*2500*3285
标准座位数：24-50	Standard seating number: 24-50
续航里程：250km	Range: 250km



产品参数	Product parameters
外观尺寸(mm):10200x2540x4200	Overall dimension:10200x2540x4200
座位数：50+1（底层9座，顶层41座）	Seating capacity: 50+1 (9 seats on the ground floor, 41 seats on the top floor)
续航里程(km) 484	Range (km) 484
总电量(kwh) 326.73	Total electricity (kwh) 326.73
车型代号：XML6106纯电动双层公交	Model : XML6106 pure electric double-decker bus



产品参数	Product parameters
外观尺寸(mm):11600*2550*3430/3600	Overall dimension:11600*2550*3430/3600
座位数:24-54	Seating capacity: 24-54
续航里程(km) :280-400	Range (km) 280-400
总电量(kwh) :255	Total electricity (kwh) 255
车型代号：XML6122纯电动系列	Vehicle code: XML6122 Pure electric series

柴油公交重点推介车型Popular model of diesel city bus



产品卖点

- 延续经典的方基调造型设计，搭配凌厉前大灯，可开合式前脸设计以及立式组合后尾灯等创新细节。灵动，饱满，演绎流线之美；前沿，大气，尽显潮流美学，颜值爆表，让你目不转睛；
- 适合多市场客运需求，并可根据需求做残疾人座椅等设计；
- 产品性价比高,可满足多种发动机排放的需求。

Product Advantage

- Continue the classic square modeling design, with sharp headlights, can open and close the front of the design and vertical combination of rear lights and other innovative details. Dynamic full, deductive streamline of the United States; cutting-edge, atmospheric, showing the trend of aesthetics, face off table, let your eyes.
- Suitable for multi-market passenger transport needs, and according to the needs of the disabled seats and other design;
- cost-effective products. Can meet the needs of a variety of engine emissions.

产品参数	Product parameters	
尺寸	Dimension	10450×2500×3150
座位数	Seats	28+1
最大时速	Max.speed（km/h）	100
发动机	Engine	YC6J245-30
轮胎	Tire	7.00R16LT

柴油公交6m-18m Diesel city bus with a length of 6m-18m



产品参数	Product parameters
型号：6709G7	Model number: 6709G7
外形尺寸:6990×2250×2890	Overall dimension : 6993*2250*2890
标准座位数：24	Standard seating number: 24
发动机类型：WP2.3NQ130E61	Engine type: WP2.3NQ130E61



产品参数	Product parameters
外观尺寸:8045x,2350/2360x2980/3050/3135	Overall dimension : 8045 x, 2350/2360 x2980/3050/3135
座位数:50,13-24，64/13-24，62/13-24	Seats: 50/13-24, 64/13-24, 62/13-24
续航里程:.168-348	Range (km) 168-348
总电量:12:..1/140.95/180.87	Total electricity (kwh) 121.1/140.95/180.87
车型代号：XML6805JEV系列	Vehicle code: XML6805JEV series



产品参数	Product parameters
型号：6100G39DE5	Model number: 6100G39DE5
外形尺寸: 10450×2500×3150	Overall dimension: 10450*2500*3150
标准座位数：28+1	Standard seating number: 28 + 1
发动机类型：YC6J245-30	Engine type: YC6J245-30



产品参数	Product parameters
型号：6115GS01	Model number: 6115GS01
外形尺寸：11320×2550×4200	Overall dimension: 11320*2550*4200
标准座位数：上层44+下层18+1	Standard seat number: upper 44 + lower 18 + 1
发动机类型：YC6L280-50	Engine type: YC6L280-50



产品参数	Product parameters
型号：6120G04DE5	Model number: 6120G04DE5
外形尺寸：12000×2550×3150	Overall dimension: :2000*2550*3150
标准座位数：32+1	Standard seating number: 32 + 1
发动机类型：YC6G270-30	Engine type: YC6G270-30



产品参数	Product parameters
型号：6182G02D	Model number: 6182G02D
外形尺寸：18000×2550×3150	Overall dimension : 18000*2550*3150
标准座位数：42+1	Standard seating number: 42 + 1
发动机类型：YC6L310-30	Engine type: YC6L310-30

电动公交重点推介车型Popular model of electric city bus



产品卖点

- 大曲面设计使得前脸强壮有力，前脸上的V形线条动感流畅。顶部装饰罩采用整体造型设计，与车身结构和图案“无缝衔接”，使整车风格和设计元素更加和谐美观；
- 该车型可以做到三个乘客门；同级别车型中续航里程更长；
- 价格便宜，性价比高。

Product Advantage

- The large curved design makes the front face strong and powerful, and the V-shaped lines on the front face are dynamic and smooth.The top decorative cover adopts an integrated molding design, which is "seamlessly linked" with the body structure and pattern, making the style and design elements of the whole bus more harmonious and beautiful.
- The model can do three passenger doors, longer range amany vehicles in the same class.
- Low Price, cost-effective

产品参数	Product parameters	
尺寸	Dimension	12000×2550×3360
座位数	Seats	34+1(3门) /38+1(2门)
最大时速	Max.speed（km/h)	120
电机功率	Motor power	245kw
发动机	Engine	350.1KWH
轮胎	Tire	350

电动公交6m-12m Electric city bus with length range from 6m-12m



产品参数	Product parameters
型号：6650GEV32	Model number: 6650 GEV 32
外形尺寸(mm):6540×2100×2870	Overall dimension (mm): 6540*2100*2870
标准座位数：10-17	Standard seating number: 10-17
续航里程：210/280KM	Range: 210 / 280KM



产品参数	Product parameters
型号：6800G03EV79	Model number: 6800G03EV79
外形尺寸(mm):8005×2350×3000	Overall dimension (mm): 8005*2350*3000
标准座位数：13-28	Standard seating number: 13-28
续航里程：250/300KM	Range: 250 / 300KM



产品参数	Product parameters
型号：6109G03EV16	Model number: 6109G03EV16
外形尺寸(mm):10450×2550×3150	Overall dimension (mm): 10450*2550*3150
标准座位数：19-39	Standard seating number: 19-39
续航里程：270/350KM	Range: 270 / 350KM



产品参数	Product parameters
型号：EV12	Model number: EV12
外形尺寸(mm): 11980×2550×3300	Overall dimension (mm): 11980×2550×3300
标准座位数：25-35	Standard seating number: 25-35
续航里程：300KM	Range: 300KM



产品参数	Product parameters
型号：6126EV	Model number: 6126EV
外形尺寸(mm):11990×2550×3050	Overall dimension (mm): 11990×2550×3050
标准座位数：89/20-42	Number of standard seats: 89/20-42
续航里程：465/648KM	Range: 465/648KM



产品参数	Product parameters
型号：6129G03EV6	Model number: 6129G03EV6
外形尺寸(mm):12000×2550×3360	Overall dimension (mm): 12000×2550×3360
标准座位数：34+1(3门) /38+1(2门)	Number of standard seats: 34 + 1 (3 doors) / 38 + 1 (2 doors)
续航里程：290/350KM	Range: 290 / 350KM

校车 School bus

校车 School bus



车型：ZK6875DX
发动机型号：YCS04160-68,WP3NQ170E62
额定功率kw/rpm：118/2300,25/2800
整车尺寸mm：8695x2500x3035,3075,3200
悬架系统：少片簧
制动型式：前盘后鼓
油箱容积L：150
座位数：43+2
顶风窗配置：1个换气扇顶风窗

Model: ZK6875DX
Engine model: YCS04160-68,WP3NQ170E62.
Rated power kw/rpm: 118/2300, 25/2800.
Overall dimension mm: 8695x2500x3035,3075,3200.
Suspension system: parabolic leaf spring
Braking type: front disc and rear drum
Tank volume l: 150
Seats: 43+2
Windward window configuration: 1 ventilator windward window.



产品参数 Product parameters

6米专用校车 6-meter special school bus
发动机型号：玉柴/潍柴 Engine model: Yuchai/Weichai
悬架系统： 钢板弹簧 Suspension system: leaf springs



产品参数 Product parameters

7米专用校车 7-meter special school bus
发动机型号：玉柴/潍柴 Engine model: Yuchai/Weichai
悬架系统： 钢板弹簧 Suspension system: leaf springs



产品参数 Product parameters

8米专用校车 8-meter special school bus
发动机型号：玉柴/潍柴 Engine model: Yuchai/Weichai
悬架系统： 钢板弹簧 Suspension system: leaf springs



产品参数 Product parameters

9米专用校车 9-meter special school bus
发动机型号：玉柴/潍柴 Engine model: Yuchai/Weichai
悬架系统： 钢板弹簧 Suspension system: leaf springs



产品参数 Product parameters

5米专用校车 5-meter special school bus
发动机型号：玉柴/潍柴 Engine model: Yuchai/Weichai
悬架系统： 钢板弹簧 Suspension system: leaf springs



产品参数 Product parameters

6米专用校车 6-meter special school bus
发动机型号：玉柴/潍柴 Engine model: Yuchai/Weichai
悬架系统： 钢板弹簧 Suspension system: leaf springs



产品参数 Product parameters

10米专用校车 10-meter special school bus
发动机型号：玉柴/潍柴 Engine model: Yuchai/Weichai
悬架系统： 钢板弹簧 Suspension system: leaf springs



产品参数 Product parameters

11米专用校车 11-meter special school bus
发动机型号：玉柴/潍柴 Engine model: Yuchai/Weichai
悬架系统： 钢板弹簧 Suspension system: leaf springs

特种客车 Special passenger bus



品牌：东风六驱
驱动形式：6x6
发动机：康明斯B210 33
变速器：手动八档
分动器：高低两档
车架：860*232mm
轮胎：12.5R20（6+1条）

Brand: Dongfeng Six Wheels Drive
Driving mode: 6x6
Engine: Cummins B210 33
Transmission: manual 8 gear.
Transfer gear: high and low gears
Frame: 860*232mm
Tire: 12.5R20(6+1)



产品参数	Product parameters
24-30座6驱客车	24-30 seat 6-wheel drive assenger bus
驱动形式：6x6	Driving mode: 6x6
发动机：康明斯	Engine:Cummins
变速器：手动八档	Transmission:manual 8 gear.



产品参数	Product parameters
30座6驱越野大巴	30 seat 6-wheel drive assenger bus
驱动形式：6x6	Driving mode: 6x6
发动机：康明斯	Engine:Cummins

特种客车 Special passenger bus



型号:四驱6C座位越野大巴
整车外形尺寸mm:14000x2550x3600
轴距mm:6800
额定乘客数:60人
发动机型号：B210 30
发动机参数：前置/柴油
变速箱：8档
轮胎型号：10.00R20

Model: Four wheel drive 60 seat off-road bus
Overall dimensions of the vehicle mm: 14000x2550x3600
Wheelbase mm: 6800
Rated passenger capacity: 60 people
Engine model: B210 30
Engine parameters: front engine/diesel engine
Transmission: 8-speed
Tire model: 10.00R20



产品参数	Product parameters
10-17座四驱越野客车	10-17 seat four-wheel drive off-road bus
驱动形式：4*4	Driving mode: 4 * 4
发动机：康明斯	Engine: Cummins



产品参数	Product parameters
四驱30座大巴	30 seater four-wheel drive bus
驱动形式：4*4	Driving mode: 4 * 4
发动机：康明斯	Engine: Cummins

皮卡系列 Pickup Series　　柴油 Diesel Version　　柴油 Diesel Version



产品卖点

- 醒目LED前大灯，侧身腰线，减少风阻
- 日产雷诺M9T发动机，采埃孚第二代变速箱，3档位跳档自由切换更流畅.
- 日产ZONE BODY区域车身构造，博世ESP 9.3稳定系统，高强度车身，宇航级零重力健康座椅，博格华纳电控四驱系统，驾乘舒心，安全放心

Product Advantage

- Eye-catching LED headlights, side waist line, reduce wind resistance
- Nissan Renault M9T engine, ZF second generation transmission, 3 gear jump free shift more smooth.
- Nissan ZONE BODY construction, Bosch ESP 9.3 stability system, high-strength body, aerospace grade zero gravity health seat, BorgWarner electronic four-wheel drive system, comfortable driving, safety and rest assured

产品配置 Product Configuration

车型系列	Vehicles Series	P15柴油 P15 diesel
驱动	Driving Mode	4WD/2WD
整车参数 Specifications	长×宽×高（mm） Length × Width × Height (mm)	5290*1850*1810/1850
	轴距（mm） Wheel Base (mm)	3150
	轮距(前/后)(mm) Tread (front/rear)(mm)	1570/1570
	货厢长×宽×高(mm) Cargo compartment length × width × height (mm)	1510*1562*475
	最小离地间隙(mm)Min. Ground Clearance (mm)	207
	最小转弯半径(m) Min. Turning radius (m)	6.4
	满载总质量(kg) G.V.W (kg)	2715
	整车装备质量(kg) Curb Weight (kg)	1900
	载质量(kg) Loading Weight (kg)	700
	接近角/离去角(°) Approach Angle/Departure Angle (°)	31/20
	最大爬坡度(%)Max. Gradeability(%)	40
	乘客人数 Number of passengers	5
	油箱容量(L) Tank capacity (L)	73
	最高车速(km/h) Max. Speed (km/h)	150
发动机 Engine	型号 Model	ZD25T5
	排量(mL) Displacement (mL)	2498
	最大功率(Kw) Max. Power (Kw)	103
	最大扭矩(Nm) Max. Torque (Nm)	305

柴油发动机2WD/4WD/LHD Diesel Engine 2WD/4WD/LHD



产品参数	Product parameters
型号:2+3座	Model :2+3 seats
外观尺寸：5560*1840*1855	Overall dimension: 5560*1840*1855
发动机型号：JE4D25Q5A（柴油）	Engine model: JE4D25Q5A (diesel)
驱动形式：2WD/4WD(LHD)	Drive type: 2WD/4WD(LHD)



产品参数	Product parameters
型号:2+3座	Model :2+3 seats
外观尺寸：5382*1877*1830	Overall dimension: 5382*1877*1830
发动机型号：3.0T（柴油）	Engine Model:3.0T (Diesel)
驱动形式：2WD/4WD(LHD)	Drive type: 2WD/4WD(LHD)

柴油发动机2WD/4WD/LHD Diesel Engine 2WD/4WD/LHD



产品参数	Product parameters
型号:2+3座	Model :2+3 seats
外观尺寸：5287*1850*1832/1847	Dimensions: 5287*1850*1832/1847
发动机型号：JE493ZLQ4CA(汽油/柴油)	Engine model: JE493ZLQ4CA(gasoline/diesel)
驱动形式：2WD/4WD(LHD)	Drive type: 2WD/4WD(LHD)



产品参数	Product parameters
型号:2+3座	Model :2+3 seats
外观尺寸：5624*1920*4845	Overall dimension: 5624*1920*4345
发动机型号：JE4D25Q5A(柴油)	Engine model: JE4D25Q5A(diesel)
驱动形式：2WD/4WD/(LHD)	Drive form: 2WD/4WD/(LHD)

柴油发动机2WD/4WD/LHD/RHD Diesel Engine 2WD/4WD/LHD/RHD



产品参数	Product parameters
型号:2+3座	Model :2+3 seats
外观尺寸：5330*1870*1844	Appearance size: 5330*1870*1844
发动机型号：JE493ZLQ4CA(柴油)	Engine model: JE493ZLQ4CA(diesel)
驱动形式：2WD/4WD(LHD/RHD)	Drive Type: 2WD/4WD(LHD/RHD)



产品参数	Product parameters
型号:2+3座	Model :2+3 seats
外观尺寸：5288*1905*1835	Overall dimension:: 5288*1905*1835
发动机型号：2.0 PUMA(柴油)	Engine Model: 2.0 PUMA (Diesel)
驱动形式：2WD/4WD(LHD/RHD)	Drive type: 2WD/4WD (LHD/RHD)

皮卡系列 Pickup Series　　汽油 Gasoline Version



产品卖点

- 原装进口Jatco7AT变速箱，搭载动力强悍的日产QR25高效发动机，全地形电控分时四驱系统
- ZONE BODY区域车身构造，全封闭式“O”型结构车架高刚度坦克级车身
- 三位一体主动安全配置（ABS+EBD+BA），溃缩式方向管柱及大尺寸双安全气囊，日产“安全罩”设计理念，实现全方位驾乘保护。

Product Advantage

- Imported Jatco7AT gearbox, equipped with powerful Nissan QR25 efficient engine, all-terrain electronic control time-sharing four-drive system
- ZONE BODY construction, fully enclosed "O" structure frame high stiffness tank class body
- Three-in-one active safety configuration (ABS+EBD+BA), collapsible directional column and large-size dual airbags, Nissan "safety cover" design concept, to achieve all-round driving protection.

产品配置 Product Configuration

车型系列	Vehicles Series	NISSAN NAVARA
驱动	Driving Mode	4WD/2WD
整车参数 Specifications	长×宽×高（mm） Length × Width × Height (mm)	5263x1850x1808
	轴距（mm） Wheel Base (mm)	3150
	轮距(前/后)(mm) Tread (front/rear)(mm)	1570/1570
	货厢长×宽×高(mm) Cargo compartment length × width × height (mm)	1510x1562x475
	最小离地间隙(mm)Min. Ground Clearance (mm)	205
	最小转弯半径(m) Min. Turning radius (m)	6.25
	满载总质量(kg) G.V.W (kg)	2630
	整车装备质量(kg) Curb Weight (kg)	1791
	载质量(kg) Loading Weight (kg)	514
	接近角/离去角(°) Approach Angle/Departure Angle (°)	30°/25°
	最大爬坡度(%)Max. Gradeability(%)	5
	乘客人数 Number of passengers	73
	油箱容量(L) Tank capacity (L)	165
	型号 Model	QR25
发动机 Engine	排量(mL) Displacement (mL)	2500
	最大功率(Kw) Max. Power (Kw)	135
	最大扭矩(Nm) Max. Torque (Nm)	236

汽油发动机2WD/4WD(LHD) gasoline Engine 2WD/4WD(LHD)



产品参数	Product parameters
型号:双排5座F7	Model: Double row 5 seater F7
外观尺寸：5520*1900*1860/1905	Appearance size: 5520*1900*1860/1905
发动机型号：LQ481QFB	Engine Model: LQ481QFB
驱动形式：2WD(LHD)	Drive form: 2WD(LHD)



产品参数	Product parameters
型号:双排5座N2	Model: Two-row 5-seater N2
外观尺寸：5660*1925*1860	Appearance size: 5660*1925*1860
发动机型号：Mitsubihs 4K22D4T	Engine Model: Mitsubihs 4K22D4T
驱动形式：2WD/4WD(LHD)	Drive type: 2WD/4WD(LHD)



产品参数	Product parameters
型号:双排5座 1949	Model: Double row, 5 seats 1949
外观尺寸：5393*2045*1965	Appearance size: 5393*2045*1965
发动机型号：Petrol 2.0T	Engine Model: Petrol 2.0T
驱动形式：2WD/4WD(LHD)	Drive type: 2WD/4WD(LHD)



产品参数	Product parameters
型号:双排5座	Model: Double row 5 seater
外观尺寸：5301*1905*1782	Appearance size: 5301*1905*1782
发动机型号：1.8GTDI	Engine Model: 1.8GTDI
驱动形式：2WD/4WD(LHD)	Drive type: 2WD/4WD(LHD)



产品参数	Product parameters
型号:双排5座	Model: Double row 5 seater
外观尺寸：5382*1877*1840	Appearance size: 5382*1877*1840
发动机型号：QL1030FBGW	Engine Model: QL1030FBGW
驱动形式：2WD/4WD(LHD)	Drive type: 2WD/4WD(LHD)



产品参数	Product parameters
型号:双排5座	Model: Double row 5 seater
外观尺寸：5290*1850*1810	Appearance size: 5290*1850*1810
发动机型号：2TZD	Engine type: 2TZD
驱动形式：2WD/4WD(LHD)	Drive type: 2WD/4WD(LHD)



皮卡系列 Pickup Series　　电动 Electric Version

电动 Electric Version

产品卖点

- 优良基因:源于国内最高端皮卡日产纳瓦拉平台,高品质、高安全、高颜值、高舒适。
- 专用订制：采用一体式电机驱动架构，重量轻、效率高、易扩展。
- 标杆电池：采用宁德时代电池，配备完善的液冷恒温热管理系统（使用环境：-30°C-40°C）、安全性能处于全球领先水平。
- 超长续航:工况法续驶里程403KM,处于行业领先水平。超强动力:电机最大功率120KW,轮上扭矩3700NM, 0-100KM加速时间12S。

- Excellent genes: originated from Nissan Navara platform, the most high-end pickup truck in China, with high quality, high safety, high appearance level and high comfort.
- Customized: Integrated motor drive architecture, light weight, high efficiency, easy to expand.
- Benchmark battery: Adopt CATL battery, equipped with perfect liquid cooling constant temperature thermal management system (use environment: -30°C-40°C), safety performance in the world's leading level.
- Ultra-long endurance: the driving range of the mode is 403KM, which is in the industry leading level. Super power: motor maximum power 120KW, wheel torque 3700NM, 0-100KM acceleration time 12S.

产品配置　Product Configuration

车型系列	Vehicles Series	EV	EV
驱动	Driving Mode	2WD	
整车参数 Specifications	长×宽×高（mm） Length × Width × Height (mm)	5290×1850×1820	5290×1850×1820
	轴距（mm） Wheelbase (mm)	3150	3150
	轮距(前/后)(mm) Tread (front/rear)(mm)	1570/1570	1570/1570
	货厢长×宽×高(mm) Cargo box length × width × height (mm)	1510*1562*475	1510*1562*475
	最小离地间隙(mm) Min. Ground Clearance (mm)	180	180
	满载总质量(kg) G.V.W (kg)	3200	3200
	整车装备质量(kg) Curb Weight (kg)	1970	2130
	载质量(kg) Loading Weight (kg)	905	745
	接近角/离去角(°) Approach Angle/Departure Angle (°)	30	30
	最大爬坡度(%) Max. Gradeability(%)	5	5
	乘客人数 Number of passengers	2	2
	续航里程 Mileage Range-NEDC（km）	350	453
	最大功率(Kw) Max. Power (Kw)	120	130
	最大扭矩(Nm) Max. Torque (Nm)	420	435
	功率（kWh） Power（kWh）	60.16	77.28
	最大速度 max. Speed	100	120



产品参数	Product parameters
型号:2+3座	Model :2+3 seats
外观尺寸：5330*1870*1864	Overall dimension: 5330*1870*1864
续航里程：275	Running Range: 275
电池容量：65kWh	Battery capacity: 65kWh
驱动形式：2WD (LHD/RHD)	Drive type: 2WD (LHD/RHD)



产品参数	Product parameters
型号:2+3座	Model :2+3 seats
外观尺寸：5340*1940*1870	Overall dimension: 5340*1940*1870
续航里程：536km	Running Range: 536km
电池容量：63.75	Battery capacity: 63.75
驱动形式：2WD (LHD)	Drive form: 2WD (LHD)

MINI VAN

MINI VAN



品牌：福田风景G9
用途：商务
发动机：4K22D4M
变速箱：中马五档手动
最小离地间隙mm：170
轴距mm：3110
油箱容积L：65
燃料形式：汽油
外形：长轴高顶

Brand: FOTON VIEW G9
Use: business
Engine: 4K22D4M
Gearbox: ZOMAX 5 gears manual
Minimum ground clearance (mm): 170
Wheelbase(mm): 3110
Tank volume(L): 65
Fuel form: gasoline
Shape: Long wheelbase and high roof



产品参数	Product parameters
7座minibus	7 Seats Minibus
发动机型号：ZD20D14	Engine Model: ZD20D14
燃油类型 柴油	Fuel Type: Diesel
排放 欧三/四	Emmission:EURO III/IV



产品参数	Product parameters
19座minibus	19 Seats Minibus
发动机型号：3TZ	Engine Model: 3TZ
燃油类型 柴油	Fuel Type: Diesel
排放 欧三/四	Emmission:EURO III/IV



产品参数	Product parameters
17座minibus	17 Seats Minibus
发动机型号：DK5	Engine Model: DK5
燃油类型 柴油	Fuel Type: Diesel
排放 欧三/四	Emmission:EURO III/IV



产品参数	Product parameters
23座minibus	23 Seats Minibus
发动机型号：DK5	Engine Model: DK5
燃油类型 柴油	Fuel Type: Diesel
排放 欧三/四	Emmission:EURO III/IV



产品参数	Product parameters
13座minibus	13 Seats Minibus
发动机型号：3TZ	Engine Model: 3TZ
燃油类型 汽油	Fuel Type: Gasoline
排放 欧三/四	Emmission:EURO III/IV



产品参数	Product parameters
15座minibus	15 Seats Minibus
发动机型号：4rbz	Engine Model: 3rbz
燃油类型 汽油	Fuel Type: Gasoline
排放 欧三/四	Emmission:EURO III/IV



产品参数	Product parameters
9座minibus	9 Seats Minibus
发动机型号：4F20TC3	Engine Model: 4F20TC3
燃油类型 柴油	Fuel Type: Diesel
排放 欧三/四	Emmission:EURO III/IV



产品参数	Product parameters
15座minibus	15 Seats Minibus
发动机型号：ZD20D14	Engine Model: ZD20D14
燃油类型 柴油	Fuel Type: Diesel
排放 欧三/四	Emmission:EURO III/IV

SUV电动重点推介车型 Popular model of electric SUV







产品卖点

- 凭借独特的三大核心优势——领先的电池技术、卓越的车辆整体调校和先进的自动驾驶技术，稳坐新能源汽车行业领军地位。
- 自上特斯拉 Model Y以来凭借其革新的设计理念和强大的性能参数迅速成为电动SUV市场的热门车型。

Product Advantage

- Relies on its three unique core advantages - leading battery technology, excellent overall vehicle tuning and advanced autonomous driving technology to secure its leading position in the new energy vehicle industry.
- Since its launch, Tesla Model Y has quickly become a popular model in the electric SUV market with its innovative design concept and powerful performance parameters.

产品配置 Product Configuration

参数	Parameter	详细参数	Details
车型名称	Model Name	Model Y	Tesla Model Y
动力系统	Powertrain	双电机全轮驱动	Dual Motor All-Wheel Drive
电池容量	Battery Capacity	75 kWh	75 kWh
最大功率	Maximum Power	340 kW (456 hp)	340 kW (456 hp)
最大扭矩	Maximum Torque	660 Nm	660 Nm
续航里程	Running Range	524 km (WLTP)	524 km (WLTP)
加速性能	Accelerated performance	0-100 km/h 加速时间：3.7秒	0-100 km/h Acceleration: 3.7 s
最高时速	Max Speed	250 km/h	250 km/h
充电时间	Charging Time	快充：15分钟充至270公里	Fast Charging: 270 km in 15 minutes
车身尺寸	Dimensions	长：4750 mm宽：1921 mm高：1624 mm	Length: 4750 mm Width: 1921 mmHeight: 1624 mm
轴距	Wheelbase	2890 mm	2890 mm
行李厢容积	Cargo Capacity	1,925 L（后排座椅放倒）	1,925 L (rear seats folded)
座位数量	Seating Capacity	5或7座	5 or 7 seats
车重	Curb Weight	2,003 kg	2,003 kg
悬架系统	Suspension System	前：双叉臂独立悬架 后：多连杆独立悬架	Front: Double Wishbone Independent Rear: Multi-Link Independent
制动系统	Braking System	前后通风盘式制动器	Ventilated Disc Brakes (Front and Rear)
轮胎规格	Tire Specifications	前轮：255/45 R19，后轮：275/40 R19	Front: 255/45 R19, Rear: 275/40 R19
内部配置	Interior Features	15英寸触控屏，全景玻璃车顶	15-inch Touchscreen, Panoramic Glass Roof
外部配置	Exterior Features	LED前后灯，电动尾门	LED Headlights and Taillights, Power Liftgate

SUV电动系列SUV Electric series



产品参数	Product parameters
型号：大众ID4	Model: Volkswagen ID4
长*宽*高(mm)：4612*1852*1640	Length*width*height (mm): 4612*1852*1640
纯电续航里程km:601	Pure electric cruising rangekm: 601
最大功率kw:150	Maximum power kw: 150



产品参数	Product parameters
型号：比亚迪宋L	Model: BYD Song L
长*宽*高(mm)：4840*1950*1560	Length*width*height (mm): 4840*1950*.560
纯电续航里程km:550	Pure electric cruising rangekm: 550
最大功率kw:150	Maximum power kw: 150



产品参数	Product parameters
型号：大众ID6	Model: Volkswagen ID6
长*宽*高(mm)：4876*1848*1680	Length*width*height (mm): 4876*1848*1680
纯电续航里程km:617	Pure electric cruising rangekm: 617
最大功率kw:150	Maximum power kw: 150



产品参数	Product parameters
型号：比亚迪元	Model: BYD Yuan
长*宽*高(mm)：4310*1830*1675	Length*width*height (mm): 4310*1830*1675
纯电续航里程km:401	Pure electric cruising rangekm: 401
最大功率kw:130	Maximum power kw: 130



产品参数	Product parameters
型号：理想L7	Model: Ideal L7
长*宽*高(mm)：5050*1995*1750	Length*width*height (mm): 5050*1995*1750
纯电续航里程km:225	Pure electric cruising range km: 225
最大功率kw:330	Maximum power kw: 330



产品参数	Product parameters
型号：比亚迪汉	Model: BYD Han
长*宽*高(mm)：4995*1910*1495	Length*width*height (mm): 4995*1910*1495
纯电续航里程km:715	Pure electric cruising range km: 715
最大功率kw:180	Maximum power kw: 180

SUV汽油系列重点推介车型Popular model of SUV gasoline



产品卖点

东风风光是东风汽车品牌旗下的乘用车子品牌,秉承“一切为了用户,超级奋斗,拥抱改变,诚信可靠,价值共享”的核心价值观。
基于市场洞察,东风风光坚守“让智能走进生活、智能SUV人人可享”的造车.理念。

Dongfeng Fengguang is a passenger car brand under the Dongfeng Automobile brand, adhering to the principles of "everything for the user, super struggle, embracing change, integrity and reliability.",The core values of value sharing.
Based on market insights, Dongfeng Fengguang adheres to the car manufacturing philosophy of "bringing intelligence into life and intelligent SUVs for everyone to enjoy".

产品配置 Product Configuration

参数名称	(Parameter)	中文 (Chinese)	英文 (English)
车型	Vehicle type	东风风光600	Dongfeng Fengguang 600
车身类型	Model	SUV	SUV
座位数	Number of seats	5-7 座	5-7 Seats
发动机类型	Engine model	汽油发动机	Gasoline Engine
发动机排量	Engine displacement	1.5L / 1.8L / 1.3T	1.5L / 1.8L / 1.3T
最大功率	Max.power	110kW (1.5T) / 102kW (1.8L)	110kW (1.5T) / 102kW (1.8L)
最大扭矩	Max. torque	220Nm (1.5T) / 187Nm (1.8L)	220Nm (1.5T) / 187Nm (1.8L)
变速箱	Gearbox	6速手动 / CVT无级变速	6-Speed Manual / CVT
驱动方式	Driving mode	前轮驱动	Front-Wheel Drive (FWD)
悬架系统	Suspension system	前麦弗逊式独立悬架 / 后多连杆独立悬架	Front MacPherson Independent Suspension / Rear Multi-link Independent Suspension
刹车系统	Braking system	前后盘式刹车	Front and Rear Disc Brakes
车身尺寸（长*宽*高）	Overall dimension(length*width * height)	4680 mm * 1845 mm * 1715 mm	4680 mm * 1845 mm * 1715 mm
轴距	Whee lbase	2780 mm	2780 mm
轮胎规格	Tyre	215/60 R17 / 225/55 R18	215/60 R17 / 225/55 R18
油箱容量	Fuel tank Capacity	58 L	58 L
整备质量	Curb weight	1560-1640 kg	1560-1640 kg
百公里油耗	Fuelconsumptionunderlimitedcondition(L/100km)	7.4L (1.5T) / 7.6L (1.8L)	7.4L (1.5T) / 7.6L (1.8L)
安全配置	Security configuration	ABS防抱死系统, EBD制动力分配系统, TCS牵引力控制系统	ABS, EBD, TCS
多媒体配置	Multimedia configuration	触控屏, GPS导航, 蓝牙, USB接口	Touchscreen, GPS Navigation, Bluetooth, USB Ports
空调系统	Air conditioning system	自动空调	Automatic Air Conditioning

SUV汽油系列SUV Gasoline series



产品参数 Product parameters

型号：BJ60
长*宽*高(mm)：5040*1955*1925
发动机；2.0T 163马力 L4
最大功率kw:120

Model: BJ60
Length*width*height(mm): 5040*1955*1925
Engine: 2.0T 163HP L4
Maximum power kw:120



产品参数 Product parameters

型号：浩瀚
长*宽*高(mm)：4650*1905*1630
发动机；1.5T 204马力 L4
最大功率kw:150

Model: Haohan
Length*width*height (mm): 4650*1905*1630
Engine: 1.5T 204HP L4
Maximum power kw: 150



产品参数 Product parameters

型号：皓极
长*宽*高(mm)：4720*1910*1702
发动机；1.5T 204马力 L4
最大功率kw:150

Model: Haoji
Length*width*height(mm): 4720*1910*1702
Engine: 1.5T 204HP L4
Maximum power kw:150



产品参数 Product parameters

型号：奕炫
长*宽*高(mm)：4670*1812*1490
发动机；1.5T 125马力 L4
最大功率kw:92

Model: Yixuan
Length*width*height (mm): 4670*1812*1490
Engine: 1.5T 125HP L4
Maximum power kw:92



产品参数 Product parameters

型号：AX7
长*宽*高(mm)：4660*1880*1690
发动机；1.5T 190马力 L4
最大功率kw:140

Model: AX7
Length*width*height (mm): 4660*1880*1690
Engine: 1.5T 190HP L4
Maximum power kw: 140



产品参数 Product parameters

型号：风行T5
长*宽*高(mm)：4545*1855*1760
发动机；1.6L 122马力 L4
最大功率kw:90

Model: T5
Length*width*height (mm): 4545*1855*1760
Engine: 1.6L 122HP L4
Maximum power kw: 90

房车 RV

房车 RV



驱动型式：4x4
发动机：索菲姆S0FIM8142.43(111马力)
变速器：机械式手动五档
分动器：机械，两档
驾驶室：依维柯短头单排
车桥：1.5T./3.5T
钢板弹簧：钢板弹簧6/7，车架860mm
箱体：采用铝合金材质，三明治结构
电路：24V电路系统

Driving mode: 4x4
Engine: S0FIM8142.43(111 HP)
Transmission: mechanical manual 5 gears
Transfer case: mechanical, two gears
Cab: Iveco short-headed single row
Axle: 1.5T./3.5T
Leaf spring: 6/7 leaf spring, frame 860mm.
Box: aluminum alloy material, sandwich structure.
Circuit: 24V circuit system



产品参数	Product parameters
鲲鹏全能商旅版 尺寸：5998*2164*2825mm 额定载客：6人	KunpengVersatileBusinessTravelEdition Size: 5998 *2164*2825mm Rated passenger capacity: 6 people



产品参数	Product parameters
533豪华版房车 尺寸：5990*2430*2850mm 额定载客：4-6人	533 Luxury Edition RV Size: 5990 *2430*2850mm Rated passenger capacity:4-6people



产品参数	Product parameters
450房车 尺寸：5490*2300*2500mm 额定载客：4-6人	450 RV Size: 5490*2300*2500mm Rated passenger capacity:4-6people



产品参数	Product parameters
680房车 尺寸：6500*2330*2700mm 额定载客：5-6人	680RV Size:6500*2330*2700mm Rated passenger capacity:5-6people



产品参数	Product parameters
依维柯4x4房车 尺寸：5990*2430*3199mm 额定载客：5-6人	Iveco 4x4 RV Size: 5990 * 2430 * 3199mm Rated passenger capacity:5-6people



产品参数	Product parameters
T512 公路拖挂 尺寸：5990*2330*2700mm 额定载客：5-6人	T512 highway towing Size: 5990 * 2430 * 3199mm Rated passenger capacity:5-6people



产品参数	Product parameters
酒店营地拖挂 尺寸：9500 *2960/ 3050*3370mm 额定载客：可定制	Hotel campsite trailer Size: 9500*2960/ 3050*3370mm Rated passenger capacity: Customizable



产品参数	Product parameters
五十铃700P房车 尺寸：5990*2410*3180mm 额定载客：6人	Isuzu 700P RV Size: 5990*2410*3180mm Rated passenger capacity: 6 people

高尔夫车 Golf cart

ATV/UTV



产品参数 Product parameters

整车型号Vehicle mode :FD005B-2
外形尺寸Overall dimension（L*W*H）:2600*1350*1980 (mm)
载客人数Passenger : 2 seats
最高时速Max Speed :30 Km/h
制动距离Braking distance :≤4m
续航里程Driving Mileage :80-100 Km
爬坡角度Gradeability :25 %
整备质量Curb weight : 550 Kg
车辆轮距Wheel base :900 mm



产品参数 Product parameters

整车型号Vehicle mode : FD005B-4+2
外形尺寸Overall dimension（L*W*H）:3200*1350*1980 (mm)
载客人数Passenger: 4 seats
最高时速Max Speed: 30 Km/h
制动距离Braking distance :≤4m
续航里程Driving Mileage :80-100 Km
爬坡角度Gradeability :25 %
整备质量Curb weight :650 Kg
车辆轮距Wheel base :900 mm



产品参数 Product parameters

尺寸Size: LXWXH2120x1140x1270 mm
轴距Wheel base: 253 mm
自重Curb weight: 315 kg
油箱容量Fuel tank capacity: 14 L
最大速度Max speed: >70 km/h
驱动系统类型Drive system type: 2WD/4WD



产品参数 Product parameters

尺寸Size: LXWXH2330x1180x1265 mm
轴距Wheel base: 1455 mm
自重Curb weight:384 kg
油箱容量Fuel tank capacity: 14.5L
最大速度Max speed:>90km/h
驱动系统类型Drive system type:2WD/4WD



产品参数 Product parameters

整车型号Vehicle mode :FD005C-4+2
外形尺寸Overall dimension（L*W*H）:3650*1350*1980 (mm)
载客人数Passenger :6 seats
最高时速Max Speed :30 Km/h
制动距离Braking distance: ≤4m
续航里程Driving Mileage :80-100 Km
爬坡角度Gradeability :25 %
整备质量Curb weight: 700 Kg
车辆轮距Wheel base: 900 mm



产品参数 Product parameters

整车型号 Vehicle mode :FD005A-6+2
外形尺寸 Overall dimension（L*W*H）:4300*1200*1980 (mm)
载客人数 Passenger :8 seats
最高时速 Max Speed :30 Km/h
制动距离 Braking distance:≤4m
续航里程 Driving Mileage :80-100 Km
爬坡角度 Gradeability :25%
整备质量 Curb weight :750 Kg
车辆轮距 Wheel base: 900 mm



产品参数 Product parameters

尺寸Size: LXWXH2790x1470x1920mm
轴距Wheel base: 1855 mm
离地间隙Ground clearance：280 mm
自重Curb weight: 525 kg
油箱容量Fuel tank capacity: 26 L
最大速度Max speed: >70 km/h
驱动系统类型Drive system type: 2WD/4WD



产品参数 Product parameters

尺寸Size: LXWXH3110x1543x1990 mm
轴距Wheel base:1930 mm
离地间隙Ground clearance：280 mm
自重Curb weight: 882 kg
油箱容量Fuel tank capacity:32L
最大速度Max speed: >50 km/h
驱动系统类型Drive system type: 2WD/4WD

越野车辆
Off-road vehicle





产品卖点

- 动力强劲-黄金动力链创造去强大
- 轻松越野-专业设计带来强劲越野能力
- 全面多能-适应各种严苛工况

Product Advantage

- FOWERFUL -The Golden Power train Brings Powerful Momentum
- OFF -road performance-professional design brings strong off-road capability
- COMPREHENSIVE -adapt to various harsh working conditions

产品配置 Product Configuration

车型系列	Vehicles Series	150马力系列150 HP Series
驱动	Driving Mode	4WD
整车参数 Specifications	牵引质量 Towing Capacity(kg)	2000
	轴距（mm） Wheelbase (mm)	3300
	接近角 Apprch Angle	70°/45°
	纵向通过角 Breakover Angle	31.5°
	最小离地间隙 Min. ground clearance(mm)	410
	满载总质量(kg) G.V.W (kg)	2715
	整车装备质量(kg) Cubweight (kg)	1900
	载质量(kg) Payload (kg)	700
	接近角/离去角(°) Approach Angle/Departure Angle (°)	31/20
	最大爬坡度(%)Maximum gradeability (%)	60%
	最大行单侧坡 Max.side slope	40%
	最大涉水深度(无准备/有准备)(mm)Maximum Wading Depth(Normally/Prepared)	750/1200
发动机 Engine	型号	EQ8150-20(东风康明斯) (Dangfeng Cummins)
	最大功率(Kw) Maximum power (Kw)	150
	最大扭矩(Nm) Maximum torque (Nm)	502

经典东风越野车型





越野车 Off-road truck



产品参数	Product parameters
型号：EQ5096MCTSS	Model：EQ5096MCTSS
发动机：康明斯ISD300 40	Engine：Cummins ISD300 40
整车尺寸：7850×2455×2045mm	Overall dimension：7850×2455×2045mm
驱动形式：6WD	Driving mode：6WD



产品参数	Product parameters
型号：EQ2050B	Model：EQ2050B
发动机：东风康明斯EQB150-20	Engine：Dongfeng Cummins EQB150-20
整车尺寸：7850×2455×2045mm	Overall dimension：7850×2455×2045mm
驱动形式：6X6	Driving mode：6X6



产品参数	Product parameters
型号：EQ2102G	Model：EQ2102G
发动机：东风康明斯6190 33	Engine：Dongfeng Cummins B190 33
整车尺寸：7340×2183×3025	Overall dimension：7340×2183×3025
驱动形式：6X6	Driving mode：6X6



产品参数	Product parameters
型号：EQ2102	Model：EQ2102
发动机：东风康明斯B190 33	Engine：Dongfeng Cummins B190 33
整车尺寸：7495×2470×2740mm	Overall dimension：7495×2470×2740mm
驱动形式：6X6	Driving mode：6X6



产品参数	Product parameters
型号：DPYY2083MCTA	Model：DPYY2083MCTA
发动机：SDE 30040 直列6缸增压中冷油	Engine：SDE 30040 inline 6-cylinder supercharged intercooler oil
整车尺寸：4970X2134X1912	Overall dimension：4970X2134X1912
驱动形式：4WD/6WD	Driving mode：4WD/6WD



产品参数	Product parameters
型号：M50	Model：M50
发动机：SDE 30040 直列6缸增压中冷油	Engine：SDE 30040 inline 6-cylinder supercharged intercooling oil
整车尺寸：5320X2310X2040	Overall dimension：5320X2310X2040
驱动形式：4WD	Driving mode：4WD

越野卡车 Off-road truck

越野卡车 Off-road truck



品牌：东风猛士
驱动形式：4x4
发动机：康明斯195马力，国VI
底盘尺寸:5320*2310*1950
准乘人数（人）:8人

Brand：Dongfeng Warrior
Drive model:4x4
Engine:CUMMINS195HP，Euro 6
Chassis size:5320*2310*1950
Seats:8



产品参数		Product parameters
总质量	7800kg	G.V.W:7800kg
外形尺寸	6290x2400x2385mm	Dimensions:6290x2400x2385mm
驱动形式	6x6	Driving mode: 6x6
发动机	东风康明斯B17033	Engine:DF Cummins B17033
变速器	机械齿轮，五个前进挡	TransmissionMechanicalgear,fiveforwardgears



产品参数		Product parameters
驱动形式	8X4	Driving mode: 8X4
发动机	潍柴WP10.375E32	Engine: Weichai WP10.375E32
变速器	手动十二档	Transmission: Manual 12-speed
底盘尺寸	10065x2530x3270mm	Chassis size: 10065x2530x3270mm
改装尺寸	7570mm	Modified size: 7570mm
轴距	2035+3250+1330mm	Wheelbasel: 2035+3250+1330mm



产品参数		Product parameters
驱动形式	6x6	Driving mode: 6x6
发动机	康明斯B19033	Engine: Cummins 819033
变速器	韶齿六档	Transmission: Shao Gear six-speed
分动器	机械式，两挡	Transfer case: Mechanical, two-speed
轮胎	T12R20(6+1)	Tire: T12R20 (6+1)
悬架	钢板弹簧9/12片	Suspension: Leaf spring 9/12 leaves



产品参数		Product parameters
驱动形式	6x6	Driving mode: 6x6
发动机	玉柴YC6A260-33	Engine :YC6A260-33
变速器	手动八档	Transmission: Manual eight-speed
车桥	7T/后双13T	Axle: 7T/rear dual 13T
电器	24V电路系统	Electric: 24V circuit system
轮胎	12.5R20(6+1条)	Tire: 12.5R20 (6+1)



产品参数		Product parameters
驱动形式	4x2	Driving mode: 4x2
发动机	康明斯ISD16043	Engine :Cummins ISD16043
变速器	手动八档	Transmission: Manual eight-speed
轮胎	8.25R16LT(6+1)	Tire: 8.25R16LT (6+1)
车架	860*250mm，双层	Frame: 860*250mm, double-layer
其他	24V电路系统	Other: 24V circuit system



产品参数		Product parameters
驱动形式	4x2	Driving mode :4x2
发动机	康明斯B210 33	Engine: Cummins B21033
变速器	手动八档	Transmission :Manual eight-speed
轮胎	11.00R20(6+1条)	Tire :11.00R20 (6+1)
电器	24V电路系统	Electric: 24V circuit system
驾驶室	东风240长头单排平面玻璃	Cab:Dongfeng 240 longhead singlerow flat glass



产品参数		Product parameters
驱动形式	4x2	Driving mode :4x2
发动机	玉柴YC6J210-33	Engine :YC6J210-33
变速器	手动十档	Transmission Manual :10-speed
总质量	18000kg	G.V.W :18000kg
整车尺寸	7010*2600*3060mm	Overall dimensions: 7010*2600*3060mm
货箱内尺寸	4500*2200*(800+400+200)	Inner dimensions of cargo box: 4500*2200*(800+400+200)



产品参数		Product parameters
驱动形式	4x2	Driving mode: 4x2
发动机	康明斯ISD16043	Engine: Cummins ISD16043
变速器	手动八档	Transmission :Manual eight-speed
总质量	12000kg	G.V.W:12000kg
整车尺寸	6168*2420*2720mm	Overall dimension: 6168*2420*2720mm
货箱尺寸	4000*2180*800+200mm	Cargo box size:4000*2180*800+200mm

配 件
Spare parts





零件编号：VG14080739A
零件名称：燃油精滤器
尺寸：200*90*90MM
重量：0.6公斤
Part number：VG14080739A
Part Name: Fuel Fine Filter
Size: mm 200 * 90 * 90
Weight: 0.6 KG



零件编号：WG9000368471
CH 零件名称：空气干燥器
尺寸：250*180*150MM
Part number：WG9000368471
CH Part Name： Air Dryer
Size: mm 250 * 180 * 150



零件编号：AZ9761340104
零件名称：制动器磨擦片(凸轮侧)
尺寸:182*21*223MM
重量:1.47KG
Part number：AZ9761340104
Part Name Brake :Friction Disc (Cam Side)
Size: mm 182 * 21 * 223
Weight :1.47KG



零件编号：VG1246010005
零件名称：曲轴前油封
尺寸：110*110*10 MM
重量：0.1KG
Part number：VG1246010005
Part Name: crankshaft front oil seal
Size：110 * 110 * 10 MM
Weight：0.1KG



零件编号：WG9725190102/03
零件名称：空气滤芯
尺寸：280*280*410MM
重量：4.5公斤
Part number：WG9725190102/03
Part Name：Air Filter
Size：280 * 280 * 410MM
Weight:4.5KG



零件编号：VG1560030040
零件名称：活塞环
尺寸：130*130*80MM
重量：0.63KG
Part number：VG1560030040
Part name：piston ring
Size：130 * 130 * 80 MM
Weight：0.63KG



零件编号：8PK1682HD/8PK1620HD/
8PK1903HD/ 8PK1920HD
零件名称：发动机皮带
尺寸：1020*30*10MM
重量：0.2 KG
Part number：8PK1682HD/8PK1620HD
8PK1903HD/8PK1920HD
Part Name: Engine Belt
Size：1020 * 30 * 10mm
Weight：0.2 KG



零件编号：WG9131470075
零件名称：转向球头
尺寸：900*350*190MM
重量：3.5KG
Part number：WG9131470075
Part Name：Steering Ball Head
Size：900 * 350 * 190MM
Weight：3.5KG



零件编号：WG1644870031/1
零件名称：上导流板
尺寸：900*350*190 MM
重量：3 KG
Part number：WG1644870031/1
Part name:Upper guide plate
Size：900 * 350 * 190 MM
Weight：3 KG



零件编号：AZ9719818002
零件名称：尾灯总成
尺寸：520*129*85 MM
重量：0.97 KG
Part number：AZ9719818002
Part Name：Tail Lamp Assembly
Size：520 * 129 * 85 MM
Weight：0.97 KG



零件编号：WG9719720006
零件名称：前大灯总成
尺寸：445*265*245 MM
重量：3 KG
Part number：WG9719720006
Part name:Front headlight assembly
Size：445 * 265 * 245 MM
Weight：3 KG



零件编号：WG1642770010
零件名称：后视镜
尺寸：980*180*200 MM
重量：4.9 KG
Part number：WG1642770010
Part Name：Rearview Mirror
Size：980 * 180 * 200 MM
Weight：4.9 KG



零件编号：AZ9731430020
零件名称：转向直拉杆
尺寸：990*120*70 MM
重量：6.72 KG
Part number：AZ9731430020
Part name: Steering straight rod
Size：990 * 120 * 70 MM
Weight：6.72 KG



零件编号：VG1500040049
零件名称：气缸垫
尺寸：250*150*3 MM
重量：0.15 KG
Part number：VG1500040049
Part name: Cylinder gasket
Size：250 * 150 * 3 MM
Weight：0.15 KG



零件编号：VG1540080040
零件名称：高压油管
尺寸：320*120*100MM
重量：2.2KG
Part number：VG1540080040
Part name: High pressure oil pipe
Size：320 * 120 * 100MM
Weight：2.2KG



零件编号：VG1560080276
零件名称：喷油器
尺寸：190*20MM
重量：0.365 KG
Part number：VG1560080276
Part name: Fuel injector
Size：190 * 20MM
Weight：0.365 KG



零件编号：VG1540010006
零件名称：气缸套
尺寸：241*126 MM
重量：1.45 KG
Part number：VG1540010006
Part name: Cylinder liner
Size：241 * 126 MM
Weight：1.45 KG



零件编号：61560020029/24
零件名称：曲轴总成
尺寸：1100*220*220 MM
重量：111 KG
Part number：6156002029/24
Part Name: crankshaft assembly
Size：1100 * 220 * 220 MM
Weight：111 KG



零件编号：WG1642821074
零件名称：冷凝器总成
尺寸：760*320*15 MM
重量：3 KG
Part number：WG1642821074
Part name: condenser assembly
Size：760 * 320 * 15 MM
Weight：3 KG



零件编号：WG9000360523/2
零件名称：四回路保护阀
尺寸：110*90*120 MM
重量：0.8 KG
Part number：WG9000360523/2
Part name: Four circuit protection valve
Size：110 * 90 * 120 MM
Weight：0.8 KG



零件编号：199012320198
零件名称：差速器总成
尺寸：250*250*250 MM
重量：23 KG
Part number：199012320198
Part Name：Differential Assembly
Size：250 * 250 * 250 MM
Weight：23 KG



零件编号：AH71131500629
零件名称：后桥总成
尺寸：1850 MM
重量：780KG
Part number：AH71131500629
Part Name：Rear Axle Assembly
Size：1850 MM
Weight：780KG



零件编号：AZ9319311740
零件名称：取力器传动轴
尺寸：520mm-640mm
重量：5.62 KG
Part number：AZ9319311740
Part name: Power take-off drive shaft
Size：520mm-640mm
Weight：5.62 KG



零件编号：VG1246060002
零件名称：自动涨紧轮
尺寸：150*80*80 MM
重量：1.6 KG
Part number：VG1246060002
Part Name: Automatic Tensioning Wheel
Size：150 * 80 * 80 MM
Weight：1.6 KG



零件编号：VG1200090163
零件名称：电磁阀
尺寸：68*28 MM
重量：0.19 KG
Part number：VG1200090163
Part Name: Electromagnetic Valve
Size：68 * 28 MM
Weight：0.19 KG



零件编号：61160090001
零件名称：发电机
尺寸：175*185*155 mm
重量：6.1 KG
Part number：61160090001
Part Name：Generator
Size：175 * 185 * 155 mm
Weight：6.1 KG



零件编号：VG2600090210
零件名称：起动机
尺寸：430*180*120 mm
重量：18.53 KG
Part number：VG2600090210
Part Name: Starting Motor
Size：430 * 180 * 120 mm
Weight：18.53 KG



零件编号：614080719
零件名称：输油泵
尺寸：105*105*105 mm
重量：1.29 KG
Part number：614080719
Part name: Oil transfer pump
Size：105 * 105 * 105 mm
Weight：1.29 KG



零件编号：A2C90896500
零件名称：增压传感器
尺寸：78*19 mm
重量：0.3 KG
Part number：A2C90896500
Part Name：Boost Sensor
Size：78 * 19 mm
Weight：0.3 KG



零件编号：VG1500010046+0.25/0.5/0.75
零件名称：曲轴瓦
尺寸：280*112*35 mm
重量：1.7 KG
Part number：VG1500010046+0.25/0.5/0.75
Part Name: Curved Bearing
Size：280 * 112 * 35 mm
Weight：1.7 KG



零件编号：VG2600030011
零件名称：活塞
尺寸：123*123*126 mm
重量：2.1KG
Part number：VG2600030011
Part Name：Pistons
Size：123 * 123 * 126 mm
Weight：2.1KG



零件编号：61500040040
零件名称：气缸盖
尺寸：230*160*130 mm
重量：20 KG
Part number：61500040040
Part Name: Cylinder Head
Size：230 * 160 * 130 mm
Weight：20 KG



零件编号：VG1560050042
零件名称：进气门
尺寸：154*54.5 mm
重量：0.23 KG
Part number：VG156005042
Part Name: Inlet Valve
Size：154 * 54.5 mm
Weight：0.23 KG



零件编号：AZ1500070021
零件名称：机油泵
尺寸：290*260*1.05 mm
重量：11 KG
Part number：AZ1500070021
Part Name: Oil Pump
Size：290 * 260 * 1.05 mm
Weight：11 KG



零件编号：VG1500060050
零件名称：水泵
尺寸：255*220 mm
重量：18.55 KG
Part number：VG1500060050
Part Name：Water Pump
Size：255 * 220 mm
Weight：18.55 KG



零件编号：WG1664820010/1
零件名称：空调滤芯
尺寸：145*49 mm
重量：0.1 KG
Part number：WG1664820010/1
Part Name Air：Conditioning Filter Element
Size：145 * 49 mm
Weight：0.1 KG



零件编号：WG9925550001
零件名称：油箱400L
尺寸：980*710*710 mm
重量：22 KG
Part number：WG9925550001
Part Name：Fuel Tank 400L
Size：980 * 710 * 710 mm
Weight：22 KG



零件编号：WG9725540002
零件名称：消声器总成
尺寸：740*550*410 mm
重量：25.6 KG
Part number：WG9725540002
Part Name：Silencer Assembly
Size：740 * 550 * 410 mm
Weight：25.6 KG



零件编号：WG9725190001
零件名称：进气道总成
尺寸：1200*600*250 mm
重量：12.5 KG
Part number：WG9725190001
Part Name: Inlet Assembly
Size：1200 * 600 * 250 mm
Weight：12.5 KG



零件编号：AZ9114160020
零件名称：离合器从动盘
尺寸：430*430*65 mm
重量：8.91 KG
Part number：AZ9114160020
Part Name: Clutch Driven Plate
Size：430 * 430 * 65 mm
Weight：8.91 KG



零件编号：9JS119
零件名称：变速箱总成
尺寸：1000*650*600 mm
重量：300 KG
Part number：9JS119
Part Name: Transmission Assembly
Size：1000 * 650 * 600 mm
Weight：300 KG



零件编号：WG1642330003
零件名称：玻璃升降器总成
尺寸：445*375*50 mm
重量：2.27 KG
Part number：WG1642330003
Part name: Glass regulator assembly
Size：445 * 375 * 50 mm
Weight：2.27 KG



零件编号：AZ9761340082
零件名称：后轮毂
尺寸：400*400*240 mm
重量：34 KG
Part number：AZ9761340082
Part Name：Rear Hub
Size：400 * 400 * 240 mm
Weight：34 KG



零件编号：199000440031
零件名称：制动蹄总成
尺寸：372*187*162 mm
重量：10.22 KG
Part number：199000440031
Part Name: Brake Shoe Assembly
Size：372 * 187 * 162 mm
Weight：10.22 KG



零件编号：AZ9525820020
零件名称：驾驶室举升缸
尺寸：1400 mm
重量：400 KG
Part number：AZ9525820020
Part name: Driver's cab lifting cylinder
Size：1400 mm
Weight：400 KG



零件编号：VG1560030013
零件名称：活塞销
尺寸：105*49
重量：1.26KG
Part number:VG1560030013
Part name: Pistcn pin
Size:105*49
Weight:1.26KG



零件编号：AZ6100004361
零件名称：发动机总成
尺寸：1525*660*965
重量：870KG
Part number:AZ6100004361
Part name: Engine assembly
Size:1525*660*965
Weight:870KG



零件编号：AZ1630840302
零件名称：暖风电机总成
尺寸：710*45*35
重量：5.9KG
Part number:AZ1630840302
Part name: warm air motor assembly
Size:710*45*35
Weight:5.9KG

BYDHAN

Hybrid / Pure Electric



Appearance:



Interior :



CONFIGURATION PARAMETER TABLE



2023 DM-i 1.5T Champion Version	
Power	Hybrid
Seats	5 persons
Horse Power	139
Top Speed	185km/h
Size	4975*1910*1495mm
Pure Electric Range	121km



2023 DM-i 1.5T Noble Version	
Power	Hybrid
Seats	5 persons
Horse Power	139
Top Speed	185km/h
Size	4975*1910*1495mm
Pure Electric Range	121km



2022 DM-i 1.5T Flagship Version	
Power	Hybrid
Seats	5 persons
Horse Power	139
Top Speed	185km/h
Size	4975*1910*1495mm
Pure Electric Range	242km



2023 EV Champion Version 506km	
Power	Pure Electric
Seats	5 persons
Horse Power	204
Top Speed	185km/h
Size	4975*1910*1495mm
Pure Electric Range	506km



2023 EV Noble Version 715km	
Power	Pure Electric
Seats	5 persons
Horse Power	245
Top Speed	185km/h
Size	4975*1910*1495mm
Pure Electric Range	715km

PRODUCT FEATURE



BLADE BATTERY

On the basis of inheriting the high safety of blade batteries, it achieves higher space utilization, higher voltage platform, higher power output and high thermal safety protection to meet the performance requirements of long battery life and strong power.



VTOL MOBILE POWER STATION

The maximum external discharge power is 6kW, easily unlocking new outdoor gameplay: open-air movies, electric cooking, karaoke, etc. Enjoy your exciting life anytime, anywhere.



DILINK4.0 (5G) INTELLIGENT NETWORK CONNECTION SYSTEM

All series are equipped with 5G speed connection as standard, with faster netwrk speed and lower latency. Intelligent voice interaction for the whole car



DIPILOT INTELLIGENT DRIVING ASSISTANCE SYSTEM

The entire vehicle is equipped with up to 8 ultrasonic radars, 3 high-precision millimeter wave radars, 4 inteligent driving surround-view cameras, and 1 intelligent driving high-sensing camera to improve driving assistance performance in all aspects.

BYD QIN

Hybrid / Pure Electric



Appearance:



Interior:



CONFIGURATION PARAMETER TABLE



2024 DM-i 1.5L Glory Version	
Power	Hybrid
Seats	5 persons
Horse Power	110
Top Speed	185km/h
Size	4765*1837*1495mm
Pure Electric Range	46km



2024 DM-i 1.5L Leading Version	
Power	Hybrid
Seats	5 persons
Horse Power	110
Top Speed	185km/h
Size	4765*1837*1495mm
Pure Electric Range	120km



2024 EV Leading Version 420km	
Power	Pure Electric
Seats	5 persons
Horse Power	136
Top Speed	130km/h
Size	4765*1837*1495mm
Pure Electric Range	420km



2024 EV Excellent Version 510km	
Power	Pure Electric
Seats	5 persons
Horse Power	136
Top Speed	130km/h
Size	4765*1837*1495mm
Pure Electric Range	510km

PRODUCT FEATURE



SURROUNDING SUSPENDED COCKPIT

Integrated sports seats, high-end light luxury interior



ALL SERIES ARE EQUIPPED WITH E-PLATFORM 3.0 CORE TECHNOLOGY

The overall efficiency is improved, saving more money and faster, and you can travel to poetry and distance as much as you want.



INTELLIGENT SAFETY DRIVING ASSISTANCE SYSTEM

It has functions such as ACC-S&G stop-and-go full-speed adaptive cruise system, AEB-VRU pedestrian recognition/protection system, LDWS lane departure warning system, LKS active lane keeping system, etc., allowing for worry-free driving in all scenarios.



HIGH SAFETY AND LONG LIFE BLADE BATTERY

It combines high safety and long life, redefining the safety standards of new energy vehicles.

BYD SEAL

Hybrid / Pure Electric



Appearance:



Interior:



CONFIGURATION PARAMETER TABLE



2023 DM-i 1.5L Luxury Version	
Power	Hybrid
Seats	5 persons
Horse Power	110
Top Speed	180km/h
Size	4980*1890*1495mm
Pure Electric Range	100km



2023 DM-i 1.5T Flagship Version	
Power	Hybrid
Seats	5 persons
Horse Power	139
Top Speed	180km/h
Size	4980*1890*1495mm
Pure Electric Range	100km



2023 EV Nobel Version 550km	
Power	Pure Electric
Seats	5 persons
Horse Power	204
Top Speed	180km/h
Size	4800*1875*1460mm
Pure Electric Range	550km



2023 EV Perfomance Version 650km	
Power	Pure Electric
Seats	5 persons
Horse Power	230
Top Speed	180km/h
Size	4800*1875*1460mm
Pure Electric Range	650km

PRODUCT FEATURE



DILINK INTELLIGENT NETWORK CONNECTION SYSTEM

Gathering the wisdom of global developers, the DiLink intelligent network connection system accommodates 4 million+ applications around the world, comprehensively links people-vehicles-life and opens a new era of people-vehicle network connection.



DIPILOT INTELLIGENT DRIVING ASSISTANCE SYSTEM

Equipped with multiple active safety systems such as ACC adaptive cruise control, A·B automatic emergency braking, ELKA emergency lane keeping assist, and BSD blind spot monitoring system, it provides early warning and intelligent driving.



FIVE-LINK REAR INDEPENDENT SUSPENSION SYSTEM

The leapfrog suspension configuration improves the tire's ground contact and minimizes body roll. Equipped with variable frequency damping shock absorbers, it can easily cope with different road conditions and the journey will no longer be rough.



360° HIGH-DEFINITION PANORAMIC IMAGE

The entire vehicle is equipped with 12 ultrasonic radars and 4 high-definition cameras, which eliminate blind spots in the 360° field of view, making it easy for novices to drive.

ZEEKR 001

ZEEKR

Pure Electric



Appearance:




Interior :






CONFIGURATION PARAMETER TABLE



2023 741km WE Version	
Power	Pure Elevtric
Seats	5 persons
Horse Power	272
Top Speed	200km/h
Size	4970*1999*1560mm
Pure Electric Range	741km



2023 656km ME Version	
Power	Pure Elevtric
Seats	5 persons
Horse Power	544
Top Speed	200km/h
Size	4970*1999*1560mm
Pure Electric Range	656km



2023 656km YOU Version	
Power	Pure Elevtric
Seats	5 persons
Horse Power	544
Top Speed	200km/h
Size	4970*1999*1560mm
Pure Electric Range	656km



2023 550km FR Version	
Power	Pure Electric
Seats	5 persons
Horse Power	1256
Top Speed	200km/h
Size	5018*1999*1545mm
Pure Electric Range	656km

PRODUCT FEATURE









GEELY E8

Pure Electric



Appearance:






Interior :




CONFIGURATION PARAMETER TABLE



2024 550km Pro Version	
Power	Pure Elevtric
Seats	5 persons
Horse Power	272
Top Speed	190km/h
Size	5010*1920*1465mm
Pure Electric Range	550km



2024 665km Long Journey Version	
Power	Pure Elevtric
Seats	5 persons
Horse Power	272
Top Speed	190km/h
Size	5010*1920*1465mm
Pure Electric Range	665km



2024 665km Wise Version	
Power	Pure Elevtric
Seats	5 persons
Horse Power	272
Top Speed	190km/h
Size	5010*1920*1465mm
Pure Electric Range	665km



2024 620km Perfomance Version	
Power	Pure Elevtric
Seats	5 persons
Horse Power	646
Top Speed	190km/h
Size	5010*1920*1465mm
Pure Electric Range	620km

PRODUCT FEATURE









AVATAR 12

Pure Electric



Appearance:






Interior :



CONFIGURATION PARAMETER TABLE



2024 700km Luxury Version	
Power	Pure Elevtric
Seats	5 persons
Horse Power	313
Top Speed	215km/h
Size	5020*1999*1460mm
Pure Electric Range	700km



2024 650km Perfomance Version	
Power	Pure Elevtric
Seats	5 persons
Horse Power	578
Top Speed	220km/h
Size	5020*1999*1460mm
Pure Electric Range	650km



2024 650km GT Version	
Power	Pure Elevtric
Seats	5 persons
Horse Power	578
Top Speed	220km/h
Size	5020*1999*1460mm
Pure Electric Range	650km

PRODUCT FEATURE



SAY HALO!
1C,500 lamp beads create the first quarter moon HALO interactive screen
Every meeting has a unique sense of ritual
Let the car not only travel, but also communicate with you emotionally anytime and anywhere



PURE, PURE ENJOYMENT
7.1.4 Immersive panoramic sound field, pure sound like a palace
27 high-fidelity speakers, 1200W power
Created by tuning masters, the sound is immersive and melodious.



INTELLIGENT AND VERSATILE
Equipped with the Hongmeng cockpit developed based on HarmonyOs4 and Huawei's high-end intelligent driving system HUAWEI ADS 2.0



DRIVING SAFETY AND ASSISTANCE
All series come standard with 8 airbags and 19 active safety features.
Includes Alien Obstacle Autonomous Emergency Braking (GAEB)
Active protection, one step ahead, allowing you to drive calmly and worry-free



UNDERSTAND YOUR SMART COCKPIT
Smart cockpit based on HarmonyOS
One core, multiple screens, smooth switching
Innovative experience and rich applications



LIGHTER AND MORE FUN
Lightweight body, the entire vehicle can reduce weight by 30%
Driving more stable and riding more comfortable

VOLKSWAGEN ID4 CROZZ

Pure Electric



Appearance:



Interior :



CONFIGURATION PARAMETER TABLE



2024 Pure Version	
Power	Pure Elevtric
Seats	5 persons
Horse Power	170
Top Speed	160km/h
Size	4592*1852*1629mm
Pure Electric Range	442km



2024 Pure+ Version	
Power	Pure Elevtric
Seats	5 persons
Horse Power	204
Top Speed	160km/h
Size	4592*1852*1629mm
Pure Electric Range	600km



2024 Pro Version	
Power	Pure Elevtric
Seats	5 persons
Horse Power	204
Top Speed	160km/h
Size	4592*1852*1629mm
Pure Electric Range	600km



2024 Prime Version	
Power	Pure Elevtric
Seats	5 persons
Horse Power	313
Top Speed	160km/h
Size	4592*1852*1629mm
Pure Electric Range	560km

PRODUCT FEATURE









VOLKSWAGEN ID6 CROZZ

Pure Electric



Appearance:



Interior :



CONFIGURATION PARAMETER TABLE



2024 Pure Version	
Power	Pure Elevtric
Seats	7 persons
Horse Power	180
Top Speed	160km/h
Size	4891*1848*1679mm
Pure Electric Range	480km



2024 Pure+ Version	
Power	Pure Elevtric
Seats	7 persons
Horse Power	204
Top Speed	160km/h
Size	4891*1848*1679mm
Pure Electric Range	601km



2024 Pro Version	
Power	Pure Elevtric
Seats	7 persons
Horse Power	204
Top Speed	160km/h
Size	4891*1848*1679mm
Pure Electric Range	600km



2024 Prime Version	
Power	Pure Elevtric
Seats	7 persons
Horse Power	313
Top Speed	160km/h
Size	4891*1848*1679mm
Pure Electric Range	560km

PRODUCT FEATURE









TRUMPCHI GS8

广汽传祺

Hybrid



Appearance:






Interior :




CONFIGURATION PARAMETER TABLE



2024 2.0TM 2WD Noble Version	
Power	Hybrid
Seats	7 persons
Horse Power	Horse Power:190
Top Speed	Top speed:190km/h
Size	Size:5015*1950*1780mm
Pure Electric Range	-



2024 2.0TM 4WD Noble Version	
Power	Hybrid
Seats	7 persons
Horse Power	190
Top Speed	190km/h
Size	5015*1950*1780mm
Pure Electric Range	-



2024 2.0TGDI 2WD Luxury Version	
Power	Hybrid
Seats	7 persons
Horse Power	252
Top Speed	210km/h
Size	4980*1950*1780mm
Pure Electric Range	-

PRODUCT FEATURE













BYD TANG

Pure Electric / Hybird



Appearance:





Interior :






CONFIGURATION PARAMETER TABLE



2023 Champion 600KM Noble Version	
Power	Pure electric
Seats	7 persons
Horse Power	228
Top Speed	180km/h
Size	4900*1950*1725mm
Pure Electric Range	600km



2023 Champion 730KM Noble Version	
Power	Pure electric
Seats	7 persons
Horse Power	245
Top Speed	180km/h
Size	4900*1950*1725mm
Pure Electric Range	730km



2023 Champion 635KM 4WD Flagship Version	
Power	Pure electric
Seats	6 persons
Horse Power	517
Top Speed	180km/h
Size	4900*1950*1725mm
Pure Electric Range	635km



2023 DM-i Champion 112KM Noble Version	
Power	Hybird
Seats	7 persons
Horse Power	139
Top Speed	180km/h
Size	4870*1950*1725mm
Pure Electric Range	112km

PRODUCT FEATURE









BYD SONG

Pure Electric / Hybird



Appearance:





Interior:



CONFIGURATION PARAMETER TABLE



2023 Champion 520KM Luxury Version	
Power	Pure electric
Seats	5 persons
Horse Power	204
Top Speed	175km/h
Size	4785*1890*1660mm
Pure Electric Range	520km



2023 Champion 520KM Noble Version	
Power	Pure electric
Seats	5 persons
Horse Power	204
Top Speed	175km/h
Size	4785*1890*1660mm
Pure Electric Range	520km



2023 Champion 520KM Flagship Version	
Power	Pure electric
Seats	5 persons
Horse Power	204
Top Speed	175km/h
Size	4785*1890*1660mm
Pure Electric Range	520km



2023 Champion 605KM Flagship Plus Version	
Power	Pure electric
Seats	5 persons
Horse Power	218
Top Speed	175km/h
Size	4785*1890*1660mm
Pure Electric Range	605km



2023 DM-i Champion 110KM Flagship Version	
Power	Hybird
Seats	5 persons
Horse Power	110
Top Speed	170km/h
Size	4775*1890*1670mm
Pure Electric Range	110km



2023 DM-i Champion 150KM Flagship Plus Version	
Power	Hybird
Seats	5 persons
Horse Power	110
Top Speed	170km/h
Size	4775*1890*1670mm
Pure Electric Range	150km

PRODUCT FEATURE









LIXIANG L8

理想

Hybrid



Appearance:





Interior:





CONFIGURATION PARAMETER TABLE



2023 Air	
Power	Hybrid
Seats	6 persons
Horse Power	449
Top Speed	180km/h
Size	5080*1995*1800mm
Pure Electric Range	210km



2023 Pro	
Power	Hybrid
Seats	6 persons
Horse Power	449
Top Speed	180km/h
Size	5080*1995*1800mm
Pure Electric Range	210km



2023 Max	
Power	Hybrid
Seats	6 persons
Horse Power	449
Top Speed	180km/h
Size	5080*1995*1800mm
Pure Electric Range	210km

PRODUCT FEATURE



FULLY ELECTRIC SEATS IN ALL THREE ROWS

All seats support electric control, providing each family member with acomfortable ride. The driver can reset all seats with one button and fold thethird-row seats for easy loading and unloading



EXTRA-LARGE DUAL PANE PANORAMIC SUNROOF

A sunroof of over 1 ㎡ creates a well-lighted space, withdouble electric heat-insulating sunshades protectingchildren's eyes from direct sunlight.



SIX-ZONE FREE CONVERSATION

Any passenger can wake up Li Xiang Tong Xue, who would appear on the nearest screen.



3.5KW POWER SOURCE

Create a mobile kitchen with a 220V 3.5kW power source to make coffee,watch a movie, and eat hot pot anywhere you want.



LI AUTO AD MAX SMART DRIVING SENSOR

Li L8 comes standard with an advanced smart driving system, creating a 3D digital driving experience in real time.



EFFORTLESS ENTRY AND EXIT

The vehicle height can be lowered by 40 mm to make it easy for the elderly and children to get in and out.

YANGWANG U8

Hybrid



Appearance:






Interior :




CONFIGURATION PARAMETER TABLE



2023 luxury Version	
Power	Hybrid
Seats	5 persons
Horse Power	1197
Top Speed	180km/h
Size	5319*2050*1930mm
Pure Electric Range	180km

PRODUCT FEATURE



ATMOSPHERIC AND STABLE BODY SHAPE

The atmospheric and stable volume does not need to be embellished with gorgeous rhetoric,
The huge and square body is set off by the powerful cover ridgeline, waistline,
and wheel arch design, and the majestic momentum is ready to emerge.



HALO COCKPIT

The luxurious and comfortable cockpit takes you through the wilderness outdoors with the most calm attitude.
Look up to U8 to get inspiration from the star ring, and explore the innovative application of curved surfaces and curves in automotive interiors in a very tense way.



GALAXY CURVED SCREEN

The starry sky is now within reach.The original 12.8-inch galaxy curved screen is integrated with the elegant shape of the interior, pouring down from the top of the instrument panel.
The car-grade curved OLED panel combines the ultimate luxury design with the top manufacturing process, and is manufactured through the ultimate bending technology to present a unique super round arc.



SKYLIGHT

Anytime, anywhere, look up at the starry sky.
The super-sized starry sky skylight is embedded with a floating starry sky texture.
Against the background , it creates a sense of tranquility
in the cosmic dome . The skylight pattern can be customized to create your own sky.



SAFER AND MORE OFF-ROAD

The four-motor independent control capability of the Yisifang technology platform can easily break through the traditional fuel off-road.The control experience of the car is shackles,
greatly improving the grip and stability of the car under various road conditions
Limits, so that hard-core off-road vehicles also have excellent driving pleasure in road driving.



INTELLIGENT ESCAPE TO ENJOY EXTREME OFF-ROAD

In the predicament of quicksand, snow, mud, Gobi, etc., the Yisifang technology platform can calculate the intelligent escape strategy in time based on the four-wheel perception data and the body posture data. Ensure safety in off-road scenarios. With the excellent airtightness of the whole vehicle and the IP68 waterproof and dustproof ability of the core components, when the U8 accidentally floats in the water, In the extreme situation of losing grip, with the precise control ability of Yi Sifang,
U8 can drive in the water for a short time to achieve emergency escape.

DENZA D9

腾势

Hybrid



Appearance:






Interior :



CONFIGURATION PARAMETER TABLE



D9 DM-i 2023 965 Premium Model	
Power	Hybrid
Seats	7 persons
Horse Power	139
Top Speed	180km/h
Size	5250*1960*1920mm
Pure Electric Range	75km



D9 DM-i 2022 1040 Premium Type	
Power	Hybrid
Seats	7 persons
Horse Power	139
Top Speed	180km/h
Size	5250*1960*1920mm
Pure Electric Range	155km



D9 DM-i 2022 970 Four-Wheel Drive Honor Model	
Power	Hybrid
Seats	7 persons
Horse Power	139
Top Speed	180km/h
Size	5250*1960*1920mm
Pure Electric Range	145km



D9 DM-i 2022 970 All-Wheel-Drive Flagship	
Power	Hybrid
Seats	7 persons
Horse Power	139
Top Speed	180km/h
Size	5250*1960*1920mm
Pure Electric Range	145km

PRODUCT FEATURE









TRUMPCHI E8

广汽传祺

Hybrid



Appearance:






Interior :




CONFIGURATION PARAMETER TABLE



PHEV 2024 2.0ATK 150km PRO Version	
Power	Hybrid
Seats	7 persons
Horse Power	140
Top Speed	170km/h
Size	4920*1900*1760mm
Pure Electric Range	116km



PHEV 2024 2.0ATK 150km MAX Version	
Power	Hybrid
Seats	7 persons
Horse Power	140
Top Speed	170km/h
Size	4920*1900*1760mm
Pure Electric Range	116km



PHEV 2024 2.0ATK 150km New Year Version	
Power	Hybrid
Seats	7 persons
Horse Power	140
Top Speed	170km/h
Size	4920*1900*1760mm
Pure Electric Range	116km

PRODUCT FEATURE













VOYAH DREAM

Hybrid / Pure Electric

岚图汽车



Appearance:



Interior:



CONFIGURATION PARAMETER TABLE



PHEV 2024 Ultra Long Life Excellent Version	
Power	Hybrid
Seats	7 persons
Horse Power	150
Top Speed	203km/h
Size	5315*1985*1820mm
Pure Electric Range	184km



PHEV 2024 Ultra Long Life Premium Edition	
Power	Hybrid
Seats	7 persons
Horse Power	150
Top Speed	203km/h
Size	5315*1985*1820mm
Pure Electric Range	184km



EV 2024 Ultra Long Life Flagship Version	
Power	Pure electric
Seats	7 persons
Horse Power	435PS
Top Speed	200km/h
Size	5315*1985*1800mm
Pure Electric Range	650km

PRODUCT FEATURE













ZEEKR 009

Pure Electric

ZEEKR



Appearance:




Interior:



CONFIGURATION PARAMETER TABLE



2022 WE Version	
Power	Pure electric
Seats	7 persons
Horse Power	544PS
Top Speed	190km/h
Size	5209*2024*1848mm
Pure Electric Range	702km



2022 ME Version	
Power	Pure electric
Seats	7 persons
Horse Power	544PS
Top Speed	190km/h
Size	5209*2024*1848mm
Pure Electric Range	822km

PRODUCT FEATURE



INTELLIGENT EXPERIENCE

SPA-level private massage enjoyment, with extra-long leg rests and customized profiling switches, you can enjoy comfort at your fingertips



INTELLIGENT MULTI-COLOR SURROUND ATMOSPHERE LIGHT

The 2.4m scene rhythm ceiling atmosphere light is illuminated sequentially with 70 LED light sources on the double-sided sliding door trim to form a rhythmic plane of light and shadow, creating an immersive lighting atmosphere space



PASSENGER SEAT COMFORT PACKAGE

12-way electric adjustment (including 4-way electric lumbar support), pneumatic massage, "s1" to enjoy luxury, go further



15.6-INCH CENTRAL CEILING SCREEN

5 levels of angle adjustment, no difference in comfort between the second and third rows, exclusive digital TV ecology brings massive entertainment content to the rear row



128KN TOP PRESSURE PROTECTION

The roof can bear a maximum load of 13 tons and has a strong protective barrier to protect the safety of the passengers.



GLOBAL MASS PRODUCTION DEBUT OF 140KWH CTP3.0 KIRIN BATTERY

WULING MINI

Pure electric



Appearance:





Interior :





CONFIGURATION PARAMETER TABLE



2024 WULING HONGUANG MACARONE	
Power	Pure electric
Seats	4 persons
Horse Power	27ps
Top Speed	100km/h
Size	3064*1493*1629mm
Pure Electric Range	170km



2024 WULING HONGGUANG MACARONE	
Power	Pure electric
Seats	4 persons
Horse Power	41ps
Top Speed	100km/h
Size	3064*1493*1629mm
Pure Electric Range	215km



2022 WULING HONGGUANG EASYGOING	
Power	Pure electric
Seats	4 persons
Horse Power	27ps
Top Speed	100km/h
Size	2920*1493*1621mm
Pure Electric Range	120km

PRODUCT FEATURE








SEAL GULL

Pure electric



Appearance:



Interior:



CONFIGURATION PARAMETER TABLE



2023 ROBUST VERSION	
Power	Pure electric
Seats	4 persons
Horse Power	75ps
Top Speed	130km/h
Size	3780*1715*1540mm
Pure Electric Range	305km



2023 FREEDOM VERSION	
Power	Pure electric
Seats	4 persons
Horse Power	75ps
Top Speed	130km/h
Size	3780*1715*1540mm
Pure Electric Range	305km



2023 FLY VERSION	
Power	Pure electric
Seats	4 persons
Horse Power	75 ps
Top Speed	130km/h
Size	3780*1715*1540mm
Pure Electric Range	405km

PRODUCT FEATURE



HIGH STRENGTH BODY STRUCTURE
High strength steel dosage is as high as 61%
leading level in the same class



SAFE AND LONG LIFE BLADE BATTERY
High safety and long life of blade batteries
lithium iron phosphate material



NVH QUIET EXPERIENCE
The vehicle to the customer driving experience
as the goal, harshness (NVH) comprehensive performance



30 MINUTES FAST CHARGE (30%-80%)
The maximum power 40 kw flash quick charge



DILINK
The intelligence of suspension PAD one screen at a time



MULTIPLE INTELLIGENT START MODES
Intelligent key, byd auto APP cloud services remote,
mobile phones, bluetooth key NFC diversity such as car keys to unlock

DOLPHIN

Pure electric



Appearance:






Interior :






CONFIGURATION PARAMETER TABLE



2023 ROBUST VERSION	
Power	Pure electric
Seats	4 persons
Horse Power	75ps
Top Speed	130km/h
Size	3780*1715*1540mm
Pure Electric Range	305km



2023 FREEDOM VERSION	
Power	Pure electric
Seats	4 persons
Horse Power	75ps
Top Speed	130km/h
Size	3780*1715*1540mm
Pure Electric Range	305km



2023 FLY VERSION	
Power	Pure electric
Seats	4 persons
Horse Power	75 ps
Top Speed	130km/h
Size	3780*1715*1540mm
Pure Electric Range	405km

PRODUCT FEATURE



DILINK INTELLIGENT NETWORK CONNECTION

Linking the whole scene of people-cars-society life, multi-dimensional interoperability to discover more excitement, intelligent network control, one key to control.



VTOL MOBILE POWER STATION

The black technology of external discharge turns it into a large power bank, which can be full of power and have unlimited fun outdoors.



COMPARABLE TO CLASS B SPACIOUS SPACE

The seats adopt the latest Dragon I frame platform developed by Faurecia, with a 2700mm wheelbase and a B-class cockpit experience, making you feel comfortable when lying down.



HIGH STRENGTH BODY STRUCTURE

It adopts a four-horizontal and four-vertical high-strength structure, with high-strength steel accounting for 78.2%, which strongly protects the safety of the battery pack and vehicle occupants.



E PLATFORM 3.0 TECHNOLOGY

Supported by e-platform 3.0 technology, dynamic control technology is used to improve information processing efficiency and system response speed.



HIGH SAFETY AND LONG LIFE BLADE BATTERY

High safety and long life blade battery, lithium iron phosphate battery material engraves safety into the "DNA", your safety is my mission

GREAT WALL POER

Pure electric



Appearance:






Interior :



CONFIGURATION PARAMETER TABLE



2021 BUSINESS VERSION ELITE	
Power	Pure electric
Seats	5 persons
Horse Power	204ps
Top Speed	100km/h
Size	5362*1883*1884mm
Pure Electric Range	405km



2021 BUSINESS VERSION FLAGSHIP	
Power	Pure electric
Seats	5 persons
Horse Power	204ps
Top Speed	100km/h
Size	5602*1883*1884mm
Pure Electric Range	405km

PRODUCT FEATURE








RADAR RD6

Pure Electric



Appearance:






Interior :



CONFIGURATION PARAMETER TABLE



2023 ENTREPRENEURSHIP VERSION	
Power	Pure electric
Seats	5 persons
Horse Power	272ps
Top Speed	185km/h
Size	5260*1900*1830mm
Pure Electric Range	410km



2023 EASYGOING VERSION	
Power	Pure electric
Seats	5 persons
Horse Power	272ps
Top Speed	185km/h
Size	5260*1900*1830mm
Pure Electric Range	550km



2023 SPORTS VERSION	
Power	Pure electric
Seats	5 persons
Horse Power	272ps
Top Speed	185km/h
Size	5260*1900*1830mm
Pure Electric Range	632km

PRODUCT FEATURE



632KM PURE ELECTRIC CRUISING RANGE

Equipped with a 100kWh battery pack for intercity travel, fully charged all the way

COMPREHENSIVE BATTERY SAFETY

N61 safety battery core, 5 major electrical safety technologies, and various rigorous tests far exceed international standards

BMS BATTERY MANAGEMENT REAL-TIME MONITORING

5 major functions, 24-hour real-time learning control



EFFICIENT RECYCLING AND LONGER BATTERY LIFE

Bosch iBooster intelligent energy recovery system
30% battery life comes from energy recovery



ENDOSKELETON INTEGRATED BODY DESIGN

Ultra-high-strength roof compression design exceeding 3 times the vehicle weight, far higher than the national standard

