DMB HK Limited
Doing Major Business

ELECTRIC MOTORCYCLES CATALOGUE





35/F., Central Plaza, 18 Harbour Road. Wanchai - Hong Kong
Telephone: +852 2824 8140 WhatsApp: +852 6778 9546 Wechat: +86 130 2881 9456 Web: www.dmb-hk.com









Model: BDY2-LP

Parameters

1. Tire: 14*2.5 vacuum tire
2. Motor: 350W brushless motor
3. Controller: 6-tube intelligent
4. Charging time: 4-8 hours
5. Maximum speed: 30km/h
6. Battery: 48V12A lead-acid battery
7. Endurance: 30km
8. Ordinary display, high, medium and low speed adjustment, motor anti-theft lock, rearview mirror
9. Optional configuration: 48V20A battery, 500W motor, removable battery box, rear turn signal packaging

Carton size: 112*32*73cm

Weight (excluding battery): 33kg











Model: BDY2-BT

Parameters

1. Tire: 14*2.5 vacuum tire
2. Motor: 350W brushless motor
3. Controller: 6-tube intelligent
4. Charging time: 4-8 hours
5. Maximum speed: 30km/h
6. Battery: 48V12A lead-acid battery
7. Endurance: 30km
8. Ordinary display, high, medium and low speed adjustment, motor anti-theft lock, rearview mirror, removable battery box, foldable front footrest
9. Optional configuration: 48V20A battery, 500W motor, rear turn signal

Packaging
Carton size: 128*33*74cm
Weight (excluding battery): 33kg











Model: BDY2-GE

Parameters

1. Tire: 14*2.5 vacuum tire
2. Motor: 350W brushless motor
3. Controller: 6-tube intelligent
4. Charging time: 4-8 hours
5. Maximum speed: 30km/h
6. Battery: 48V12A lead-acid battery
7. Endurance: 30km
8. LCD display, high, medium and low speed adjustment, motor anti-theft lock, front and rear turn signals, foldable front footrest, rearview mirror
9. Optional configuration: 48V20A battery, 500W motor

Packaging
Carton size: 128*33*74cm
Weight (excluding battery): 35kg























Model: BDY2-HB

Parameters

1. Tire: 14*2.5 vacuum tire
2. Motor: 350W brushless motor
3. Controller: 6-tube intelligent
4. Charging time: 4-8 hours
5. Maximum speed: 30km/h
6. Battery: 48V12A lead-acid battery
7. Endurance: 30km
8. Removable battery box
9. LCD display, high, medium and low speed adjustment, motor anti-theft lock, front turn signal, rearview mirror 10. Optional configuration: 500W motor, rear turn signal

Packaging

Carton size: 128*31*57cm

Weight (excluding battery): 34kg



















Model: BDY2-QJ

Parameters

1. Tire: 14*2.5 vacuum tire
2. Motor: 350W brushless motor
3. Controller: 6-tube intelligent
4. Charging time: 4-8 hours
5. Maximum speed: 30km/h
6. Battery: 48V12A lead-acid battery
7. Endurance: 30km
8. Removable battery box
9. LCD display, high, medium and low speed adjustment, motor anti-theft lock, front turn signal, rearview mirror, foldable front footrest
10. Optional configuration: 48V20A battery, 500W motor, rear turn signal

Packaging

Carton size: 128*33*74cm

Weight (excluding battery): 37kg





















Model: BDY2-BD

Parameters

1. Tire: 14*2.5 vacuum tire
2. Motor: 350W brushless motor
3. Controller: 6-tube intelligent
4. Charging time: 4-8 hours
5. Maximum speed: 30km/h
6. Battery: 48V12A lead-acid battery
7. Endurance: 30km
8. LCD display, high, medium and low speed adjustment, motor anti-theft lock, front and rear turn signals, rearview mirror, foldable front footrest
9. Optional configuration: 48V20A/60V20A battery, 500W motor

Packaging

Carton size: 145*32*72cm

Weight (excluding battery): 39kg























Model: BDY2-MD

Parameters

1. Tire: 14*2.5 vacuum tire
2. Motor: 350W brushless motor
3. Controller: 6-tube intelligent
4. Charging time: 4-8 hours
5. Maximum speed: 30km/h
6. Battery: 48V12A lead-acid battery
7. Endurance: 30km
8. LCD display, high, medium and low speed adjustment, motor anti-theft lock, front turn signal, rearview mirror 9. Optional configuration: 48V20A battery, 500W motor, rear turn signal

Packaging

Carton size: 130*28*65cm

Weight (excluding battery): 36kg

















Model No.: BDY2-SH

Parameters

1. Tire: 14*2.5 vacuum tire
2. Motor: 350W brushless motor
3. Controller: 6-tube intelligent
4. Charging time: 4-8 hours
5. Maximum speed: 30km/h
6. Battery: 48V12A lead-acid battery
7. Endurance: 30km
8. LCD display, high, medium and low speed adjustment, motor anti-theft lock, front turn signal, rearview mirror 9. Optional configuration: 48V20A battery, 500W motor, rear turn signal

Packaging

Carton size: 132*32*65cm

Weight (excluding battery): 36kg





















Model: BDY2-LX

Parameters

1. Tire: 14*2.5 vacuum tire
2. Motor: 350W brushless motor
3. Controller: 6-tube intelligent
4. Charging time: 4-8 hours
5. Maximum speed: 30km/h
6. Battery: 48V12A lead-acid battery
7. Endurance: 30km
8. LCD display, high, medium and low speed adjustment, motor anti-theft lock, front and rear turn signals, rearview mirror, foldable front footrest
9. Optional configuration: 48V20A battery, 500W/800W motor

Packaging
Carton size: 135*32*70cm
Weight (excluding battery): 35kg











Model: BDY2-GC

Parameters

1. Tire: 14*2.5 vacuum tire
2. Motor: 350W brushless motor
3. Controller: 6 tubes
4. Charging time: 4-8 hours
5. Max. speed: 30 km/h
6. Battery: 48V20A lead-acid
7. Max. range: 50 km
8. LCD display, three-speed switch, rearview mirror
9. Optional configuration: 500W motor, 48V12A, 60V20A battery, rear turn signal packaging

Carton: 145*32*77cm

Weight without battery: 35kg













Model: BDY2-Q6

Parameters

1. Tire: 14*2.5 vacuum tire
2. Motor: 350W brushless motor
3. Controller: 6 tubes
4. Charging time: 4-8 hours
5. Max. speed: 30 km/h
6. Battery: 48V12A lead-acid
7. Max. range: 30 km
8. LCD display, three-speed switch, anti-theft wheel lock, front turn signal
9. Optional configuration: 48V20A/60V20A, 500W motor, rear turn signal, rearview mirror packaging

Carton: 145*32*77cm

Weight without battery: 35kg



















Model: BDY2-KN

Parameters

1. Tire: 14*2.5 vacuum tire
2. Motor: 350W brushless motor
3. Controller: 6-tube intelligent
4. Charging time: 4-8 hours
5. Maximum speed: 30km/h
6. Battery: 48V12A lead-acid battery
7. Endurance: 30km
8. LCD display, high, medium and low speed adjustment, motor anti-theft lock, front turn signal, rearview mirror 9. Optional configuration: 48V20A battery, 500W motor, rear turn signal

Packaging

Carton size: 132*31*65cm

Weight (excluding battery): 36kg



















Model: BDY2-KZ

Parameters

1. Tire: 14*2.5 vacuum tire
2. Motor: 350W brushless motor
3. Controller: 6-tube intelligent
4. Charging time: 4-8 hours
5. Maximum speed: 30km/h
6. Battery: 48V12A lead-acid battery
7. Endurance: 30km
8. LCD display, high, medium and low speed adjustment, motor anti-theft lock, front turn signal, rearview mirror 9. Optional configuration: 48V20A battery, 500W motor, rear turn signal

Packaging

Carton size: 132*31*65cm

Weight (excluding battery): 36kg



















Model: BDY2-C

Parameters

1. Tire: 14*2.5 vacuum tire
2. Motor: 350W brushless motor
3. Controller: 6-tube intelligent
4. Charging time: 4-8 hours
5. Maximum speed: 30km/h
6. Battery: 48V12A lead-acid battery
7. Endurance: 30km
8. LCD display, high, medium and low speed adjustment, motor anti-theft lock, front turn signal, rearview mirror 9. Optional configuration: 48V20A battery, 500W motor, rear turn signal

Packaging

Carton size: 132*34*65cm

Weight (excluding battery): 35kg

















Model: BDY2-JK

Parameters

1. Tire: 14*2.5 vacuum tire
2. Motor: 350W brushless motor
3. Controller: 6-tube intelligent
4. Charging time: 4-8 hours
5. Maximum speed: 30km/h
6. Battery: 48V12A lead-acid battery
7. Endurance: 30km
8. LCD display, high, medium and low speed adjustment, motor anti-theft lock, front turn signal, rearview mirror 9. Optional configuration: 48V20A battery, 500W motor, rear turn signal

Packaging
Carton size: 132*32*65cm
Weight (excluding battery): 36kg



















Model: BDY2-KF

Parameters

1. Tire: 14*2.5 vacuum tire
2. Motor: 500W brushless motor
3. Controller: 9 tubes
4. Charging time: 4-8 hours
5. Max. Speed: 50 km/h
6. Battery: 48V20A lead-acid
7. Max. Range: 50 km
8. LCD display, three-speed switch, front turn signal, rearview mirror 9. Optional configuration: 60V20A battery, 800W motor

Packaging
Carton: 145*32*77cm
Weight without battery: 35kg















Model: BDY2-LD

Parameters

1. Tire: 20-inch tire
2. Motor: 400W brushless motor
3. Controller: 6 tubes
4. Charging time: 4-8 hours
5. Max. speed: 35 km/h
6. Battery: 48V12A lead-acid
7. Max. range: 30 km
8. LCD display, three-speed switch, front turn signal, rearview mirror packaging

Carton: 145*32*77cm

Weight without battery: 35kg

















Model: BDY2-FD

Parameters

1. Tire: 300-10 vacuum tire
2. Motor: 1000W brushless motor
3. Controller: 12-tube intelligent
4. Charging time: 4-8 hours
5. Maximum speed: 60km/h
6. Battery: 60V20A lead-acid battery
7. Endurance: 70km
8. Removable battery box
9. LCD display, high, medium and low speed adjustment, front and rear turn signals, foldable front footrest, rearview mirror 10. Optional configuration: 20A/30A/40A/50A lithium battery

Packaging

Carton size: 162*32*87cm

Weight (excluding battery): 60kg



















Model: BDY2-GT1

Parameters

1. Tire: 14*3.0 vacuum tire
2. Motor: 1000W brushless motor
3. Controller: 12-tube intelligent
4. Braking mode: front disc and rear dru m
5. Maximum speed: 50km/h
6. Battery: 48V/60V/72V
7. Optional configuration: 800W/1500

W, integrated seat packaging
Carton size: 132*32*65cm
Weight (excluding battery): 36kg



















Model: BDY2-S1

Parameters

1. Tire: 14*2.5 vacuum tire
2. Motor: 500W brushless motor
3. Controller: 6-tube intelligent
4. Braking mode: front disc and rear drum
5. Maximum speed: 35-40km/h
6. Battery: 48V20A/60V20A lead-acid battery

Standard: NFC, high and low beam, one-button start, with P gear, brake gear, brake light, tail plate light, electric lock night light

7. Optional: optional rear seat or trunk can be added with backrest

Packaging

Carton size: 150*36*85cm

Weight (excluding battery): 43kg











Model: BDY2-ZJ

Parameters

1. Tire: 2.75-10 vacuum tire
2. Motor: 500W brushless motor
3. Controller: 9 tubes
4. Charging time: 4-8 hours
5. Max. speed: 50 km/h
6. Battery: 48V20A lead-acid
7. Max. range: 50 km
8. LCD display, three-speed switch, front turn signal
9. Optional configuration: 60V20A/72V20A battery, 800W/1000W motor, rear turn signal, rearview mirror

Packaging
Carton: 155*32*87cm
Weight without battery: 35kg





















Model: BDY2-HN

Parameters

1. Tire: 14*2.5 vacuum tire
2. Motor: 500W brushless motor
3. Controller: 9-tube intelligent
4. Charging time: 4-8 hours
5. Maximum speed: 50km/h
6. Battery: 48V20A lead-acid battery
7. Endurance: 50km
8. LCD display, high, medium and low speed adjustment, front and rear turn signals, rearview mirror, foldable front pedal 9. Optional configuration: 60V20A battery

Packaging
Carton size: 132*31*70cm
Weight (excluding battery): 36kg











Model: BDY2-TK

Parameters

1. Tire: 14*2.5 vacuum tire
2. Motor: 500W brushless motor
3. Controller: 9 tubes
4. Charging time: 4-8 hours
5. Max. speed: 50 km/h
6. Battery: 48V20A lead-acid
7. Max. range: 50 km
8. LCD display, three-speed switch, front turn signal
9. Optional configuration: 48V12A/60V20A battery, 350W/800W motor, rearview mirror packaging

Carton: 145*32*77cm

Weight without battery: 35kg



















Model: BDY2-CH

Parameters

1. Tire: 14*2.5 vacuum tire
2. Motor: 350W brushless motor
3. Controller: 6-tube intelligent
4. Charging time: 4-8 hours
5. Maximum speed: 30km/h
6. Battery: 48V12A lead-acid battery
7. Endurance: 30km
8. LCD display, high, medium and low speed adjustment, motor anti-theft lock, front turn signal, rearview mirror 9. Optional configuration: 48V20A/60V20A battery, 500W motor, rear turn signal

Packaging

Carton size: 130*29*65cm

Weight (excluding battery): 36kg











Model: BDY2-MM

Parameters

1. Tire: 14*2.5 vacuum tire
2. Motor: 350W brushless motor
3. Controller: 6-tube intelligent
4. Charging time: 4-8 hours
5. Maximum speed: 30km/h
6. Battery: 48V12A lead-acid battery
7. Endurance: 30km
8. LCD display, high, medium and low speed adjustment, motor anti-theft lock, front turn signal, rearview mirror 9. Optional configuration: 48V20A/60V20A battery, 500W motor, rear turn signal

Packaging
Carton size: 145*32*77cm
Weight (excluding battery): 35kg











Model: BDY2-YH

Parameters

1. Tire: 14*2.5 vacuum tire
2. Motor: 350W brushless motor
3. Controller: 6-tube intelligent
4. Charging time: 4-8 hours
5. Maximum speed: 30km/h
6. Battery: 48V12A lead-acid battery
7. Endurance: 30km
8. LCD display, high, medium and low speed adjustment, motor anti-theft lock, front turn signal, rearview mirror 9. Optional configuration: 48V20A battery, 500W motor, rear turn signal

Packaging

Carton size: 132*31*65cm

Weight (excluding battery): 36kg













Model: BDY2-BG

Parameters

1. Tire: 14*2.5 vacuum tire
2. Motor: 350W brushless motor
3. Controller: 6-tube intelligent
4. Charging time: 4-8 hours
5. Maximum speed: 30km/h
6. Battery: 48V12A lead-acid battery
7. Endurance: 30km
8. LCD display, high, medium and low speed adjustment, motor anti-theft lock, foldable front footrest, front and rear turn signals, rearview mirror
9. Optional configuration: 48V20A/60V20A/72V20A battery, 500W motor

Packaging
Carton size: 145*32*77cm
Weight (excluding battery): 35kg











Model: BDY2-ET

Parameters

1. Tire: 14*2.5 vacuum tire
2. Motor: 350W brushless motor
3. Controller: 6-tube intelligent
4. Charging time: 4-8 hours
5. Maximum speed: 30km/h
6. Battery: 48V12A lead-acid battery
7. Endurance: 30km
8. LCD display, high, medium and low speed adjustment, motor anti-theft lock, foldable front footrest, front and rear turn signals, rearview mirror
9. Optional configuration: 48V20A/60V20A battery, 500W motor

Packaging

Carton size: 145*32*77cm

Weight (excluding battery): 35kg











Model: BDY2-OT

Parameters

1. Tire: 14*2.5 vacuum tire
2. Motor: 350W brushless motor
3. Controller: 6-tube intelligent
4. Charging time: 4-8 hours
5. Maximum speed: 30km/h
6. Battery: 48V12A lead-acid battery
7. Endurance: 30km
8. LCD display, high, medium and low speed adjustment, motor anti-theft lock, front turn signal, rearview mirror 9. Optional configuration: 48V20A/60V20A battery, 500W motor, rear turn signal

Packaging
Carton size: 132*32*65cm
Weight (excluding battery): 36kg













Model: BDY2-C6

Parameters

1. Tire: 14*2.75 vacuum tire
2. Motor: 500W brushless motor
3. Controller: 9 tubes
4. Charging time: 4-8 hours
5. Max. speed: 50 km/h
6. Battery: 48V20A lead-acid
7. Max. range: 50 km
8. LCD display, three-speed switch, front turn signal
9. Optional configuration: 48V12A/60V20A battery, 350W motor, rearview mirror packaging

Carton: 145*32*77cm

Weight without battery: 35kg

















Model: BDY4-WG

Parameters

1. Tire: 3.00-10 vacuum tire
2. Motor: 800W brushless motor
3. Controller: 12-tube intelligent
4. Braking mode: front disc and rear drum
5. Maximum speed: 50km/h
6. Battery: 60V/72V
8. USB mobile phone charging, three-speed transmission, LCD instrument , two-way remote control, rearview mirror, reflector, reverse gear, one-button recovery, module controller
9. Optional configuration: 1000W/1200W/1500W

Packaging

Carton size: 175*55*85cm

Weight (excluding battery): 59kg























Model: BDY4-CS

Parameters

1. Tire: 90/90-12 vacuum tire
2. Motor: 1500W brushless motor
3. Controller: 12-tube intelligent
4. Braking mode: front and rear disc brakes
5. Maximum speed: 70km/h
6. Battery: 60V/72V
8. USB mobile phone charging, three-speed transmission, LCD instrument, two-way remote control, rearview mirror, reflector, reverse gear, one-button recovery, module controller
9. Optional configuration: 1200W/2000W

Packaging

Carton size: 175*55*85cm

Weight (excluding battery): 61kg









Model: BDY4-XJG

Parameters

1. Tire: 3.00-10 vacuum tire
2. Motor: 800W/1200W/1500W/2000W
3. Controller: 12 tube 30A
4. Charging time: 6-8 hours
5. Max. speed: 80 km/h
6. Battery: 48V/60V/72V lead acid
7. Front disc brake, rear drum brake
8. USB mobile phone charging, three-speed transmission, front compression damping, rear double-tube hydraulic damping (optional bumper and trunk).

Packaging

Carton size: 175*55*85cm

Weight (excluding battery): 59kg

40HQ Loading capacity: SKD 95 / CKD 150

















Model: BDY4-XWX

Parameters

1. Tire: 2.75-10 vacuum tire
2. Motor: 500W brushless motor
3. Controller: 9 tubes
4. Charging time: 6-8 hours
5. Max. speed: 30 km/h
6. Battery: 48V20A lead-acid
7. Max. range: 30 km
8. LCD display, three-speed switch, front and rear turn signals, rearview mirror
9. Optional configuration: 60V20A lead-acid battery, 800W motor

Packaging

Carton size: 170*57*85cm

Weight (excluding battery): 55kg













Model: BDY4-NVS

Parameters

1. Tire: 90/90-12 vacuum tire
2. Motor: 1200W/1500W/2000W/3000W
3. Controller: 70A controller
4. Charging time: 6-8 hours
5. Maximum speed: 75 km/h
6. Battery: 60V32A/72V20A/32A
7. Dual remote control alarm, front and rear double discs, three speeds, LCD instrument, hydraulic shock absorption, LCD instrument panel.

Packaging

Carton size: 185*50*100cm

Weight (excluding battery): 65kg













Model: BDY2-XCT

Parameters
1. Tire: 90/90-12 vacuum tire
2. Motor: 800W/1200W/1500W
3. Controller: 12 tubes
4. Charging time: 6-8 hours
5. Max. speed: 50-70 km/h
6. Battery: 72V20A lead-acid
7. Max. range: 30 kilometers
8. LCD display, three-speed switch, anti-theft wheel lock, front turn signal, rearview mirror
9. Optional configuration: 60V20A
Packaging
Carton size: 132*32*65cm
Weight (excluding battery): 36kg

















Model: BDY4-F6

Parameters
1. Tire: 14*2.5 vacuum tire
2. Motor: 400W/550W/customizable
3. Controller: 9-tube 25A
4. Charging time: 4-8 hours
5. Max. speed: customizable
6. Battery: 48V/60V lead-acid
7. Front disc and rear drum, USB mobile phone charging, three-speed transmission, front hydraulic shock absorber, rear double-tube hydraulic shock absorber.

Packaging
Carton size: 170*57*85cm
Weight (excluding battery): 55kg



















Model: BDY4-HN

Parameters
1. Tire: 3.00-10 vacuum tire
2. Motor: 800W brushless motor
3. Controller: 12-tube intelligent
4. Braking mode: front disc and rear drum
5. Maximum speed: 50km/h
6. Battery: 60V/72V
8. USB mobile phone charging, three-speed transmission, LCD instrument, two-way remote control, rearview mirror, reflector, reverse gear, one-button recovery, module controller
9. Optional configuration: 1000W/1200W/1500W
Packaging
Carton size: 165*55*88cm
Weight (excluding battery): 93kg
40HQ Loading capacity: SKD 95 / CKD 170

















Model: BDY4-E9

Parameters
1. Tire: 3.00-10 vacuum tire
2. Motor: 800W brushless motor
3. Controller: 12-tube intelligent
4. Braking mode: front disc and rear drum
5. Maximum speed: 50km/h
6. Battery: 60V/72V
8. USB mobile phone charging, three-speed transmission, LCD instrument, two-way remote control, rearview mirror, reflector, reverse gear, one-button recovery, module controller
9. Optional configuration: 1000W/1200W/1500W
Packaging
Carton size: 165*55*88cm
Weight (excluding battery): 93kg
40HQ Loading capacity: SKD 95 / CKD 170

















Model: BDY4-N1

Parameters
1. Tire: 3.00-10 vacuum tire
2. Motor: 1200W brushless motor
3. Controller: 12-tube intelligent
4. Braking mode: front and rear disc brakes
5. Maximum speed: 65km/h
6. Battery: 60V/72V
8. USB mobile phone charging, three-speed transmission, color digital instrument, two-way remote control, rearview mirror, reflector, reverse gear, one-button recovery, module controller
Optional configuration: 800W/1000W/1500W

Packaging
Carton size: 165X55X87cm
Weight (excluding battery): 50kg





















Model: BDY4-X9

Parameters
1. Tire: 3.00-10 vacuum tire
2. Motor: 1500W brushless motor
3. Controller: 12-tube intelligent
4. Braking mode: front and rear disc brakes
5. Maximum speed: 60km/h
6. Battery: 60V/72V
7. USB mobile phone charging, three-speed transmission, LCD instrument, two-way remote control, rearview mirror, reflector, reverse gear, one-button recovery, module controller
8. Optional configuration: 1200W

Packaging
Carton size: 175*55*85cm
Weight (excluding battery): 59kg
40HQ Loading capacity: SKD 95 / CKD 150















Model: BDY4-G9

Parameters

1. Tire: 3.00-10 vacuum tire
2. Motor: 1000W brushless motor
3. Controller: 12-tube 32A controller
4. Braking mode: front disc and rear drum
5. Maximum speed: 60km/h
6. Battery: 60V/72V
8. USB mobile phone charging, three-speed transmission, color digital instrument, two-way remote control, rearview mirror, reflector, reverse gear, one-button recovery, module controller
Optional configuration: 800W/1200W/1500W

Packaging
Carton size: 175X54X105cm
Weight (excluding battery): 65kg















Model: BDY4-B02

Parameters

1. Tire: 3.00-10 vacuum tire
2. Motor: 1000W brushless motor
3. Controller: 12-tube 32A controller
4. Braking mode: front disc and rear drum
5. Maximum speed: 60km/h
6. Battery: 60V/72V
8. USB mobile phone charging, three-speed transmission, color digital instrument, two-way remote control, rearview mirror, reflector, reverse gear, one-button recovery, module controller
Optional configuration: 800W/1200W/1500W

Packaging
Carton size: 165*45*85cm
Weight (excluding battery): 55kg





















Model: BDY4-H1

Parameters

1. Tire: 3.00-10 vacuum tire
2. Motor: 1000W brushless motor
3. Controller: 12-tube 32A controller
4. Braking mode: front disc and rear drum
5. Maximum speed: 60km/h
6. Battery: 60V/72V
8. USB mobile phone charging, three-speed transmission, color digital instrument, two-way remote control, rearview mirror, reflector, reverse gear, one-button recovery, module controller
Optional configuration: 800W/1200W/1500W
Packaging
Carton size: 175X54X105cm
Weight (excluding battery): 65kg





















Model: BDY4-AEF

Parameters

1. Tire: 12-inch front aluminum wheel
2. Motor: 1000W brushless motor
3. Controller: 12-tube 32A controller
4. Braking mode: front disc and rear drum
5. Maximum speed: 60km/h
6. Battery: 60V/72V
8. USB mobile phone charging, three-speed transmission, color digital instrument, two-way remote control, rearview mirror, reflector, reverse gear, one-button recovery, module controller
Optional configuration: 1200W/1500W

Packaging
Carton size: 186*44*115cm
Weight (excluding battery): 60kg















Model: BDY4-ZL

Parameters

1. Tire: 3.00-10 vacuum tire
2. Motor: 1200W brushless motor
3. Controller: 12-tube intelligent
4. Braking mode: front and rear disc brakes
5. Maximum speed: 65km/h
6. Battery: 60V/72V
8. USB mobile phone charging, three-speed transmission, color digital instrument, two-way remote control, rearview mirror, reflector, reverse gear, one-button recovery, module controller

Optional configuration: 1000W/1500W

Packaging

Carton size: 155*32*87cm

Weight (excluding battery): 55kg





















Model: BDY4-TTX

Parameters

1. Tire: 3.00-10 vacuum tire
2. Motor: 1500W brushless motor
3. Controller: 12-tube intelligent
4. Braking mode: front and rear disc brakes
5. Maximum speed: 70km/h
6. Battery: 60V/72V
8. USB mobile phone charging, three-speed transmission, LCD instrument, two-way remote control, rearview mirror, reflector, reverse gear, modified handlebar handle, colored PP material, module controller
Optional configuration: 1200W/2000W
Packaging
Carton size: 188*115*75cm
Weight (excluding battery): 65kg



















Model: BDY4-LM

Parameters

1. Tire: 3.50-10 vacuum tire
2. Motor: 1000W brushless motor
3. Controller: 12 tubes
4. Charging time: 4-8 hours
5. Max. speed: 55-60 km/h
6. Battery: 60V20A lead-acid
7. Max. range: 60-70 km
9. USB mobile phone charging, three speeds, front hydraulic shock absorber, rear double-tube hydraulic shock absorber.

Packaging
Carton size: 175*54*105cm
Weight (excluding battery): 65kg











Model: BDY4-TANK

Parameters

1. Tire: 90-90-12 aluminum wheel
2. Motor: 1500W brushless motor
3. Controller: 15-tube 35A controller
4. Braking mode: front and rear oil disc brakes
5. Maximum speed: 60km/h
6. Battery: 60V/72V
7. USB mobile phone charging, three-speed gearbox, LCD instrument, two-way remote control.
8. Optional configuration: 2000W

Packaging
Carton size: 188*60*120cm/175*57*87cm
Weight (excluding battery): 64kg
40HQ Loading capacity: SKD 90 / CKD 130

























Model: BDY4-DHF

Parameters

1. Tire: 12-inch front aluminum wheel
2. Motor: 1000W brushless motor
3. Controller: 12-tube intelligent
4. Braking mode: front disc and rear drum
5. Maximum speed: 60km/h
6. Battery: 60V/72V
8. USB mobile phone charging, three-speed transmission, color digital instrument, two-way remote control, rearview mirror, reflector, reverse gear, one-button recovery, module controller

Optional configuration: 1200W/1500W/2000W

Packaging

Carton size: 132*31*65cm

Weight (excluding battery): 56kg









Model: BDY4-GX

Parameters

1. Tire: 120/70-12 vacuum tire
2. Motor: 2000W brushless motor
3. Controller: 12-tube intelligent
4. Braking mode: front and rear disc brakes (front and rear 220 discs)
5. Maximum speed: 80km/h
6. Battery: 60V/72V
8. Three-speed transmission, LCD instrument, two-way remote control, rearview mirror, reflector, reverse gear, one-button recovery, module controller, light-cured paint, modified handlebars

Packaging

Carton size: 165*55*87cm

Weight (excluding battery): 85kg



















Model: BDY4-M5

Parameters

1. Tire: 120/70-12 vacuum tire
2. Motor: 2000W brushless motor
3. Controller: 12-tube intelligent
4. Braking mode: front and rear disc brakes (front and rear 220 discs)
5. Maximum speed: 80km/h
6. Battery: 60V/72V
8. Three-speed transmission, LCD instrument, two-way remote control, rearview mirror, reflector, reverse gear, one-button recovery, module controller, light-cured paint, modified handlebars

Packaging
Carton size: 165*55*87cm
Weight (excluding battery): 90kg



















Model: BDY4-RZ

Parameters

1. Tire: 110/70-17 140/70-17 vacuum tire
2. Motor: QS 2000W/5000W/customizable brushless motor
3. Controller: EM-100 Rand intelligent controller
4. Charging time: 4-8 hours
5. Max. speed: 80-120 km/h/customizable
6. Battery: 72V/144V lead-acid
7. Digital LCD instrument, thickened hydraulic adjustable rear shock absorber, front double rear single disc brake, three-speed, 144V battery compartment.

Packaging
Carton size: 185*55*105cm
Weight (excluding battery): 86kg













Model: BDY3-XK

Parameters

1. Tire: 3.00-8 vacuum tire
2. Motor: 600W differential motor
3. Controller: 12 tubes
4. Charging time: 6-8 hours
5. Maximum speed: 35km/h
6. Battery: 48V20A lead-acid battery
7. Endurance: 50km
8. LCD screen display, three-speed adjustment, front and rear turn signals, rearview mirror, removable battery box, forward and reverse mode, front and rear storage baskets, one-button start, dual remote control
9. Optional configuration: 60V20A lead-acid battery

Packaging:
Carton size: 130*70*68cm
Nude car + packaging weight: 78kg

















Model: BDY3-ZD

Parameters

1. Tire: 3.00-8 vacuum tire
2. Motor: 600W differential motor
3. Controller: 12 tubes
4. Charging time: 6-8 hours
5. Maximum speed: 35km/h
6. Battery: 48V20A lead-acid battery
7. Endurance: 50km
8. LCD screen display, three-speed adjustment, front and rear turn signals, rearview mirror, removable battery box, forward and reverse mode, front basket, one-button start, dual remote control
9. Optional configuration: 60V20A lead-acid battery

Packing:
Carton size: 180*75*68cm
Nude weight: 98kg



Packaging method

1. Integrated packaging
The head is not fixed, a 40'H container can load 170-220 units
(depending on the model)







Packaging method

2. Semi-bulk (SKD) packaging
Without head and front wheels, 1 40H container can hold 200-280 units (depending on the model)













Packaging method

3. Completely CKD (CKD) packaging
① All parts are packed in bags and cartons. A 40'H container can load 300-450 pieces (depending on the model)









